



整車

Complete Cycles



messingschlager 1924

THE BIKE EXPERIENCE

BECOME OUR PARTNER AND BENEFIT FROM:

- Over 90 years experience in developing & customizing
- Europe's largest stock of bike P & A
- Worldwide distribution network
- Fast, reliable and extensive full service
- A well trusted and loyal German industry partner

KENDA



LINKA

brose
Antriebstechnik



SMART®



EXUSTAR

cnSPOKE



microSHIFT

zoom



PROMAX

MEGO®

TRAILGATOR
THE BICYCLE TOW BAR

BETO®



RoyalBaby
SAFER RIDING · BETTER LIFT

REMERX

MKS



ECHOWELL



MIGHTY

Overade



GERMAN HEAD OFFICE

Messingschlager GmbH & Co. KG
Haßbergstr. 45 · 96148 Baunach - Germany
E-mail: info@messingschlager.com

USA AGENCY

Cycle Force Group LLC · Matthew Nims
2105 SE 5th Street, Ames · US-50010 Iowa
E-mail: mattn@cyclefg.com

www.messingschlager.com

COMPLETE CYCLE ADVERTISERS



A01 Bicycles

Acetrikes Ind. Co., Ltd. 見誠	69
Arthur And Judy Ent. Co., Ltd. 京永	70
Asama Yuh Jiun Ind. Co., Ltd. 郁瑒	71
Chainin Technology Co., Ltd. 建英	72
Cheng Yi Bicycle Co., Ltd. 成益	73
Chenn Daa Co., Ltd. 成達	74
Dodsun Bicycle & Machinery Manufacturers 達生	1162
Fairly Bike Mfg. Co., Ltd. 菲力	1163
Giant Mfg. Co., Ltd. 巨大	1164
Giatex Cycle Co., Ltd. 佳得	75
Gomier Mfg. Co., Ltd. 尚殷	78
Jee Ann Bicycle Co., Ltd. 吉安	76-77
Jen Min Mfg. Co., Ltd. 正敏	1165
Jiu Ling Co., Ltd. 巨鈴	79
Jumbo Brico Associated Co., Ltd. 鉅盈	80
Ktm-Bikes International (Hk) Company Limited. 凱特美	81
Macro Machine Co. 麥卡隆	82
Merida Industry Co., Ltd. 美利達	1166
Ming Cycle Ind. Co., Ltd. 永祺	1167
Mit Cycle Sourcing Ltd. 軒登	83
Overlord Industries Corp. 崑哲	84
Pacific Cycles Inc. 太平洋	1168
Pretty Wheel Ind. Co., Ltd. 美輪	85
Saola Cycle SAOLA CYCLE	86
Stardance International Corp 連盈	87
Tange International Co., Ltd. 丹下	88
Wheeler Ind. Co., Ltd. 永輪	89
Willing Ind. Co., Ltd. 威輪	90-91
Youn Live Industry Co., Ltd. 宇輪	94



Overseas Manufacturers

Alliance Cycle Industry Co., Ltd. 日翔	92-93
--------------------------------------	-------



Brand Companies

Nammax Corp. 名瓦茂	95
Otoben Bicycle Co., Ltd. 豐麒	96
Suncycle Enterprise Co., Ltd. 格祥	97
Uni-Victor Int'l Corp. 合勝	98
Yung Great Co., Ltd. 永迪派	99



A02 Folding Bicycles

Liwang Precision Co., Ltd. 立旺	100
Oyama Industrial Co., Ltd. 大忠	101



Overseas Manufacturers

Qu-Ax GmbH QU-AX	102
------------------	-----



A04 Children's Bicycles

Azure Bike International Ltd. 晴也	103
Keng Min Ent. Ltd. 鏗民	104
Moreroot Co., Ltd. 華根	105
Rystar International Co., Ltd. 安爵	108
Shouh Mao Ind. Co., Ltd. 碩懋	106-107



Brand Companies

Allied International (1951) Ltd. 怡合	109
Metallica Internationall Co., Ltd. 穎澧	110



A05 Exercisers

Jin Chang Sheng International Co., Ltd. 金昌昇	111
Trifo Limited 友穗	112



A07 Electric Bikes

Bixetec International Co., Ltd. 巧創	122-123
Grandway Power Tech Co., Ltd. 冠威	124
Iuvo Industry Co., Ltd. 巨琛	125
Lang Ju Ent. Co., Ltd. 良駒	126
Teamsun Co., Ltd. 栢馥	127
Unique Product & Design Co., Ltd. 穩正	128-129



Overseas Manufacturers

Lujin Metal Products (S.Z.) Co., Ltd. 呂金	130
--	-----



Brand Companies

Aprove Products Co., Ltd. 宏威	131
Arix Enterprise Co., Ltd. 眾鴻	132
Asia Bicycle Trading Company 愷拓	133
Joyland Sports Technology Co., Ltd. 昆山均朗	134
Otc Tec Int'l Co., Ltd. 國泰鑫	135
Otoben Bicycle Co., Ltd. 豐麒	136
Yang Chan Technology Co., Ltd. 陽展	137



A08 Battery Units

Mps Energy Inc. 聯永基	138
---------------------	-----



A09 Controllers

Energy Research Technologies Corp. 亞能聚	139
First Bicycle Components Co., Ltd. 輪鋒	140
Honlin Heavy Industries Co., Ltd. 紅菱重工	141
Hyena Inc. 凱納	142-143



Brand Companies

Honey Hope Honesty Enterprise Co., Ltd. 蜜望實	144-147
---	---------



A11 Battery Chargers

High Power Technology Inc. 鴻柏	148
-------------------------------	-----



A99 Others

Cycling & Health Tech Industry R&D Center 研發中心	1169
Vantly Fitness International Enterprise Co., Ltd. 環瑋	114-115
X-Factor Taiwan Corp (Jydar Group) 天勤	116-117



Overseas Manufacturers

Rongbang Machinery (K.S.) Co., Ltd. 榮邦-昆山	118-119
---	---------



JCEBIKE S1 SPORT

E-kit: Shimano Steps System
 Motor: Shimano 36V 250W With Torque Sensor
 Battery: Shimano 36V 11.6AH For Steps
 Display: Shimano KSCE6000A
 Shifter lever: Shimano SL-M360
 Derailleur: Shimano RD-M360D-L 8 Speed
 Brakes: Shimano DISC-BRAKE
 Frame: 700C Alloy
 Fork: Suspension fork SUNTOUR
 Wheel Size: 700C
 Chainwheel: SHIMANO,(FC-E6000) 44T



Archer

MOUNTAIN BIKE SRAM XX1 12-SP
 Frame: ALLOY 27.5
 Fork: SR URON35-Boost LORC-PCS DS
 Chainwheel: SRAM FC XX1 12S 34T
 Rear Derailleur: SRAM RD XX1 12-SP
 Freewheels: SRAM CS XG 1299 10-50T 12-SP
 Handlebars: FSA ALLOY AL7050
 Stem: FSA ALLOY AL6061
 Seat Posts: FSA ALLOY AL2014 3D
 Wheel Size: ALEXRIMS VXD4B 27.5
 Tire: KENDA K-1174 27.5X2.20



Rook

ROAD BIKE SHIMANO ULTEGRA Disc Brake 22-SP
 Frame: CARBON 700C
 Fork: CARBON 700C
 Chainwheel: FSA SL-K UD Carbon 50-34T
 Front Derailleur: SHIMANO FD ULTEGRA
 Rear Derailleur: SHIMANO RD ULTEGRA 11-SP
 Handlebars: FSA SL-K UD Carbon
 Stem: FSA SL-K UD Carbon
 Seat Posts: FSA SL-K UD Carbon
 Wheel Size: FSA 700C
 Tire: KENDA K-1160 700 X25C



KING

ROAD BIKE SHIMANO 105 Disc Brake 22-SP
 Frame: ALLOY 700C
 Fork: CARBON 700C
 Chainwheel: SHIMANO 105 50-34T
 Front Derailleur: SHIMANO FD 105
 Rear Derailleur: SHIMANO RD 105 11-SP
 Handlebars: FSA SL-K UD Carbon
 Stem: FSA SL-K UD Carbon
 Seat Posts: FSA SL-K UD Carbon
 Wheel Size: ALEXRIMS CXD4 700C
 Tire: CST M210 700 X23C

FOCUSED



EXODUS

FOCUSED ON SERVICE

FOCUSED ON CARBON, ALLOY & E-BIKES

A & J ENTERPRISES CO., LTD.

TAIWAN - CAMBODIA - VIETNAM (OPENING 2018)

Address : 35F., No.386, Shizheng Rd., Xitun Dist., Taichung 40757, Taiwan

TEL : 04-22584300 FAX : 04-22596661 E-mail : sunny@anjbike.com.tw



www.anjworldwide.com
www.exodusbike.cn

Production in
**TAIWAN,
VIETNAM
& CAMBODIA**

Certifications:  / ISO 9001 / SA 8000 /
OHSAS 18001 / ISO 14001



ASAMA
www.yuhjiun.com

ASAMA YUH JIUN INDUSTRIAL CO., LTD.
Tel.: +886-6-263-8226 Fax: +886-6-263-2324
Email: sale@yuhjiun.com

ASAMA YUH JIUN INT'L VIETNAM CO., LTD.
Tel.: +84-650-3730-103-6 Fax: +84-650-730107
Email: asamavn@asama-bike.com

SPEEDTECH INDUSTRIAL CO., LTD.
Tel.: +855-44-715644 Fax: +855-44-715107
Email: stid@yuhjiun.com

*Today,
another busy day,
work through
a comfortable
way...*

*E-version is
available now*



建英科技有限公司

Chainin Technology Co.,Ltd

**BICYCLE MANUFACTURER
OEM/ODM SERVICE**

Tel: +886-4-7788989 Fax: +886-4-7755366

<http://www.chaininbike.com.tw>

CHENG YI BIKE CO., LTD

- 🚲 100% MIT-produced, finished, assembled and quality controlled in Taiwan.
- 🚲 OME/ODM/OBM hi-mix and low volume order manufacturing.
- 🚲 Bulk supplying for diversity of maintenance parts & accessories.
- 🚲 BS EN 14764: 2005.


A-406

Size: 24" x 1.5
 Deraillleur: Shimano 6 spd
 Chain Wheel: 36T
 Crank: reinforced steel
 Pedal: foldable alloy
 Seatpost: adult/alloy 25.4 x 400 mm, (kid)steel 25.4 x 150 mm
 Frame: Hi-ten steel
 Rim: alloy
 Hub: alloy
 Spoke: stainless steel
 Weight: 15.0 kg
 Color: Pearl white/ Sweet pink/ vintage green
 Rider Height: 150 - 185 cm
 Accessories: ergonomic saddle/grips, vintage mudguards/chainguard, rear reflector, alloy kick stand, front basket rack, rear cargo rack, kid's handlebars



T-CT2006

BUSITRIKE - 26/20 inch 6 spd foldable cargo trike
 Product Size: front rack (L)95 cm x (W)33cm, handlebar height: 112cm, total length: 222 cm;
 folded size: (L)118.0 x (W)91 x (H)116.0 cm
 Wheel Sizes: front 20" x 1.95, rear 26" x 1.95
 Deraillleur & Shift Lever: Shimano 6 spd
 Frame: foldable Hi-ten steel
 Handle: Hi-ten steel
 Rim: alloy
 Chain wheel: 36T w/ chain guard
 Crank: Hi-ten steel
 Pedal: alloy
 Weight: 33.5 kg
 Color: black or customer dedicated



T-G021



A-L024



A-HG505



I-U1607



✉ cyaibike@gmail.com

☎ +886-4-26805388

📍 No. 373, Dongxi 3rd., Da-an Dist., Taichung 43964, Taiwan

🏠 <http://top-bike.en.taiwantrade.com>

www.top-bike.com.tw

iMORE®

ciBIKE®


TaiwanTOP



www.tankcycle.com.tw

◆ Please visit our web page for our more products.

Matrix



Chenn Daa Co., LTD.

Tel: 886-4-26889361 | Fax: 886-4-26889351 | SKYPE: tank.guo

Mail: tank.guo@msa.hinet.net | jane@tankcycle.com.tw

Add: No.198-8, Hengzun St., Dajia Dist., Taichung City 437, Taiwan.



facebook @matrixbicycle

The first time in the world
Adjustable frame size and
geometry to **FIT** everyone

GIATEX
for Family Riding

ONE BIKE FITS ALL



16" / 20" / 26" / 700c are available
Model name : FIT 208



Sporty and city mode for optional



Grow with kid


EN ISO 4210-6 approved.

TAIWAN	PAT. I500550
CHINA	PAT. 2502173
USA	PAT. 9694869
JAPAN	PAT. 6060469
EUROPE	PAT. 13870150.3

www.giatex.com
bikes@giatex.com
佳得車業有限公司
台中市后里區七星街13號



Overseas
Agent
Wanted.



NANOO-12
7 SPEED
F/R V-BRAKE



NANOO-14
8 SPEED
F/R DISC BRAKE

more info here



 **nanoo**

12^{inch} 14^{inch} 16^{inch} FOLDING
TEL/ 886-49-2253116 FAX/ 886-49-2253091 BIKE/E-BIKE

JEE ANN BICYCLE., LTD.
www.jeeann.com.tw/nanoo

JEE ANN BICYCLE

A professional bicycle manufacturer

OEM

If you have any idea to make new bike, no matter the cargo bike or electric bike, let us help you make dream come true.

✉ vincent@jeeann.com.tw

🏠 <http://www.jeeann.com.tw>

☎ 886-49-2253116

🖨 886-49-2253091





GOMIER
LOVE
OUR EARTH.



SHIMANO
STOPS

TR-716E

TR-6000E

BAFANG MMG360

MEET US AT 2018 TAIPEI SHOW BOOTH K 1125.



TP 3000 SERIES



HP 1500 SERIES



TR 2000/2400 SERIES



TR-800

REHTRI



尚殷股份有限公司

GOMIER MFG. CO., LTD.

Tel: +886-4-2687-2771 Fax: +886-4-2688-1232 e-Mail: sales@gomier.com.tw
No. 132-1, Sing-An Road, Dajia Dist., Taichung City, 437, TAIWAN



Recumbent Leisure Tricycle More than Sport

With Taiwan and U.S. Patent

JIU-701 INNOVATION FOLDABLE TYPE



JIU-701
Front wheel/20
Rear wheel/20

COOL CYCLING STYLE



JIU-801
Front wheel/16
Rear wheel/12

JIU-101 / JIU-501 / JIU-301 BASIC TYPE



JIU-101
Front wheel/16
Rear wheel/12



JIU-501
Front wheel/20
Rear wheel/16



JIU-301
Front wheel/24
Rear wheel/20

JIU-601 / JIU-302 REVERSIBLE & SPEED UP TYPE



JIU-601
Front wheel/20
Rear wheel/16



JIU-302
Front wheel/24
Rear wheel/20



Jiu Ling Co., Ltd.

No.48, Peiying Rd., Sihua Township, Changhua County 51444, Taiwan

TEL: 886-4-8810058 FAX: 886-4-8819060

E-mail: jiu.ling@msa.hinet.net Web site: www.jiu-ling.com.tw



PROCYCLE

JUMBO BRICO ASSOCIATED CO., LTD.



24" CANNON ALTUS 8SP, ALLOY



18" ROCKY NEXUS 3, ALLOY



12" LILY, ALLOY

鉅盈股份有限公司

JUMBO BRICO ASSOCIATED CO.,LTD. (TAIWAN)

80 11F NO. 77 Sec. 4 Nan King E. Road, Taipei, Taiwan

Tel: 02-27151031 E-mail: joe_chen@jumbobrico.com

MACINA

KAPOHO 271

1 × 8

SRAM

EX1



27.5"/29"

DIMMIX



160 mm

TRAVEL FRONT & REAR

BOSCH
POWERTUBE

RAHMEN / FRAME

148 mm

BOOST NADE / BOOST REAR HUB

UPHILL & DOWNHILL WITHOUT LIMITS.

KTM FAHRRAD GMBH

KTM-BIKES INTERNATIONAL (HK) CO., LTD. TAIWAN BRANCH

香港商凱特美股份有限公司台灣分公司

11F, NO. 174, SEC.2, MIN SHENG E. RD., TAIPEI, TAIWAN

TEL: 886-2-2501-5869 FAX: 886-2-2501-5879 fm_chen@ktm-bikes.com.tw

KTM-BIKES.AT

#WeBleedOrange

KTM

BIKES MADE IN
AUSTRIA



COSMOS

NEW

COSMOS Carbon Fiber 700c Road Bike



Competition Level
SHIMANO ULTEGRA ST-6800 22-Speed Group



Practice Level
SHIMANO 105 ST-5800 11-Speed L/F/R

PATENTED

NEW Technology Dynamo Hub



CO-01
Output: 6V-6W/8W
For Charging Mobile Phone & GPS



CO-02
Led Source: 3x CREE R4
Brightness: 600 Lumens
Output: DC6V/AC6V



CO-03
Output: 6V-3W
Brake Type: Disc Brake/Drum Brake
Spork Holes: 32H/36H
O.L.D.: F 100mm/R: 120mm
2 Pcs 6000 Bearing



CO-04
Output: 6V-4.5W
For Charging Mobile Phone & GPS
Public Bike Use With Constant Current System



MACRO MACHINE CO.

<https://www.facebook.com/cosmosmicicla>

Factory Address:
No 317.Xin Shu Road., Xinzhuang District, New Taipei Taiwan
Tel : 886-2-27719001 Fax : 886-2-22024941
HP : 00-886-958463376
E-mail : fishtony346@gmail.com



軒登國際事業有限公司
MIT CYCLE MIT CYCLE SOURCING LTD.®

CARGO BIKE SPECIALITY
SEEK FOR DISTRIBUTORS

All new MIT loading design meets diverse needs,
evolves cargo bike function, makes life simple & colorful.



MIT-CD5

20"/26" 24-Speed Cargo Bike

Carrier size: L67cm x W46cm

Max cargo loading: 80 kgs


MIT-CB6

26" Inter 7-Speed Heavy Cargo Trike

High performance with F/disc brake, R/roller brake

Carrier size: L88cm x W70cm

Max cargo loading: 120 kgs



MIT CYCLE SOURCING LTD.

No.2-1, Sheling, Yuanli Township, Miaoli County 35872, Taiwan

Tel: 886-37-747866 (Rep.) Website: www.mitcycle.com

E-mail: susanchang@mitcycle.com

OVERLORD

BIKES

FOR MORE THAN 25 YEARS, OVERLORD HAS BEEN PRODUCING QUALITY OEM AND ODM BICYCLES FOR LEADING BICYCLE COMPANIES, RETAILERS AND DISTRIBUTORS AROUND THE GLOBE. FOCUSSED ON PRECISION AND QUALITY, OUR IN-HOUSE TESTING FACILITIES ENSURE THAT WE MEET THE STANDARDS DEMANDED BY OUR CUSTOMERS, INCLUDING EN AND ISO.

MOUNTAIN

ALPINE 29"

FRAME

6061 DOUBLE-PASS WELDED
ALUMINUM ALLOY

FORK

ROCK SHOX 30 TK

DRIVETRAIN

SHIMANO SLX
22 SPEED

BRAKESET

SHIMANO SLX
HYDRAULIC DISC



ROAD

CHILLI 100C

FRAME

6061 SMOOTH WELDED
ALUMINUM ALLOY

FORK

FULL CARBON MONOCOQUE

DRIVETRAIN

SHIMANO 105
22 SPEED

BRAKESET

SHIMANO 105



CONTACT US TODAY TO FIND OUT HOW
OUR EXPERIENCE AND EXPERTISE CAN
MOVE YOUR IDEAS FORWARD.

OVERLORD BIKES

TAIWAN

TAINAN CITY
TAIWAN

TEL: 886-6-5901711

EMAIL: OVE@OVERLORD.COM.TW

OVERLORD BIKES

CANADA

MISSISSAUGA, ONTARIO
CANADA

TEL: 905-564-2505

EMAIL: INFO@OVERLORDBIKES.COM

FORTE



700C MEN E-CROSS BIKE (FORTE 700M)

FRAME	ALLOY 6061 CROSS BIKE
DEL	SHIMANO ALIVIO 9SPD
MOTOR	350W DAPU HUB MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	62KM
MAX SPEED	25km/hr

700C WOMEN CLASSIC E-CROSS BIKE (CARINA)

FRAME	ALLOY 6061 CLASSIC CROSS BIKE
DEL	SHIMANO NEXUS INTERNAL 8SPD
MOTOR	350W 8 FUN MIDDLE DRIVE MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	83KM
MAX SPEED	25km/hr

Carina



700C WOMEN E-CROSS BIKE (FORTE 700W)

FRAME	ALLOY 6061 CROSS BIKE
DEL	SHIMANO ALIVIO 9SPD
MOTOR	350W DAPU HUB MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	62KM
MAX SPEED	25km/hr

SHARK



SHARK MTB

FRAME	27.5 ALLOY 6061 CLASSIC CROSS BIKE
DEL	SHIMANO DEORE 10 SPD
MOTOR	350W 8 FUN MIDDLE DRIVE MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	75KM
MAX SPEED	32km/hr

FORTE



 **MAGNESIUM BABY WALKER**
MG-B19



SHIMANO 24S



 **VIP 650B ALLOY**



 **FIORE 12**



 **PICCO 12**

 **FIORE 20**



 **PICCO 16**



 **BELLA 24**



 **VIBRA+ 20**



 **DONNA 700C CITY**



SAOLA[®]
saolacycle@icloud.com



STARDANCE INTERNATIONAL CORP,

連盈國際有限公司

JIANGSU STAREYES BICYCLE INDUSTRIAL CO., LTD

江蘇華盈自行車工業有限公司

ADDRESS: 6FL, NO. 358, SONGHE ST, NANGANG DIST
TAIPEI, TAIWAN

TEL: 886-2-2651-7894

FAX: 886-2-2651-7643

EMAIL: star.sales@msa.hinet.net

WEB: WWW.STAREYESBIKE.COM

700C e-bike

EPAC-1706

FRAME 700C ALLOY 6061 **FORK** STEEL RIGID
TIRE KENDA 700*38C **TRANSMISSION** SHIMANO
NEXUS 3 SPEED **BRAKE** F/TEKTRO DISC BRAKE
R/SHIMANO ROLLER BRAKE
BATTERY 36V*10.4AH SAMSUNG POLYMER BATTERY
MOTOR 36V*250W BRUSHLESS HIGH SPEED MOTOR
PAS CONTROL 1:1 ASSISTANCE SYSTEM
DISPLAY LED



Urban serial

Elite

FRAME 700C HI-TEN **FORK** STEEL HI-TEN LUG
TIRE KENDA 700*32C **TRANSMISSION** SINGLE
SPEED **BRAKE** F/R CALIPER BRAKE
CRANKSET PROWHEEL ALLOY 42T
RIM ALLOY DOUBLE WALL **SADDLE** DDK



26" e-bike

EPAC-1411

FRAME 26" ALLOY 6061 **FORK** SR NEX ALLOY
TIRE KENDA 26*1.75 **TRANSMISSION** SHIMANO
ALTUS 8 SPEED **BRAKE** F/R TEKTRO DISC BRAKE
BATTERY 36V*10.4AH SAMSUNG POLYMER BATTERY
MOTOR 36V*250W BRUSHLESS HIGH SPEED MOTOR
PAS CONTROL 1:1 ASSISTANCE SYSTEM
DISPLAY LED



Giselle

FRAME 700C HI-TEN **FORK** STEEL HI-TEN LUG
TIRE KENDA 700*32C **TRANSMISSION** SHIMANO
NEXUS 3 SPEED **BRAKE** F/DRUM BRAKE
R/COASTER **CRANKSET** PROWHEEL ALLOY 42T
RIM ALLOY DOUBLE WALL **SADDLE** GS LEATHER
GRIP GS LEATHER **CHAINCOVER** ALLOY





YASUJIRO





I-RISER LTD



COSMO



I-VISION MAN



BRAZILIAN SE

**POWER OF
MOVEMENT**

WHEELER INDUSTRIAL CO.,LTD

TEL:+886 4 2359 1201

FAX:+886 4 2359 1562

E-mail: info@wheeler.com.tw

www.wheelerworldwide.com



Assembly



Painting



e - Bike




Wheel Building





WILLING (TAIWAN) HUA CHIN (CHINA) *Bicycle Manufacturer*

Engineering Services



威輪工業

info@willingbikes.com
P: +886-426814992
www.willingbikes.com

華慶健身科技(惠州)

sales@acocabikes.com
P: +86-752-3256607
www.acoca.com.cn



Alliance founded in 2000. Tianjin Industrial Park built in 2010. The park has \$5 million of Register Capital and an area of 253,333sqm. Independent R&D Team. Strict Quality Control Principles. Four assembling Lines, total monthly output is 15,000pcs. Partner Part Makers built within the industrial park: Alloy/ Steel Frame, Alloy Rim, Handlebar/ Stem/ Seat post, Suspension Fork, Saddle, Stamping Parts, Plastic Parts, Carton.

ALL YOU NEED TO DO IS GIVE US A CALL OR AN EMAIL.





TIANJIN FACTORY:
 天津旭峰运动器材制造有限公司
 TIANJIN XUFENG SPORT EQUIPMENT MANUFACTURE CO., LTD
 ADDRESS: EAST OF LIANGTOU VILLAGE, JINGHAI COUNTRY,
 TIANJIN, CHINA
 TEL:0086-22-59592666(Sales Hotline) FAX:0086-22-59592678

SHENZHEN COMPANY:
 深圳日翔工贸有限公司
 ALLIANCE CYCLE INDUSTRY CO.,LTD.
 ADDRESS: NO.1301, BUILDING 1, CHAMPS ELYSEES,
 NONGYUAN ROAD, TUTIAN DISTRICT, SHENZHEN, CHINA
 TEL: 0086-755-83171468 83139978 83139979
 FAX: 0086-755-83171498
 E-mail: wandy@alliance-cycle.cn www@alliance-cycle.com
 Http://www.alliance-cycle.cn

OEM / ODM MANUFACTURER



MODEL: VIVID E-FIXIE

FRAME: 700C ALLOY
FORK: 700C ALLOY
REAR DRIVE HUB: BAFANG 36V 250W
CHAINWHEEL: RPOWHEEL, SOLID-246T-F, 46T
BRAKE: SF AS2.2D, ALLOY BLACK

MODEL: SAFARI E-MTB

FRAME: 27.5+ ALLOY
FORK: SUNTOUR SF18-RAIDON32-BOOST LOR DS
DERAILLEUR: SHIMANO DEORE XT, 11SPD
CHAINWHEEL: SHIMANO FC-E8050/E8000
BRAKE: SHIMANO HYDRAULIC, SLX, BR-M7000



MODEL: GRACE E-CTB

FRAME: 700C ALLOY
FORK: 700C STEEL
FRONT DRIVE HUB: BAFANG 36V 250W
REAR INTERNAL HUB: SHIMANO NEXUS 3SPD
CHAINWHEEL: PROWHEEL, PRA112PP, 38T

MODEL: ELF E-FOLD

FRAME: 20" ALLOY
FORK: 20" STEEL
FRONT DRIVE HUB: BAFANG 36V 250W
DERAILLEUR: SHIMANO ALTUS 8SPD
CHAINWHEEL: PROWHEEL, TOP-46PP, 48T



YOUN LIVE INDUSTRY CO., LTD.

No.10-63, Yuangang, Yuanli Township, Miaoli County 35852, Taiwan

Tel:886-37-860061 Fax:886-37-860161

E-mail:sales@taroka.com.tw www.taroka.com.tw



LOWRIDER®

名互茂

NAMMAX CORPORATION

12 FL-5, NO.432, SEC.1, KEELUNG RD., TAIPEI 110, TAIWAN

Tel: 886-2-2720-1660, 2729-9304 Fax: 886-2-2720-1175

E-mail: nammax@nammax.com.tw, lowriderbicycletw@gmail.com

URL: www.lowriderbiketw.com :lowriderbicyclecompany



NX-BS2603-ID1 26" CUSTOM CRUISER-CLASSIC
SHIMANO 3 SPEED DISC BRAKE
W/LEATHER TANK BAG, SADDLE & GRIPS
W/5.5 LED BATES LIGHT



NX-BS2601-D1 24" CUSTOM CRUISER-TRIDENT
COASTER + DISC BRAKE, LEATHER SADDLE
W/5.5 LED BATES LIGHT



NX-BS2603-D3 24" CUSTOM CRUISER-LUCKY 7
SHIMANO 3 SPEED DISC BRAKE
W/5.5 LED BATES LIGHT, LEATHER SADDLE



NX-BS2603-IC1 26" CUSTOM CRUISER-8 BALL
SHIMANO 3 SPEED COASTER BRAKE
W/5.5 LED BATES LIGHT, LEATHER SADDLE



NX-BS2603-IC2 26" CUSTOM CRUISER-DICE
SHIMANO 3 SPEED COASTER BRAKE
W/5.5 LED BATES LIGHT, LEATHER SADDLE



NX-BS2603-ID2 26" CUSTOM CRUISER-MARIJUANA
SHIMANO 3 SPEED DISC BRAKE
W/5.5 LED BATES LIGHT, LEATHER SADDLE



NX-LR2017B 20" LOWRIDER-MARIJUANA



NX-LR2017C 20" LOWRIDER-MEXICO



otoben@ms62.hinet.net




www.myneox.it

pensata, progettata e prodotta in Italia



CROSSER

TECNOLOGIA IN MOVIMENTO
TECHNOLOGY IN MOTION



F8.11 SEQUENTIAL GEARBOX

The heart of every Neox. A revolutionary project. The patented sequential gearbox provides more control, comfort and efficiency than any other system known in the e-bike's world. To be more special interaction between the bicycle and the cyclist.



CITY

KM DOPO KM...
ISTANTI INFINITI
MILES AFTER MILES...
ENDLESS MOMENTS




EASY NEOX WHEEL DISASSEMBLY AND ASSEMBLY

3 seconds. The ease of removal of the rear wheel Neox is obvious. Never nothing more simple, nothing ever faster and more immediate. The Neox's revolution starts here: simplicity and effectiveness for greater efficiency.



TOURING

SICUREZZA INTELLIGENTE
INTELLIGENT SAFETY



NEOX LOCK DOUBLE ANTI-THEFT SYSTEM NEOX PIN E NEOX KEY

In addition to traditional mechanical locking, Neox introduces the first anti-theft system for e-bike with inhibition mechanical and electronic reactivation protected by a personal PIN code. When the alarm is armed the gearbox's system is disabled. This allows the cranks to turn freely clockwise and anticlockwise without transmitting the motor into motion to the rear wheel. Your Neox is protected.



For Asia Distribution Opportunities, Please Contact:

SUNCYCLE ENTERPRISE CO., LTD.

E-mail: mail@suncycle.com.tw

Tel: +886-2-2702-1798 Fax: +886-2-2702-1804

10F-10, No. 237, Sec. 2, Fu-Hsing South Road, Taipei, Taiwan

MIS
SION



THEOS EN 70 (E-BIKE)

FRAME Kellys Enduro 27.5" / Four-bar link, Trunnion Shock, 160mm rear travel
FORK Rock Shox Yari RC Boost, 170mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle
REAR SHOCK Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal / Trunnion Mount
E-UNIT DRIVE Shimano STEPS E8000 / battery capacity 504 Wh
R/SHIFTER Shimano Deore XT Di2 SL-M8050 Firebolt, 11-speed
R/DERAILLEUR Shimano Deore XT Di2 M8050
BRAKES Shimano M640 Hydraulic Disc

NOID 90

FRAME Kellys Gravity DH 27.5 / THINK LINK, 205mm rear travel
FORK Rock Shox Boxer Team, 200mm, coil / Charger Damper / Rapid Recovery / Maxle Lite DH 20mm thru axle
REAR SHOCK Rock Shox Super Deluxe Coil RC / Rapid Recovery
CRANKSET Shimano Saint M825 Hollowtech II (34)
R/SHIFTER Shimano Zee SL-M640 Rapidfire Plus, 10-speed
R/DERAILLEUR Shimano Saint M820
BRAKES Shimano Saint M820 Hydraulic Disc



SWAG 50

FRAME Kellys Enduro 27.5 / THINK LINK, 165mm rear travel
FORK Rock Shox Lyric RC-Boost, 170mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle
REAR SHOCK Rock Shox Deluxe RT3 / Rapid Recovery / Open-Pedal-Lock
CRANKSET Truvativ Descendant 6K X-Sync (32)
R/SHIFTER Sram GX Eagle Trigger, 12-speed
R/DERAILLEUR Sram GX Eagle
BRAKES Sram Guide R Hydraulic Disc

INNOVATIVE CARBON
ADVANCED DESIGN
Di2
DIGITAL ELECTRONIC SHIFTERS



URC 90

FRAME Kellys iCAD RC Carbon Composite
FORK Kellys Carbon 1.5 TS
CRANKSET Shimano Ultegra R8000 Hollowtech II (52x36)
SHIFTERS Shimano Ultegra Di2 ST-R8050 Dual Control, 22-speed
F/R DERAILLEUR Shimano Ultegra Di2 R8050
BRAKES Shimano Ultegra R8000
WHEELSET Mavic Ksyrium Elite UST
TIRES Mavic Ksyrium Pro UST 25C

DESIRE 70

FRAME Kellys Dynamic KLC Lite 29 LSG
FORK Rock Shox Recon RL, 100mm, Solo Air / TurnKey Lockout / Maxle Lite 15mm thru axle
CRANKSET Shimano Deore M6000-2 Hollowtech II (36x22)
SHIFTERS Shimano Deore SL-M6020 Rapidfire Plus, 20-speed
F/R DERAILLEUR Shimano Deore M6020 / Deore XT M781
BRAKES Shimano 365 Hydraulic Disc



UNIVICTOR
INTERNATIONAL CORPORATION

MANUFACTURER IMPORT AND EXPORT
No.1, Renhuagong 10th Rd., Dali Dist.,
Taichung 41278, TAIWAN
Tel: +886-4-2491 6008
Fax: +886-4-2491 6007
email: info@univictor.com.tw



Y-OLO-2014



Y-LB-1603



Y-993



Y-TJ-705



BFC-E8000



Y-LB-1502



Y-A15



Y-LYD-067



Y-XKB-8802



YUNG GREAT INTERNATIONAL CO., LTD.

TEL: 886-4-24850888, 886-4-24832010 FAX: 886-4-24831258

HTTP://WWW.YUNGREAT.COM E-MAIL:yg-t103@umail.hinet.net yg-t108@umail.hinet.net

CHINA OFFICE: ZHEJIANG HANGZHOU, GUANDONG SHUNDE, TIANJIN CITY



www.ubike-tech.com

LIWANG PRECISION CO.,LTD.

Taiwan office:

E-mail: topgun8@topgun.com.tw

Tel: 886-4-8310787 Fax: 886-4-8314971

Germany office:

Mobile: +49 (157) 850 744 57

New Trended E-Bike!



K18-EBBA-9S

Frame: Alloy 27.5" frame
Fork: TopGun 669E
Freewheel: SRAM 11-32
Derailleur: SRAM RDX5

Tire: 27.5"
Engine: Ba Fang
Battery: Phillon Battery
Battery Power: 36 V, 13 Ah




DB24-DK-18S


Frame: Alloy Masking Colors
Chainwheel: 52T
Derailleur: Shimano SORA
Tire: 24" / Wight: 22kgs
Folded size : 94(L)*38(W)*72(H) cm

Fork: Top Gun 3014
Freewheel: SRAM 11-34T
Handlebar: Alloy Plate Handlebar
Adjustable Black Folding Stem
Multinational Patents Folded System

TROLLEY-Can be moved by wheels



NEW PATENT FOLDING BOX



Press the lever to unlock



Unlock

Wheel connection lever



Close in lever system



SPEEDSTER CARBON PRO-27S

Frame: AC Carbon 22"
Fork: TOP GUN A601-20 AC Carbon
Chainwheel: Carbon 52/42/30T
Freewheel: SRAM PG-970 12-26T
Derailleur: SHIMANO DEORE
Handlebar: Carbon

Adjustable Carbon Folding Stem
Seatpost: Carbon
Tire: 22" (451)
Folded Size: 85(L)x38(W)x70(H) cm
Weight: 7.5kgs
Multinational Patents Folded System



reddot award 2014 winner

New Trended E-Folding-Bike!



Rear Motor Type

Middle Motor Type

Frame: Alloy Masking Colors
Tire: 20" Weight: 22kgs
Battery: Abus / Phillon Battery

Fork: Top Gun 3014
Engine: Go Swiss / Ba Fang
Battery Power: 36 V, 13 Ah

Option for Citizen-9S W/O Motor



Product design award 2014



reddot award 2015 winner bicycle design

Multinational Patents Folded System



OYAMA

SINCE 1966

CX-E8D MID DRIVE



EASY FOLD SAFETY STRUCTURE JOINT

スピーディな折畳式、安全構造

We provide: OEM & ODM Bicycle Service / Innovative with quality products



KIDDO 12 / KIDDO 12 PLUS



FORWARD i3



RANGER 8D

www.oyama.com

全球品牌網 台灣品牌網 f OYAMA BIKE



TA JONG INDUSTRIAL CO.LTD

ADD No.556, Chung-Cheng Road, Yung-Kang District, Tainan City, Taiwan.

FAX 886-6-2533-697 (Post Code - 71066)

1 ONLY ONE - BUT FUN!

QU-AX

ONLY ONE BUT FUN!

FOB Orders from Asia

Unicycles in all sizes colours and variations

We are specialists for unicycles!
Since many years we develop
unicycles and unicycle
components.



From 12" to 36",
for all-terrain
use, with brake
or without.

Possibility to
brand the uni-
cycles on your
brand, FOB-de-
liveries available (MOQ
might apply)



Standard, Luxus
and Freestyle unicycles



Balance-Trainer
Kickboard-Steering by
leaning to the side



High-End
Disc-braked, rim-braked
on- & offroad unicycles



36"

QU-AX GmbH
Dieselstr.92
33442 Herzebrock-Clarholz
GERMANY

T +49-5245-924687
F +49-5245-924688
www.QU-AX.de
info@qu-ax.de

AZURE BIKE INT'L CO., LTD.

LINK BICYCLE CO., LTD.



T. +886-4-8283370 F. +886-4-8283371
152 Yuanlu Rd. Sec. 2, Puxin Township, Changhua, Taiwan

T. +86-512-57381067 F. +86-512-57393337
1019 6F Tong Fong E. Rd., Kunshan, Jiansu, China

link2684@ms42.hinet.net;




gretalai@linkbike.com.tw

www.linkbike.com

ODM & OEM Available
Global Distributors Welcome!



TL-066-A New Shock-Cushion Push Bike
China, Taiwan, U.S. Design Patent Pending.





A04

KENG MIN

Hand-built wheels (手工編輪, 少量可接單)



Product



Elastomer Suspension
Patent



Double Balance

Aluminum push bike

Model: KMA-07

Height: 80CM

Years: 2+

Weight: 3.6KG

Aluminum push bike

Model: KMA-05

Height: 80CM

Years: 2+

Weight: 2.9KG

Double Balance



Patent

Aluminum push bike

Model: KMA-01

Height: 80CM

Years: 2+

Weight: 3.6KG



Double Balance



Patent

E-Mail: doublebalance2@gmail.com

Web: <http://www.doublebalance.net>

Tel: 886-4-7354266

Fax: 886-4-7361901



Professional Children Bicycle Maker

A LITTLE SOMETHING FOR YOUR LITTLE ONES



MR12-UG20



MR12-FB12



MR12-YB14



MORE ROOT CO.,LED. (MANUFACTORY & OFFICE)

No.41, Ln. 51, Xipu 3rd St., Guiren Dist., Tainan City 711, Taiwan

TEL:886-6-2726958(Rep) FAX:886-6-2727617 E-MAIL: moreroot@seed.net.tw or moreroot@gmail.com



Shouh Mao Industrial Co., Ltd

No.240. Wandung Rd., Huatan Shiang, Changhua Hsien, 503 Taiwan

E. sm460420@ms27.hinet.net T. 886-4-7878318 F. 886-4-7876506~7

www.popbike.com.tw



All of our products are all insured against Product Liability Insurance.



Box Packaging





Item No.: SM-300

Height: 55 cm

Length: 77 cm

Highest seat from
the ground: 35cm

Weight:

Pop bike with Pneumatic Tire: 3.2 KGS

Pop bike with EVA Tire: 2.8 KGS

Material:

Frame: Composite plastic

Fork: Composite plastic

Wheel: P.P rim /

Pneumatic Tire or EVA Tire

Grips: TPR

Seats: ABS+TPR



Pop Bike with Brake
Unable to assemble afterwards



SM-3311
Pop Bike Trailer



SM-3309
Carry Bag



SM-3307
Protection Gears



SM-3306
Carry Belt



SM-3305
Helmet



SM-3304
Seat Cover



SM-3303
Basket



SM-3302
Extension Seat Sets



SM-3301
Tripod



SM-216-YE
Training Wheel 107



NEW




TBC-03



TBC-04

NEW



CO2 INFLATOR



MINI FPPLG



MINI FPPL

MINI FLOOR PUMP

AIRLIFT HPL / HPLG



CH-004 MULTI

TRACK Chainring
Alloy 7075# CNC 1/2*1/8"
45-46-47-48-49-50-51-52-53T
BCD 144-130-110 / Patten Pend



CH-011 FIX

TRACK Chainring
Alloy 7075# CNC 1/2*1/8"
45-46-47-48-49-50-51-52-53T
BCD 144



CH-005 MULTI

TRACK Chainring
Alloy 7075# CNC 1/2*1/8"
45-46-47-48-49-50-51-52-53T
BCD 144-130-110
Patten Pend

安爵國際興業股份有限公司

Tel:886-4-2270 9702 Fax:886-4-2276 3203
E-mail:r2799214@ms47.hinet.net



MODEL 

modz cycle

ALLIED INTERNATIONAL (1951) LTD.

<http://www.modzcycle.com>

E-mail: modzcycle@allied.com.tw

Tel: +886-2-2586-8606 Fax: +886-2-2586-0889

11F-7, No 27, Sec 3, Chung Shan N. Rd.,

Taipei, TAIWAN 10461




SKORPION



ODM
OEM

 **穎澧企業有限公司**
METALLICA INTERNATIONAL CO LTD

☎ +886 4 2355-3186 📠 +886 4 2355-3187

✉ graceraleigh

✉ grace_chung@metallica.com.tw

📍 No.20, Jingke Central 1st Rd., Nantun Dist., Taichung City 408, Taiwan

🌐 www.skorpionbikes.com



JIN CHANG SHENG INTERNATIONAL CO., LTD



Tel:886-4-24910448

Fax:886-4-24913229

<http://www.jcs-cycle.com.tw>

Vendor of high-quality tricycles

Looking for agents

Patented and trademarked products

V-2 x 16 SIZE

G-1 x 20 SIZE

G-2 x 16 SIZE

G-3 x 12 SIZE

G-5 x 12 SIZE

G-4 x 12 SIZE

G-99 x 12 ACCESSORIES

New Product Arrived!

1 2 3 4

We provide:

- Professional Research & Development
- ODM and OEM service
- Goodquality Bicycle Assembly
- Provide a variety of innovative tricycle models.

Please feel free to contact us:

E-mail: ym.m5r5873@msa.hinet.net

Contact Person: **John**





All New Dual Action G2

- Gas Spring
- Auto Return
- Silence
- Compact Build

made in Taiwan
GS370 WindMill
home workout cycle
PLATINUM
Series

TRIFO
SINCE 1997

Trifo Limited

A RELIABLE SOURCE OF GOOD PRODUCTS

<http://www.artcorp.com.tw>

bob@ms2.hinet.net

Spring 2018



MOVING BIKE BUSINESS



**TRADE
VISITORS ONLY**

JULY 8 – 10, 2018

FRIEDRICHSHAFEN, GERMANY

WWW.EUROBIKE-SHOW.COM

#EurobikeShow

PARTNER REGION



VANTLY FITNESS INTERNATIONAL ENTERPRISE CO., LTD

Head office:

No.41, Youshi Rd., Dajia District, Taichung City 43767, Taiwan

Tel:886-4-26811511

Fax: 886-4-26819311,26815670

E-Mail:vantly.taiwan@msa.hinet.net

China factory:

FRAN WHEEL ENTERPRISE CO., LTD.

No.9, South 1st Rd., Da Tian Yang Industrial Zone, Song Gang Town,

Bao An Qu, Shen Zhen City, Guang Dong, China

TEL:86-755-27068568

FAX:86-755-27068570

E-mail:vantly@franwheel.com.cn

URL: <http://www.vantly.com.tw>



BT-1630FADU-S

20" Foldable Baby Trailer

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1628SDU-S

20" Foldable Baby Trailer

Frame : Steel

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1331FADU-S

20" Foldable Baby Trailer for one kid

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Loading weight : 18kg + 7kg = 25kg



BT-1630FADU-F

20" Foldable Baby Trailer

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1628SDU-F

20" Foldable Baby Trailer

Frame : Steel

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1421FADU-F

20" Foldable Baby Trailer

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1525S

20" Foldable Baby Trailer

Frame : Steel

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1225S

20" Foldable Baby Trailer

Frame : Steel

Comply with EN15918

Loading weight : 9kg + 9kg + 3kg = 21kg



DT-1610S

20" Foldable Dog Trailer

Frame : Steel

Inside dimension : 80x61x60cm



DT-1603SDU-S

12" Foldable Dog Trailer

Frame : Steel

Function : Available for Bike Trailer / Dog Stroller



CT-1601S

16" Foldable Cargo Trailer

Frame : Steel

Easy foldable function



CT-1602S

16" Cargo Trailer

Frame : Steel

Durable water resistance bag



■ 20" PRO ■

FORKS

With every advancement of the carbon technology and every race lap taken, the Inxanity team takes a long hard look at where the next GENERATION of carbon forks SHO ULD look like. Well, after the London Olympics, it was evident to us that a complete overhaul of the ALUMINUM steerer tube and ends was the next step in the natural evolution of the product.

The myth was always that Aluminum had to be used on the "critical areas" because carbon can't match its stability and tensile strength despite the vast advantage in weight savings. Well, here's the thing, Carbon Fiber actually DON'T go well with metal parts. In our lab test, time and time again we've proven that inadequate cohesion between the metal inserts and the carbon itself was a possible ticking time bomb if the formation of the fork did not take the highest standard of quality control. Furthermore, with new bonding and layering advancement available to our arsenal, the Inxanity team couldn't resist the temptation to build a true full Carbon fork - Steerer tubes and ends and all to show the BMX industry that... THIS IS THE NEXT GENERATION OF CARBON FORKS!

We present... the Darkside PLUS series. FULL CARBON, FULL AWESOMENESS!



BRAKESETS

WORKHORSE
ALLOY
7075

HIGH GRADE
ALLOY
6061

SHORTIE.V

FORGED CNC LINEAR SPRING MINI RACING V-BRAKES

Both the Shortie-V and the Xiphos were designed by #1 Ridertest rider to complete the full arsenal of the INXANITY V-Brake Series. Riders have the option of building the brakes straight out of Duraluminum 7075 blocks, or choose the more traditional Forged 6061 material.

Both models carry the newest Linear Spring technology which allows for maximum braking power at the rider's control. Bearing Pivots offers additional fluidity and smoothness that's never been achieved by traditional BMX industry standards.



WORKHORSE
ALLOY
7075

HIGH GRADE
ALLOY
6061

XIPHOS

FORGED CNC LINEAR SPRING MID RACING V-BRAKES



HIGH GRADE
ALLOY
6061

XPLITZ.LITE

FORGED 2PCS CNC BOLTED V-BRAKE LEVER

The Xplitz Lite also adopted the new and innovative Xplitz Cut lever design. Forged bracket with our pro class spring system allows rider to feel every tingling vibrational response as forces are being applied.



XPLITZ.PRO

FORGED 3PCS CNC INTEGRATED V-LEVER

WORKHORSE
ALLOY
7075

The Xplitz Pro is super light with its innovative Xplitz Cut lever body, yet unbelievably strong thanks to the genius 3-pcs bolted design. 2-finger design allows maximum torque pull and feedback.



THE.BAT

DUAL ALLOY CNC 2PCS BOLTED V-LEVER

HIGH GRADE
ALLOY
6061

WORKHORSE
ALLOY
7075

The Bat may not seem like a groundbreaking design that the industry has grown to adore the INXANITY brand for... But trust us when we tell you that's it is by far one of the most responsive lever in the BMX world today.

CNC'd out of compacted forged material, the strength of the bat is off the charts. But the secret is the special spring we have used inside the bracket that sets it above others.

Powerful, Responsive, Light, super sleek and cool bat winged lever design...

What more is there to a BRILLIANTLY DESIGNED lever???

X-FACTOR TAIWAN

www.xfactorbmx.com | sales@xfactorbmx.com



ANTIMATTER BLACK

FULL CARBON FIBER RACING FRAME



- MINI • JUNIOR • JUNIOR PLUS • EXPERT
- EXPERT PLUS • PRO MINUS • PRO
- PRO PLUS • PRO XL • PRO CRUISER



BLACKMATTER

7005 ALLOY RACING FRAME

- MINI • JUNIOR • JUNIOR PLUS • EXPERT
- EXPERT PLUS • PRO MINUS • PRO
- PRO PLUS • PRO XL • PRO CRUISER



HUBSETS

INXANITY is proud to announce our newest Zero Indexed Hubsets - the XILO. XILO-ZIS is the collaborative work of our top test riders and our most brilliant minds.

No longer does the cassette system requires pawls or ratchet rings, the new ZIS system allows for full instant transfer of force at all angles, and at ZERO degrees of variances.

Top riders have felt the wow factor in this hub at the starting gates, and loved it around the laps. It may feel a bit shocking and tentative at first, but as the lap build up, your confidence will rise and start to appreciate the design and development hours put into this hub. Ride, Race, and RULE !!



XILO

ZERO INDEXED RACING HUB



KORXSCREW

RACING SPECIFIC CASSETTE CNC HUB

The new KORXSCREW operates with an industry, prototypical 4 Pawl 120pts of engagement freehub body. However, there's little else that is standard to say the least. Made with our High Grade Tempered 6061 material, the Korkscrew is first forged then CNC'd to precision. Carefully placed ridges not only allows for improved vertical stiffness, but acts as support beams as the shell is lightened in 3D cuts.

Korkscrew comes with Hollow 14mm Aluminum axles, but 20mm Thru axles are also standard upgradeable options.

28/32/36 Hole Counts with top of the line Sealed Bearings make this versatile monster the choice of today's winners.



ICBM

RACING SPECIFIC CASSETTE CNC HUB

ICBM PRO hubsets are for the truly fanatic riders. Engineered with a 6 Pawl, 180pts of instant engagement at 3 multiple stages, the clicks are undeniably loud yet unbelievably smooth with its 4 sealed bearing powering the way.

J-Bend specific CNC shells are made of our Workhorse 7075 tempered material, with 28/32/36 Hole Counts.

Cassette Cogs or Driver Units available as options. Hollow 14mm Aluminum Axles for Lightweight design.



CRANKSETS



FISIX CARBON QUAD

FULL CARBON RACING CRANKSET

The FISIX series TRUE FULL CARBON BMX Racing crankset is INXANITY's response to the demands of top riders for STRONGER, LIGHTER, and more RESPONSIVE cranksets.

Engineered with our HollowComb Technology, the crankset is superlight yet intricately reinforced by its internal cavities and ridges. The harmony created by the ridges provides riders with direct and responsive force feedbacks.



KRANX QUAD

6061 FORGED RACING CRANKSET

KRANX QUAD is back on the radar after riders constantly demanded us to upgrade this classic model. Now equipped with an ISIS axle and massively improved sealed bearing package. We just ran out of reasons to keep it under covers.



**RONGBANG MACHINERY CO., LTD.**

Add: No.139, Lane 351, Sec.1, Taiping Rd., Tsao-tun, Nantou, Taiwan.
Tel: 886-49-231 5998 Fax: 886-49-233 7203

CHINA FACTORY: KUNSHAN CITY

Add: No.1, Pengxi North Rd., Kunshan Economic & Technical Development Zone, Kunshan, Jiangsu, China
Tel: 86-512-5761 5299 / 5761 5509 / 5761 5519 Fax: 86-512-5761 5297
E-mail: rb@pub.js.cn; vincentc@rongbangcn.com
Web site: www.rongbangcn.com
www.bicyclesB2B.com/rongbang

**Model: J13-1**

Light alloy foldable frame
Suspension system
Handbrake and footbrake
Quick release wheels

**Model: J-21**

Light alloy foldable frame
Front swivel wheel
Handbrake
Quick release wheels

**Model: J-22**

Effortless trigger fold system
Alloy or steel foldable frame
Handbrake and footbrake
Quick release wheels

**Model: PTJ-9**

Alloy or steel foldable frame
Pet stroller and trailer 2-in-1 function
Suspension system
Quick release wheel
360 degree front swivel wheel

**Model: PTS-5**

Alloy or steel foldable frame
Pet stroller and trailer 2-in-1 function
Quick release wheel
360 degree front swivel wheel

**Model: PT-1**

Alloy or steel foldable frame
Pet jogger and trailer 2-in-1 function
Quick release wheel
Roomy and comfortable

**Model: PJ-1**

Available for dog or other small animals
Alloy or steel frame
Swivel front wheel
Quick release wheel

**Model: PJ-2**

Multifunction pet stroller
One-hand-folding mechanism
306 degree plastic wheel
Rear safety brake

**Model: PS-3**

Available for dog or other small animals
Light steel frame with rear parking brake
Easy folding system
Plastic wheel with foam tire



榮邦

RONGBANG MACHINERY CO., LTD.

Add: No.139, Lane 351, Sec.1, Taiping Rd., Tsao-tun, Nantou, Taiwan.
Tel: 886-49-231 5998 Fax: 886-49-233 7203


CHINA FACTORY: KUNSHAN CITY

Add: No.1, Pengxi North Rd., Kunshan Economic & Technical Development Zone, Kunshan, Jiangsu, China
Tel: 86-512-5761 5299 / 5761 5509 / 5761 5519 Fax: 86-512-5761 5297
E-mail: rb@pub.ks.js.cn; vincentc@rongbangcn.com
Web site: www.rongbangcn.com
www.bicyclesB2B.com/rongbang



Model: T-2 EN15918

Alloy or steel foldable frame
Easy conversion from cycling to strolling
Accommodate two children
Quick release wheel



Model: TJ-2 EN15918

Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Detachable side guards
Quick release wheels



Model: TJ-20 EN15918

Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Quick release wheels
Foot brake system
Adjustable handle bar



Model: T-4

Baby trailer and cargo trailer function
Alloy or steel foldable frame
Non-detachable side guards
Quick release wheels



Model: TJ-9 EN15918

Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Suspension system
Detachable side guards
Hub-Quick release wheels




Model: TJ-12

Trailer and jogger function
Accommodate one child
Alloy or steel foldable frame
Detachable side guards
Hub-Quick release wheels



Model: TJ-12D

Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Suspension system
Hub-Quick release wheels




Model: T-5

Steel detachable frame
16" plastic wheel, air or foam tire
Reflector on the rear frame



Model: T-8 EN15918

Steel frame with plastic case
16" plastic wheel, air or foam tire
Reflector on the plastic case



Influence the influencers

Bicycle Retailer and Industry News reaches the most engaged and influential people in the bicycle industry. With a print edition reaching 5,000+ independent bicycle dealers across North America 18 times a year, a website attracting 90k+ unique visits a month with a fanatical audience consuming the majority of sessions, and email newsletters with an open rate 2.4x the industry average, we reach influencers through every channel.

www.bicycleretailer.com/advertise

電動車

E-Bikes

E-BIKE ADVERTISERS



A07 Electric Bikes

Bixetec International Co., Ltd. 巧創	122-123
Grandway Power Tech Co., Ltd. 冠威	124
Iuvo Industry Co., Ltd. 巨琛	125
Lang Ju Ent. Co., Ltd. 良駒	126
Teamsun Co., Ltd. 柏龍	127
Unique Product & Design Co., Ltd. 穩正	128-129



Overseas Manufacturers

Lujin Metal Products (S.Z.) Co., Ltd. 呂金	130
--	-----



Brand Companies

Aprove Products Co., Ltd. 宏威	131
Arix Enterprise Co., Ltd. 眾鴻	132
Asia Bicycle Trading Company 愷拓	133
Joyland Sports Technology Co., Ltd. 昆山均朗	134
Ote Tee Int'l Co., Ltd. 國泰鑫	135

Otoben Bicycle Co., Ltd. 豐麒	136
Yang Chan Technology Co., Ltd. 陽展	137



A08 Battery Units

Mps Energy Inc. 聯永基	138
---------------------	-----



A09 Controllers

Energy Research Technologies Corp. 亞能聚	139
First Bicycle Components Co., Ltd. 輪鋒	140
Honlin Heavy Industries Co., Ltd. 紅菱重工	141
Hyena Inc. 凱納	142-143



Brand Companies

Honey Hope Honesty Enterprise Co., Ltd. 蜜望實	144-147
---	---------



A11 Battery Chargers

High Power Technology Inc. 鴻柏	148
-------------------------------	-----

E-bike Made in Taiwan

Frame

■ In-house Design Frame



SE8-748G

E-Kits

SHIMANO
STEPS

BOSCH

MPF DRIVE

BAFANG

ZEHUS

Complete Bike



SHE-708L

SHE-702-H8

Pedal Assist Trekking E-bike for Shimano STEPS,
 Lady Design (Center Motor)
 Size 700C x 482.6mm
 Battery Lithium 36V x 11.6Ah
 Motor Brushless, 250W, 25km/hr
 Hub Gear 8 speed

SHIMANO
STEPS



MPF-203

Pedal Assist E-bike
 Size 20" x 465mm
 Battery Lithium 36V x 10.4Ah
 Motor MPF 36V x 250W
 Derailleur Shimano 7 speed

MPF DRIVE



Element

Pedal Assist MTB E-Bike
 Size 700C x 480/520
 Battery Lithium 29.6V x 160Wh
 Motor Zehus 29.6V x 250W
 Derailleur Single speed

ZEHUS



Aramis

Pedal Assist Folding E-bike
 Size 20" x 350mm
 Battery Lithium 36V x 8.7Ah
 Motor Brushless 350W, 25km/hr
 Derailleur SRAM X3 / 8 speed



BIXETEC INTERNATIONAL CO., LTD.

No.100, Boguan 3rd St., West DIST., Taichung City 40353, Taiwan
 TEL + 886-4-23203928 FAX + 886-4-23204181

E-mail: kevin@bixetec.com Web: www.ballistic.com.tw Fb: www.facebook.com/ballistic.tw

AERS

Full Suspension E-bike
 36V-14Ah
 BAFANG Mid-drive motor
 Also available for Shimano STEPS

BAFANG



Weever

45KM/H

Pedal Assist Trekking E-bike
 Size 700C x 457mm
 Battery Lithium 48V x 8.7Ah
 Motor Brushless 48V x 500W, 45km/hr
 Derailleur SRAM X0 / 10 speed



Element Gates Belt

Pedal Assist Belt Drive E-Bike
 Size 700C x 480/520
 Battery Lithium 36V x 11.6Ah, bottle style
 Motor Brushless 36V x 250W
 Derailleur Shimano 8 speed w/Belt Drive System

CARBON DRIVE



Aegean

Pedal Assist Trekking E-bike, Lady Design(Center Motor)
 Size 700C x 470mm
 Battery Lithium 36V x 11.6Ah
 Motor Brushless 250W, 25km/hr
 Derailleur Shimano 8 speed

Center Motor
 36V, 250W



Verna

Pedal Assist Wave E-bike Lady Design
 Size 26" x 440mm
 Battery Lithium 36V x 8.8Ah
 Motor Brushless 250W, 25km/hr
 Derailleur Shimano 8 speed



Elfin

Pedal Assist Folding E-bike
 Size 20" x 320mm
 Battery Lithium 24V x 8.8Ah
 Motor Brushless Max 250W, 25km/hr
 Derailleur Shimano 7 speed



BIXETEC INTERNATIONAL CO.,LTD.

No.100, Boguan 3rd St., West DIST., Taichung City 40353, Taiwan

TEL + 886-4-23203928 FAX + 886-4-23204181

E-mail: kevin@bixetec.com Web: www.ballistic.com.tw Fb: www.facebook.com/ballistic.tw



PU-10 ➤

Pedel Assistant E-bike

Frame : 20" A6061

Motor : 24V / 200W, Rear Hub

Battery : 220Wh, Lithium

Derailleur : Shimano 8 speed

Sensor : Torque Sensor

◀ PC-10

Pedel Assistant E-bike

Frame : 27.5" A6061

Motor : 36V / 250W, Mid Motor

Battery : 410Wh, Lithium

Derailleur : Shimano Alivio 9 speed

Sensor : Torque Sensor



◀ PC-20 FAT TIRE

Pedel Assistant E-bike

Frame : 26" A6061

Motor : 36V / 350W, Mid Motor

Battery : 410Wh, Lithium

Derailleur : Shimano Alivio 9 speed

Sensor : Torque Sensor

CLEVER 12" Push Bike ➤

Frame : 12" A6061

Fork : A6061

Saddle : VELO adjustable seat

Tire : Pneumatic

Weight : 3.5 kg

6 Available Colours





IUVO INDUSTRY CO.,LTD
巨琛工業有限公司

No. 460-1 Zhongsan Road Section 1,
Tachia District Taichung City, Taiwan

Tel: 886 - 4 - 26804168

Fax: 886 - 4 - 26803968

E-mail: service@iuvo.com.tw



 **E-Trike**



Access-C

26" e-bike / 250W central motor
36V 8.8Ah lithium ion battery / 25km/hr
range: up to 60km



 **E- togo**



wheelchair E-Kit



www.iuvo.com.tw



LIANG JU

良駒企業股份有限公司 LANG JU ENT. CO., LTD.

NO.5-5, HESHUN LN., FENGSHI RD., SHIGANGDIST., TAICHUNG CITY 422, TAIWAN

TEL: 04-25820707

FAX: 04-25814086

Email: beth9157497@hotmail.com



救援小隊授權系列

有4人座及2人座

POLI(波力) 及 AMBER(安寶)。



BUFALO

Bicycle

www.bufalobike.com

BFC@8000



SHIMANO
E8000 SYSTEM

Frame

UD Carbon

Fork

Rock SHOX

Power System

SHIMANO E8000+M8000 SYSTEM

Wheelset

DT SWISS X 1900

BFA@8000



SHIMANO
E8000 SYSTEM

Frame

ALLOY

Fork

Rock SHOX

Power System

SHIMANO E8000+M8000 SYSTEM

Wheelset

BUFALO ALLOY

BFA@easy



3MeV

Frame

ALLOY

Fork

SUNTOUR SF14-XCR

Power System

NUPEDAL 2 26" 36V 8.7AH

Wheelset

BUFALO ALLOY

TEAMSUN CO., LTD

Add: No. 12, industrial N. 2nd Road, Nantou City, Taiwan

Tel: 886-49-2264378 Fax: 886-49-2264375

E-mail: david@teamsun.com.tw Executive: David Lee

FAT BIKE
motor

CARGO BIKE
motor

COASTER
Brake motor

36V

25kph

45kph

CAN
Bus



START YOUR ENGINE

MPF 6
DRIVE



03

MOTOR 6.0



01

JUICE BATTERY



04

CONTROL UNIT



02

DISPLAY I4U

Get the **More Power Feeling!**

Shiver with anticipation: MPF 6 is coming! Up to 85 Nm torque for incredible acceleration. Central display with clearly presented information briefs optimized. Control your e-Bike with the incredible control unit regardless if you might use your hand gloves even at night. Dream your dream: Speed from stop to stop on your City Bike, race the mountains on your MTB or shout with joy on your FatBike.

Our customers reward us with comments like: It is simply amazing! It works like a charm! Never thought it can be so easy!

MPF 5



36V 250 (350 W) 75Nm 4,8kg IP65
225x105x150mm CAN-bus communication
standard

Velocity distance riding range,
time motor support level, gear shift indicator,
USB diagnosis, light function, back light, walk
function, pulse measurement IP67

Frame battery 11,6Ah 400Wh 2,8kg
BMS controlled CAN-bus communication IP54
Capacity display LED 4A charger

FAT BIKE motor

Elongated axle
Reinforced design
Chain wheel adapter
for 4,8" tyre-width

CARGO BIKE motor

Reinforced design
Lowered max.
cadence High start
torque for heavy
Cargo < 350kg

MPF 6



Central bright clear intuitive information screen.
External controller provides the essential push
buttons to control all e-Bike functions. Ergonom-
ic design for easy use even under extreme condi-
tions and definitely waterproofed

New MPF Drive motor generation MPF6
supports with increased torque, improved peak
power, lowered weight and upgraded efficiency
84%. Of course in the MPF appreciated robust
design with full integrated metal gear
system and definitely oil lubricated

Juice for your e-Bike system comes with a high
functional design to handle the battery safe and
easy. The intelligent BMS with CAN bus commu-
nication technology supports definitely highest
riding range

COASTER Brake motor

To be combined with
coaster brake hubs

Integration partners:

NuVinci Hubs
Rohloff Hubs
GearSensor
SUPERNOVA Lights
BMZ Batteries
Phyllion Batteries
METCO Batteries
SRAM Components
CARBON BELT DRIVE

DRIVE WITH MORE BOOST!

www.mpfdrive.com

Asia and Pacific
Unique Product & Design Co., Ltd.
No. 5, Ming Dong Road, Yong Kang District, Tainan, Taiwan
Contact: services@mpf.com.tw

Europe & North America
SPORTTECH Handels GmbH
Carlberggasse 66, 1230 Vienna, Austria
Contact: services@mpfdrive.com



**MPF
DRIVE**



逸樺/呂金

YIHUA METAL PRODUCTS

www.lujin.com

逸樺/呂金五金製品(深圳)有限公司

LUJIN METAL PRODUCTS (S.Z.) CO., LTD.

518131 深圳市龍華新區民治街道民田路40號

No 40, Mintian Rd. Minzhijiedao, Loghuaxinqu, Shenzhen, Guangdong, China. 518131

TEL: 755-28191962, 28191963, 28196266 / FAX: 755-28191972

E-mail: lvjin_sky@hotmail.com; 020006244@163.com

于順企業(台灣)股份有限公司

YIUSHUN ENTERPRISE CO., LTD.

高雄市楠梓區大學32街101號

TEL: +886(0)7-5911569 FAX: +886(0)7-5911108

LJ-BIKE

Quick assembly Structurally secure

スピーディな折畳式、安全構造

NEW

480Watt, Aluminum frame,
14" wheels, Speed sensor.



Pat.



10cm



Pat.



20cm

Pat.



Frame Aluminum 6061
 Fork RST CARVE
 Motor Mid-Motor, 250W
 Battery Capacity 306Wh
 Mileage 100km Maximum (Fully Charged)
 Power Display LED Power Display Panel
 Brakes Mechanical Disc System
 Transmission Shimano ALTUS 8 Speed
 Wheel 26"
 Tire Size 26 * 1.75"
 Waterproof Rating IP65
 Color White / Blue
 Size S, M, L



EMT

Frame Aluminum 6061
 Fork SUNTOUR XCM
 Motor Mid-Motor, 250W
 Battery Capacity 306Wh
 Mileage 110km Maximum (Fully Charged)
 Power Display LED Power Display Panel
 Brakes Mechanical Disc System
 Transmission Shimano DORE 20 Speed
 Wheel 27.5"
 Tire Size 27.5 * 2.0"
 Waterproof Rating IP65
 Color Green / Black
 Size S, M, L





Advanced Assist

The **SMART** system
that helps you cycling !

SMART INTERFACE DISPLAY



Bluetooth®

GET IT ON
Google Play

Download on the
App Store





E1

TYPE	28" E-Bike Frame
MATERIAL	Alloy 6061
H/T SIZE	1-1/8" Integrated Shimano System E-6000
BATTERY LOCATION	Carrier
CODE	DLFA005-2850



E2

TYPE	27.5" E-Bike Frame
MATERIAL	Alloy 6061
H/T SIZE	1-1/8"x1.5" Tapered Head-Tube Integrated Shimano System E-6000
BATTERY LOCATION	D/T
CODE	DLFM002-27.5483



17-MTB-275

TYPE	27.5" MTB Frame Kit
MATERIAL	Alloy 6061
H/T SIZE	1-1/8"x1.5" Tapered
STEM	28.6x100mm Alloy 6061
HEAD SET	Integrated
SUSPENSION FORK	Alloy 6061
TRAVEL	100mm



17-MTB-2601

TYPE	26" MTB Frame Kit
MATERIAL	Full CR-MO
H/T SIZE	1-1/8"x1.5" Tapered
BRAKE SYSTEM	Disc Brake
STEM	28.6x100mm Alloy 6061
HEAD SET	Integrated
SUSPENSION FORK	Alloy 6061
TRAVEL	100mm



17-RC-700CO1

TYPE	700C Road Frame Kit
MATERIAL	Alloy 6061
H/T SIZE	1-1/8"x1.5" Tapered
STEM	28.6x100mm Alloy 6061
HEAD SET	Integrated



17-RC-700CO2

TYPE	700C Road Frame Kit
MATERIAL	Full CR-MO
STEM	22.2x100mm Alloy 606
HEAD SET	BC1"x24T



17-MTB-2901

TYPE	29" MTB Frame
MATERIAL	Alloy 6061
H/T SIZE	1-1/8"x1.5" Tapered

17-RC-700C

TYPE	700C Road Frame
MATERIAL	Alloy 6061
H/T SIZE	1-1/8" Semi Integrated




JOYLAND SPORTS TECHNOLOGY CO.,LTD.

www.joylandsports.com



26CT05L



27MTB5



27MTB330



20FOD01M

E-BK01 (e-Bike)

RATED VOLTAGE: 24V/36V/48V
RATED POWER: 250W/350W/500W
SPEED (km/h): 25-35
BRAKE TYPE: V / BAND BRAKE
NOISE (db): < 55
WATER PROOF : IP 54
CERTIFICATION: CE ROHS
FOR FRONT/ REAR WHEEL



E-MT01 (MOTOR CYCLE)

RATED VOLTAGE: 48V~72V
RATED POWER: 800W-- 5500W
SPEED (km/h): 50-120
GRADEABILITY: 15° ~20 °
BRAKE TYPE: DISK BRAKE
WHEEL AXLE (WIDTH) :195 -200 MM
TIRE:13 "



E-BK03 (e-Bike)

RATED VOLTAGE: 24V/36V/48V
RATED POWER: 250W/350W/500W/650W
SPEED (km/h):25-35
BRAKE TYPE: V / BAND BRAKE
NOISE (db): < 55
WATER PROOF : IP 54
CERTIFICATION: CE ROHS
ONLY REAR WHEEL



E-MT04(MOTOR CYCLE)

RATED VOLTAGE: 48V~72V
RATED POWER: 800W-- 3500W
SPEED (km/h):40-70
GRADEABILITY: 15° ~20 °
BRAKE TYPE:DISK BRAKE
WHEEL AXLE (WIDTH) : 195 -200 MM
TIRE:12 "



E-BK05 (e-Bike)

RATED VOLTAGE: 36V/48V
RATED POWER: 350W-- 1500W
SPEED (km/h): 20-45
GRADEABILITY: 8° ~12 °
BRAKE TYPE: DISK BRAKE
WATER PROOF : IP 54
FOR FRONT/ REAR WHEEL



E-SC02 (e-Scooter)

RATED VOLTAGE: 36V/48V/60V
RATED POWER:500W/800W/1000W
SPEED (km/h): 20-45
BRAKE TYPE: DISK BRAKE
TIRE:12 "
*OPTION:
10" TIRE: 24/36/48V,
200/250/350W,25~35(km/h)
8" TIRE: 24/36/48V,
200/250/350W,25~35(km/h)
6" TIRE: 24/36/48V,
200/250/350W,25~35(km/h)



E-SC08 (14")

High Torque type
Gear Ratio:(1:6.8) / (1:8.6)
RATED VOLTAGE: 24V/36V/48V
RATED POWER: 200 ~350 W
MAX Torque(M.n): 40(M.n)
BRAKE TYPE: DISK BRAKE
Axle width: F/100mm , R/135mm



Accessory

full set Accessory
Motor+Controller+Sensor
Cable+speed handl+brake lever



KILDEMOER



陽展科技工業有限公司
 地址：高雄市前鎮區擴建路 1-25 號 10 樓
 電話：+886-7-8212773
 傳真：+886-7-8213730
 電子郵件：yangchantech@gmail.com
 網址：www.yancpro.com

YANCPRO
 10F., No.1-25, Kuojian Rd., Qianzhen Dist.,
 Kaohsiung City 806, Taiwan
 TEL: +886-7-8212773
 FAX: +886-7-8213730
 E-mail: yangchantech@gmail.com
 Web: www.yancpro.com



RAISER

Size	540 x 27.5"
Battery	36V 8.7Ah Lithium
Motor	300W Brushless
Transmission	3 x 9 speed
Speed	≤ 25km/h



PERSUER

Size	540 x 700C
Battery	36V 8.7Ah Lithium
Motor	300W Brushless
Transmission	2 x 10 speed
Speed	≤ 25km/h



TREKKER

Size	450 x 700C
Battery	36V 8.7Ah Lithium
Motor	300W Brushless
Transmission	3 x 8 speed
Speed	≤ 25km/h




JOGGER

Size	410 x 20"
Battery	36V 8.7Ah Lithium
Motor	300W Brushless
Transmission	2 x 7 speed
Speed	≤ 20km/h



YANCPRO



Supercharge Your Style

Customization: MPS provides a multitude of integrated battery solutions with a companion app to allow our customers to do even more.

Production: All MPS batteries are made in Taiwan with quality parts and materials.

Certification: Globally certified for UL, CE, and logistical transportation regulations (UN38.3).



客製設計：提供外型、規格、APP軟硬體整合方案

台灣生產：品質一致，供貨穩定

安規認證：符合歐美安規 (CE /UL) 與運送法規 (UN38.3)；通過台灣環保署電池補助資格



Made in Taiwan

SINGLE POWER DRIVE UNIT

Easy to use with outstanding performance

Germany · Japan · China · Taiwan 12 PATENTS

Economic price

Smart Motor

(Auto Check Battery Voltage)

48VOLT → 550WATT (OUT PUT)

36VOLT → 420WATT

24VOLT → 350WATT

2018/08

ON SALE

Simple wiring, Conector to Battery only

TORQUE SENSOR INSIDE

**Water-resistant
Dustproof**

ROTOR IS OPTIONAL



Chopper boost Battery Charging
(by braking and free running)

Programmable sever motor

Single chip control and communication

Service plate heat sink

Direct Drive

Solid state capacitor

Water resistant coating

Multi-poles structure (low start angle)

ER[®]

Energy Research Technology Corp.

T: +886-4-25332833 / F: +886-4-25333729 / Email: er.corp@msa.hinet.net / www.er-tech.com.tw



Separate Purchase for Lower Costs

Integration for motor, battery, and controller is provided. With easy structure of the plug design, it's more convenient for maintenance and repair of the circuitry. Customized design or modification for programs of controller are also available.



Patent No. M451315

Wireless Turn Signal Lightset

Multi-Functional Wireless Rechargeable Synchronous Action (Front & Rear)

Front Lightset

- LED Headlight/Turn Signals •Speed Meter
- Calorie Indicator •Gradient Indicator
- Auto Light Sensor •Total/ Traveling Mileage
- Time/ Temperature Indicator

Rear Lightset

- Warning Signals •Braking Lights/Turn Signals

Other Features

- Remote Control/Day & Night Modes
- Speed Sensitive Device + Magnet Clamp
- USB Charge Method
- 3 Hi-Power LED of 3w, 928CD
- Synchronous Turn Signals



Motor inside the frames

E-BIKE system total solution



Alloy Lady Bike



Carbon Road Bike



Alloy Fat Bike



Alloy ATB

TUBE MOTOR by HP



TD-51 for MTB



Alloy Freeride




Carbon Road Bike



Alloy MTB



20"-700C Folding Bike



TD-21 for road bike



TD-58 for all bike



Battery 24V / 36V

Model	TM-5265			TM-5765	TM-5780	
Motor Type	Brushless DC Motor					
Working Voltage	24V	36V		36V	36V	
Output Power	200W	250W	350W	400W	250W	400W
Maximum Torque	40Nm	42Nm	48Nm	50Nm	42Nm	50Nm
Operating temperature	-5° ~40°					
Storage Temperature	-10° ~50°					
Weight Sensor	3.5kg~4.2kg					
Speed Sensor	Standard					
Torque Sesnsor	Optional					
Reduced Speed	80~100 RPM					

Climbing ability



15-25°

Climbing ability



15-25°



HONLIN HEAVY INDUSTRIES CO., LTD

(T):+886-2-25000019

(F):+886-2-25040143

www.honlin-hp.com

sales@honlin-hp.com

Rockmando GmbH

www.rockmando.de

business@rockmando.de

HYDRIVE Smarter Mobility Solutions

Hyena Inc. 凱納股份有限公司

+886 4 2359 8810

+886 4 2359 8610

sales@hyenatek.com

No. 98-126, 1st Rd.,
Taichung Industrial Park,
40767 Taichung, Taiwan

www.hyenatek.com

Hardware Solutions

Standard E-System Solutions



36V
48V
300Wh
400Wh
500Wh
25km/h
45km/h
Options

Sensor Solutions



Dual-sides
BB Torque
Sensor



Single-side
BB Torque
Sensor



96/48 Signal
Cadence
Sensor



Speed
Sensor



3.5" LCD
Type A



3.5" LCD
Type B



LCD
Compact



LED
Compact

HMI Solutions



Aluminum
Extrusion
Type



For
Central
Motor



Aluminum
Housing
Type

Driver Solutions

Variety of Combinations

All e-bike system components can be freely combined. You can select and combine parts to suit your design specification. The integrated system can also connect to complete software including user app and service tool for shop.

ONE STOP SHOP

A TURN-KEY SOLUTION FOR
BICYCLE BRANDS AND MANUFACTURERS

Software Solutions

App for User



- +Real-time travel information
- +Use records
- +Navigation
- +Complete shop connection
- +Quick diagnosis



Service Tool for Shop



- +Complete bike profile/history
- +Service records/analysis
- +Complete shop information
- +Complete diagnosis



brose

Design & Made in Germany

An e-bike design and riding experience **to excite!**

興奮的設計與體驗!

90 牛頓 · 米最大扭力

興奮的騎行體驗

- 安靜至極，幾乎忘了電機的存在
- 絕佳動力/重量比，兼顧動力與操控樂趣
- 能對應不同車型調整動力輸出

極致德國設計工藝

令人驚豔的設計

- 最佳的車架/電機整合設計
- 小巧輕盈，為電動輔助自行車樹立新標竿

90 Nm Max Torque

A riding experience that excites

- quietest motor in the market for an undisturbed ride
- best power-to-weight ratio for effective support and great handling
- bike model-specific motor set-up based on the type of e-bike

Technical Data

Dimensions	213 x 150 x 128 mm
Weight	3,400 g
Motor type	mid-drive motor
Nominal voltage	36 V
Rated continuous power	250 W
Assistance Pedelec	up to 25 km/h
Assistance S-Pedelec	up to 45 km/h
Pushing aid	up to 6 km/h
Ingress protection rating	IP56

German Design

A design that excites

- perfect integration of motor into the frame for a great looking e-bike
- small and lightweight for the next generation e-bike design



凱納為德國Brose電機授權亞洲區總代理

HYDRIVE

Smarter
Mobility
Solutions

+STANDARDIZED SOLUTION
+CUSTOMIZED SOLUTION
+TRAINING CONSULTING

Hyena Inc. 凱納股份有限公司

☎ +886 4 2359 8810

☎ +886 4 2359 8610

✉ sales@hyenatek.com

🏠 No. 98-126, 1st Rd.,
Taichung Industrial Park,
40767 Taichung, Taiwan

🌐 www.hyenatek.com

Hynea Inc. is the exclusive authorized Brose distributor in Asia

www.brose-ebike.com

The world's No.1 comprehensive motor manufacturer from Japan introduces eBike system


Having 40 years of experience in developing and manufacturing brushless DC motors, Nidec achieved No. 1 position in the global market. We bring this accumulated know-how to eBike system. Nidec has been successfully providing eBike system in Japan since 2012. Now introducing eBike system to the world-wide market.

Best fit for e-MTB



- High power motor
(max 95 Nm, 700 W)
- Angle sensor
- Superior power and torque performance

Motor power and torque output curve



Powerful, Intelligent
Nidec eBIKE SYSTEM

E Bike system by Nidec

蜜望實企業股份有限公司

HONEY HOPE HONESTY ENTERPRISE CO., LTD.

Tel: +886-2-8751-1779 Ext: 6136 Fax: +886-2-2797-9259

E-mail: jerry_huang@threehhh.com.tw

Web: www.threehhh.com.tw/?action=product

Road map

Solutions that will keep you a step ahead.



2019
e-Small wheel



2018
S-Pedelec



2019
e-Road



2019
e-Folding



2017
Pedelec25

Constantly working on hardware and software development to create new possibilities and bring more mobility to our future.

Company profile and service network



North America

ITOCHU (USA)
Santa Clara, California U.S.A

Europe

ITOCHU Deutschland GmbH
Düsseldorf Germany
Nidec Copal GmbH
Bietigheim-Bissingen, Germany

Asia

ITOCHU Corporation
Tokyo Japan
Nidec Copal Corporation
Tokyo Japan
Nidec Corporation
Kyoto Japan



ITOCHU Corporation
(Headquarters)



Nidec Copal Corporation
(Headquarters / Tokyo Technical Center)



Nidec Corporation
(Headquarters)

E Bike system by Nidec
蜜望實企業股份有限公司
HONEY HOPE HONESTY ENTERPRISE CO., LTD.


Tel: +886-2-8751-1779 Ext: 6136 Fax: +886-2-2797-9259
E-mail: jerry_huang@threehhh.com.tw
Web: www.threehhh.com.tw/?action=product

Coming in model year 2018

S-Pedelec

Powerful ride

Ride longer distances with the same efforts.
A successful blend of compact size,
longer range and enormous power makes
a bicycle convenient means of transportation
for daily life.



Motor unit



**Mighty S-Pedelec mid-motor,
combining higher power with the small size of EPAB-001**

Size (D x W x H)	225 x 92 x 148 mm
Weight	Approx 3.5 kg
Max speed	45 km/h or 28 mph
Power	DC 48 V, 420 W (rated), 770 W (max)
Torque	90 Nm (max)
Sensor	Torque, cadence, angle, speed
Other functions	Brake cut off, walk assist

*Spec may change

Battery



**Retaining the advantages of EPAB-001,
we plan to further increase battery capacity and add range extender**

Size (D x W x H)	346 x 102 x 92 mm
Weight	Approx 3.2 kg
Capacity	407 Wh (min 380 Wh)

Coming in model year 2019

e-Small wheel / e-Folding / e-Road

Invisible motor

One motor - several applications: stay stylish within
the city making eBike system invisible or enjoy the best
bicycle geometry with your e-Road, not possible before.



Motor unit can be integrated
into a down tube

Becoming almost
invisible

Motor unit



Compact mid-motor for more mobility and new applications

Size (D x W x H)	156 x 90 x 100 mm
Weight	Approx 2.5 kg
Max speed	25 km/h or 20 mph
Power	DC 36 V / 100 W, 350 W (max)
Torque	25 Nm (max)
Sensor	Torque, cadence, angle, speed
Other functions	Brake cut off, walk assist

*Spec may change

E Bike system by Nidec
蜜望實企業股份有限公司

HONEY HOPE HONESTY ENTERPRISE CO., LTD.

Tel: +886-2-8751-1779 Ext: 6136 Fax: +886-2-2797-9259
E-mail: jerry_huang@threehhh.com.tw
Web: www.threehhh.com.tw/?action=product



Motor unit

Intelligent heart of eBike system

Size (D x W x H)	225 x 92 x 148 mm
Weight	Approx 3.5 kg
Max speed	25 km/h or 20 mph
Power	DC 48 V / 250 W or 350 W (rated), 700 W (max)
Torque	95 Nm (max)
Sensor	Torque, cadence, angle, speed
Other functions	Brake cut off, walk assist



Battery

Bringing in high safety standards, developed for the automotive industry:

- Resistant to shock and vibration due to a special internal structure
- Superior fire protection is ensured by catch fire inhibitor

Size (D x W x H)	346 x 102 x 92 mm
Weight	Approx 3.2 kg
Capacity	407 Wh (min 380 Wh)



Charger

Algorithm, supporting fast charging while protecting lifetime of a battery

Size (D x W x H)	170 x 90 x 45 mm
Weight	Approx 0.6 kg
Output current	Max 2.2 A
Rated input	AC 100-240 V
Charging time	Approx 2 hours (50 % charge), approx 5 hours (100 % charge)



Cycle computer

Several lineups:


Separate type

- 2.4 inch removable LCD display and external handlebar controller (3 keys)
- "Supported modes" (4 levels) and "speed" (km/h or mph)
- "Remaining mileage" and "remaining battery" (5 levels)
- "Cycle computer" and "simple error code"
- USB interface (USB charging, interface of setup and diagnosis software)



Wireless type

- X3 Wireless type
- X5 Wireless type (120度廣角鏡頭 + HD高畫質720p@30fps)
- Wireless Transmission (ANT+ & Bluetooth)
- Module + Cloud Service



Setup and diagnosis software

Comes with user-friendly setup and diagnosis software

E Bike system by Nidec

蜜望實企業股份有限公司

HONEY HOPE HONESTY ENTERPRISE CO., LTD.

Tel: +886-2-8751-1779 Ext: 6136 Fax: +886-2-2797-9259

E-mail: jerry_huang@threehhh.com.tw

Web: www.threehhh.com.tw/?action=product

HIGH POWERED

Battery Chargers



Best For: Electrically-Powered Wheelchairs,
Scooters, Bicycles, Motorcycles.
All types of electric vehicles
Fit all kinds of batteries
Including: Li-Ion, Lead-Acid, Ni-Mh...etc

Features:

Make use of the microprocessor to control the system.
Portable compact size, light weight and fast charging.
Can be installed in scooters or powered wheelchairs.
Can charge any lead-acid battery-gel, sealed or wet.
Can be left connected to a battery indefinitely without harming the battery.
Automatic inspection for battery connection.
Automatic checks for the battery during the whole course till the battery has been fully charged.



HP 1000W (1000w)
(For Lead-Acid / Li-Ion)



HP0180W (180w) 7176-25
(For Lead-Acid / Li-Ion)



HP0240W (240w)
(For Lead-Acid / Li-Ion)



HP1211B1/B2 (120w) 7176-25
(For Lead-Acid)



HP1202L3(2A) (90w)
(For Lead-Acid / Li-Ion)



HP0060W (60w) 7176-25
(For Lead-Acid / Li-Ion)



HP0120W (120w)
For Lead-Acid / Li-Ion



HP1202A/B/C (60w)
(For Lead-Acid)



HP-8204A/B/C/D (180w)
(For Lead-Acid)



HIGH POWER TECHNOLOGY INC.

5th Floor, No.295-4, Section 1, Huan Ho North Road, Taipei, Taiwan.
tel: 886-2-25536219 fax: 886-2-25536213

E-mail: ericliu@high-power.com.tw

www.high-power.cn

HIGH POWER TECHNOLOGY (KUNSHAN) INC:

No. 1163, Hua'an Rd., Hua Qiao Town, Kun Shan City, Jiang Su Province, China.

