整車
Complete Cycles

COMPLETE CYCLE ADVERTISERS

A01 Bicycles

Acetrikes Ind. Co., Ltd. 見誠 71
Arthur And Judy Ent. Co., Ltd. 京永 72
Asama Yuh Jiun Ind. Co., Ltd. 郁珺 73
Azure Bike International Ltd. 晴也 74
Cheng Yi Bicycle Co., Ltd. 成益 75
Chenn Daa Co., Ltd. 成達 76
Dodsun Bicycle & Machinery Manufacturers 達生 92
Fairly Bike Mfg. Co., Ltd. 菲力 93
Giant Mfg. Co., Ltd. 巨大 94
Gomier Mfg. Co., Ltd. 尚殷 77
Ideal Bike Corporation 愛地雅 78
Jee Ann Bicycle Co., Ltd. 吉安 80-81
Jumbo Brico Associated Co., Ltd. 鉅盈 79
Ktm-Bikes International (Hk) Company Limited. 凱特美 82
Merida Industry Co., Ltd. 美利達 96
Ming Cycle Ind. Co., Ltd. 永祺 95
Overlord Industries Corp. 崑哲 83
Pacific Cycles Inc. 太平洋 97
Pretty Wheel Ind. Co., Ltd. 美輪 84
Strongman Products Corp. 莊盟 98
Tange International Co., Ltd. 丹下 85
Willing Ind. Co., Ltd. 威輪 86-87
Youn Live Industry Co., Ltd. 宇輪 88
Yung Great Co., Ltd. 永迪派 99

Brand Companies

Nammax Corp. 名亙茂 89
Otoben Bicycle Co., Ltd. 豐麒 90
Uni-Victor Int'l Corp. 合勝 91

A02 Folding Bicycles

Liwang Precision Co., Ltd. 立旺 100-101
Ta Jong Industrial Co., Ltd. 大忠 102

Overseas Manufacturers

Qu-Ax Vertriebs-Gmbh QU-AX 103

A04 Children's Bicycles

Keng Min Ent. Ltd. 鏗民 106
Shouh Mao Ind. Co., Ltd. 碩懋 104-105

Brand Companies

Allied International (1951) Ltd. 怡合 108
Chelston Bikes 爵爾斯頓 107

A05 Exercisers

Jin Chang Sheng International Co., Ltd. 金昌昇 109
Trifo Limited 友穗 110

A07 Electric Bikes

Adk Technology Limited 環捷 119
Bixetec International Co., Ltd. 巧創 120-123
Grandway Power Tech Co., Ltd. 冠崴 124
Heng Feng Bicycle Co., Ltd. 恆豐 125
Iuvo Industry Co., Ltd. 巨琛 126
Jen Min Mfg. Co., Ltd. 正敏 147
Lang Ju Ent. Co., Ltd. 良駒 127
Merida Industry Co., Ltd. 美利達 146
Stardance International Corp 連盈 128
Teamsun Co., Ltd. 栢馥 129
Teny Rim Ent. Co., Ltd. 田霖 132
Unique Product & Design Co., Ltd. 穩正 130-131
Wheeler Ind. Co., Ltd. 永輪 133

Overseas Manufacturers

Joyland Sports Technology Co., Ltd 昆山均朗 135-137

Brand Companies

Aprove Products Co., Ltd. 宏威 138-139
Arix Enterprise Co., Ltd. 眾鴻 140
Asia Bicycle Trading Company 愷拓 141
Metallica Internationall Co., Ltd. 穎澧 142
Otc Tec Int'l Co., Ltd. 國泰鑫 143
Otoben Bicycle Co., Ltd. 豐麒 144
Sunny Crown Enterprises Co., Ltd. 蔣光燦 145

A08 Battery Units

Mps Energy Inc. 聯永基 155
Trend Energy Technology. Co., Ltd 嘉普 157

A09 Controllers

Avertronics Inc 映興 152
Honey Hope Honesty Enterprise Co., Ltd. 蜜望實 148-151
Microprogram Information Co., Ltd. 微程式 153
Sunshine Technology Co., Ltd. 晟祥 154

A10 Motors

Aicotech Co., Ltd. 弘傳 158-159
Energy Research Technologies Corp. 亞能聚 160
Honlin Heavy Industries Co., Ltd. 紅菱重工 161

A99 Others

Cycling & Health Tech Industry R&D Center 研發中心 116
Vantly Fitness International Enterprise Co., Ltd. 環瑋 112-113

Overseas Manufacturers

Rongbang Machinery (K.S.) Co., Ltd. 榮邦-昆山 114-115

ACECYCLES
ACETRIKES INDUSTRIAL CO.,LTD.

ACETRIKES BICYCLES(TAICANG)CO.,LTD
見誠自行車(太倉)有限公司-CHINA
TEL：+86-51253452188
FAX：+86-51253456215
E-mail：kenwu@acebike.com.cn
jenny@acebike.com.cn

ACETRIKES INDUSTRIAL CO.,LTD
見誠工業股份有限公司-TAIWAN
TEL：886-4-8858121
FAX：886-4-8851345
E-mail：albertyang@acebike.com.tw
joanwu@acebike.com.tw

LADY E-BIKE

Frame: Alloy 700C
Fork: Rigid fork
Motor: Rear hub motor 36V 250W
Battery: Panasonic cell 36V 8.7AH
Display: LED 3 levels,with 6km/h walking mode
Rear Derailleur: Shimano 8 speed
Brakes: Disc brake

JCBIKE CITY 8

Frame: Alloy 700C
Fork: Straight fork alloy
E-kit: Shimano steps system
Motor: Shimano 36V 250W with torque sensor
Battery: Shimano 36V 11.6AH FOR STEPS
Display: Shimano KSCE6000A
Shifter lever: Shimano ASL8S31L170L5
Rear hub: Shimano KSGC60018CBL 32H*132W alloy
Brakes: Shimano DISC-BRAKE
Chainwheel: Shimano (FC-E6000) 38T

eMTB

Frame: Alloy 27.5"
Fork: Alloy
Motor: M500 MM G520.250,
Rated Voltage (DCV) 43 Rated Power (W)250
Battery: BT F03.450.UART, 43 DCV 450 WH
Display: HMI-2, DP C240. CAN (LCD Display)
Speed Detection: SR SD02.01 (Speed Sensor)
Charger: CHG C01.2A.EN, 110-220 ACV 43 DCV 2S
Battery Lock: Battery Lock & Battery discharge cable

Fantasy

ROAD BIKE SHIMANO ULTEGRA Disc Brake 22-SP
Frame: CARBON 700C
Fork: CARBON 700C
Chainwheel: SHIMANO ULTEGRA FC-R8000 50- 34T
Front Derailleur: SHIMANO FD ULTEGRA
Rear Derailleur: SHIMANO RD ULTEGRA 11-SP
Handlebars: FSA SL-K UD Carbon
Stem: FSA SL-K UD Carbon
Seat Posts: FSA SL-K UD Carbon
Wheel size: SHIMANO WH-RS770-C30-TL-P12 700C
Tire: CST M217RU 700 X25C

FOCUSED

EXODUS

FOCUSED ON SERVICE

FOCUSED ON CARBON, ALLOY & E-BIKES

A & J ENTERPRISES CO., LTD.

TAIWAN - CAMBODIA - VIETNAM （OPENING 2018）

Address：35F., No.386, Shizheng Rd.,Xitun Dist., Taichung 40757, Taiwan

TEL：04-22584300 FAX：04-22596661 E-mail：sunny@anjbike.com.tw

www.anjworldwide.com

www.exodusbike.cn

ASAMA YUH JIUN INDUSTRIAL CO., LTD.
Tel.: +886-6-263-8226 Fax: +886-6-263-2324
Email: contact@yuhjiun.com

ASAMA YUH JIUN INT'L VIETNAM CO., LTD.
Tel.: +84-274-3730103 Fax: +84-274-3730107
Email: asamavn@asama-bike.com

SPEEDTECH INDUSTRIAL CO., LTD.
Tel.: +855-44-715644 Fax: +855-44-715107
Email: st@yuhjiun.com

AZURE BIKE INT'L CO., LTD.
LINK BICYCLE CO., LTD.

T. +886-4-8283370 F. +886-4-8283371
152 Yuanlu Rd. Sec. 2, Puxin Township, Changhua, Taiwan
T. +86-512-57381067 F. +86-512-57393337
1019 Tong Fong E. Rd., Kunshan, Jiangsu, China
ben@linkbike.com.tw;
gretalai@linkbike.com.tw
www.linkbike.com

LK-CONQUEROR 700C FOLDING BIKE

PATENTED

Alloy/Steel Frame
TT, DT, Handlebar, Pedals Folding
Folding Size 94x86x34cm

TL-066-S

12" Alloy One-Piece Frame
Alloy Hubs&Rims
Integrated Saddle
3.5 kg

PATENTED

TL-066-A Suspension Push Bike

12" Alloy Frame.Hubs&Rims
Integrated Saddle
PU Shock Absorber
3.7 kg

TL-062-F

20" Forged Frame
x 2.5" Trial Tire
ISIS Cr-Mo Hub&
Forged Alloy Cranks

TL-062-D

20" Steel/Alloy Folding Frame
Single/Inner-3/ 6 Speed
Alloy Join Kit Ø25.4/ Ø27.2/ Ø28.6/ Ø31.8

TL-061-H

16"/20" Steel/Alloy
Suspension/Rigid Fork
Disc/V-Brake

TL-E02 MID-DRIVE E-TRICYCLE

24" Alloy Frame, 6-Speed Shimano, Mid-Motor 48V 350W 35km/h

QZ-J01

26" AL6061-T6 Brushed Clear Coat, Disc Brakes, Suspension Fork-ML

CHENG YI BIKE CO., LTD

- CREATE A WONDERFUL LIFE WITH YOU -

cy@cy5388.com.tw +886 4 26805388 www.aibike.com.tw

No. 373, Dongxi 3rd Rd., Daan Dist., Taichung City, Taiwan
台中市大安區永安里東西三路３７３號

www.tankcycle.com.tw

◆ Please visit our web page for our more products.

Matrix



Chenn Daa Co., LTD.

Tel: 886-4-26889361 | Fax: 886-4-26889351 | SKYPE:tank.guo

Mail:tank.guo@msa.hinet.net | jane@tankcycle.com.tw

Add: No.198-8, Hengzun St., Dajia Dist., Taichung City 437, Taiwan.

facebook @matrixbicycle

GOMIER
LOVE
OUR EARTH.

SHIMANO STEPS

TR-716E

TR-6000E

BAFANG MMG360

MEET US AT 2019 TAIPEI SHOW BOOTH R 0931.

TP 3000 SERIES

HP 1500 SERIES

TR 2000/2400 SERIES

TR-800

REHATRI

GOMIER Tricycle and Special Bike

尚殷股份有限公司

GOMIER MFG. CO., LTD.

Tel: **+886-4-2687-2771** Fax: **+886-4-2688-1232** e-Mail: **sales@gomier.com.tw**

No. 132-1, Sing-An Road, Dajia Dist., Taichung City, 437, **TAIWAN**

SGS ISO 9001 ISO 13485

SGS CE

IDEAL
IDEAL BIKE CORPORATION

IDEAL SERVICE
GLOBAL SERVICES

POLAND
IDEAL EUROPE
SP. ZO.O

CHINA
IDEAL (DONGGUAN)
BIKE CO., LTD.

TAIWAN
IDEAL BIKE
CORPORATION

WWW.IDEALBIKE.COM.TW

PROCYCLE

JUMBO BRICO ASSOCIATED CO., LTD.

24" CANNON ALTUS 8SP, ALLOY

18" ROCKY NEXUS 3, ALLOY

12" LILY, ALLOY

鉅盈股份有限公司

JUMBO BRICO ASSOCIATED CO.,LTD. (TAIWAN)

11F NO. 77 Sec. 4 Nan King E. Road, Taipei, Taiwan Tel: 02-27151031 E-mail: joe_chen@jumbobrico.com



NANOO-12
7 SPEED
F/R V-BRAKE

NANOO-14
8 SPEED
F/R DISC BRAKE

more info here

nanoo®

12 inch 14 inch 16 inch FOLDING BIKE/E-BIKE

TEL/ 886-49-2253116
FAX/ 886-49-2253091

JEE ANN BICYCLE., LTD.
www.jeeann.com.tw/nanoo

JEE ANN BICYCLE

A professional bicycle manufacturer

ODM

If you have any idea to make new bike, no matter the cargo bike or electric bike, let us help you make dream come true.

vincent@jeeann.com.tw http://www.jeeann.com.tw 886-49-2253116 886-49-2253091

KTM
BIKE INDUSTRIES

WWW.KTM-BIKES.AT
WWW.KTM-BIKES.COM.TW

In autumn 2018, the UCI Road World Championships 2018 was held in Innsbruck/Tirol in Austria. For that reason, the two well-known Austrian companies, KTM Bike Industries and Swarovski Kristallwelten (Swarovski Crystal Worlds) teamed up and created a fusion of their competences. The outcome of the fusion were 2 crystalized aero road bikes: the black orange Revelator Lisse Prestige with 8,000 crystals and the black Revelator Lisse Master with 12,000 crystals.

After the World Championships, the crystallized black orange Revelator Lisse Prestige was donated to the 2018 Austrian Charity Gala Licht ins Dunkel ("light into the dark") and has been auctioned off for the good cause for an amount of 12,000 Euros on 2018 Christmas Eve.

#ktmbikeindustries
#swarovskikristallwelten
#innsbrucktirol2018



KTM FAHRRAD GMBH

KTM-BIKES INTERNATIONAL (HK) CO., LTD.
TAIWAN BRANCH
香港商凱特美股份有限公司台灣分公司
11F, NO. 174, SEC.2, MIN SHENG E. RD., TAIPEI, TAIWAN
TEL: 886-2-2501-5869
FAX: 886-2-2501-5879
py_chen@ktm-bikes.com.tw

OVERLORD
BIKES

For more than 25 years, Overlord has been producing quality OEM and ODM bicycles for leading bicycle companies, retailers and distributors around the globe. Focussed on precision and quality, our in-house testing facilities ensure that we meet the standards demanded by our customers, including EN and ISO.

Mountain — Alpine E 29" E-Bike

Frame
6061 smooth welded aluminum alloy

Fork
Rock Shox Judy Gold

Drivetrain
Shimano SLX 1x11
Shimano Steps E8000

Brakeset
Shimano SLX

Wheelset
Alex MD35 rims
Shimano SLX hubs
Maxxis Minion Tires

Cockpit
Handlebar:
Ritchey WCS Trail
Stem:
Ritchey WCS Trail
Seatpost:
KS Drive SI 125mm
Saddle:
Ritchey WCS Trail

Road — Apollo 700c

Frame
6061 smooth welded aluminum alloy

Fork
Full carbon monocoque

Drivetrain
Shimano Ultegra

Brakeset
Shimano RS685/RS785 hydraulic

Wheelset
Shimano RX31
Schwalbe Durano tires

Cockpit
Handlebar:
Ritchey WCS Logic
Stem:
Ritchey WCS
Seatpost:
Ritchey WCS
Saddle:
Ritchey WCS Streem

Hybrid — District E 700c E-Bike

Frame
6061 double-pass welded aluminum alloy

Fork
SR Suntour NVX

Drivetrain
Shimano Acera 9 speed
Bafang M400 drive system

Brakeset
Tektro Mechanical Disc

Wheelset
Alex AL550 rims
Novatech hubs
Kenda Kwicker Tires

Cockpit
Handlebar:
Zoom alloy
Stem:
Zoom alloy
Seatpost:
Zoom alloy suspension
Saddle:
Velo

Contact us today to find out how our experience and expertise can move your ideas forward.

WE MAKE BIKES.

Overlord Bikes Taiwan
Tainan City
Taiwan
TEL: 886-6-5901711
Email: ove@overlord.com.tw

Overlord Bikes Canada
Mississauga, Ontario
Canada
TEL: 905-564-2505
Email: info@overlordbikes.com

Accreditation Number: Q07
ISO9001:2000

POWER KAT

FORTE

700C MEN E-CROSS BIKE (FORTE 700M)

FRAME	ALLOY 6061 CROSS BIKE
DEL	SHIMANO ALIVIO 9SPD
MOTOR	350W DAPU HUB MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	62KM
MAX SPEED	25km/hr

SHARK

SHARK MTB

FRAME	27.5 ALLOY 6061 CLASSIC CROSS BIKE
DEL	SHIMANO DEORE 10 SPD
MOTOR	350W 8 FUN MIDDLE DRIVE MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	75KM
MAX SPEED	32km/hr

700C WOMEN CLASSIC E-CROSS BIKE (CARINA)

FRAME	ALLOY 6061 CLASSIC CROSS BIKE
DEL	SHIMANO NEXUS INTERNAL 8SPD
MOTOR	350W 8 FUN MIDDLE DRIVE MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	83KM
MAX SPEED	25km/hr

Carina

700C WOMEN E-CROSS BIKE (FORTE 700W)

FRAME	ALLOY 6061 CROSS BIKE
DEL	SHIMANO ALIVIO 9SPD
MOTOR	350W DAPU HUB MOTOR
BATTERY	36VX13AH
INPUT	100-240V
CONTINUOUS MOBILITY	62KM
MAX SPEED	25km/hr

FORTE

POWER KAT GROUP L.L.C.
No.488 Feima West Rd. Fuchau Town Taicang City Jiangsu China
TEL:86-512-53641390 FAX:86-512-53641388
http://www.prettywheel.com
E-mail : takitu@powerkat.com.cn

PRETTY WHEEL INDUSTRIAL CO.,LTD
No.317 Nancun Rd.,Houli Dist,Taichung City 421 Taiwan
TEL:886-4-25561168 FAX:886-4-25561165
E-mail : pretty.wheel@msa.hinet.net

YASUJIRO

www.yasujirobike.com

SERVICES AND SOLUTIONS

DESIGN SUPPORT

- In-depth cycle design know how :
  - Urban
  - Suspension
  - Cargo
  - Utility
- Cost assessment
- Concept to mass production professional

LOGISTICS SOLUTIONS

- ASIA and EUROPE
  - Supply Chain Fullfilment
  - Supplier Network Specialist
  - Component Source
  - Consolidation

SPECIALITY SERVICES

- In House Alloy Frame Fabrication
- Frame/Part Paint Finish Contractor
  - Multiple Lines
  - Maximum flexibility
  - Powder Coating
  - Wet Paint
- Wheel Building Contractor
  - High End Hand Built Service
  - Precision Machines for Mass Volume
- Comprehensive bicycle knowledge to help achieve your cycling goal!

E-BIKE PRODUCTION EXPERTS

- Hands On Hardware/Software Management
- Flexible Sub Assembly Management
- Final Assembly Analysis Before Packaging
- Systematic Problem Solving
- Thorough working experience with :
  - BOSCH
  - SHIMANO
  - YAMAHA
  - BAFANG
  - NIDEC
  - BROSE
  - Customer designed systems

威輪工業股份有限公司
Willing Industry Co.,Ltd.
info@willingbikes.com
P:+886-426814992
www.willingbikes.com
台中市大甲區中山路二段325號
No.325, Sec. 2, Zhongshan Rd., Dajia.,
Taichung 437, Taiwan

華慶健身科技(惠州)有限公司
Hua Chin Bicycle & Fitness (H.Z.) Co.,Ltd.
sales@acocabikes.com
P: +86-752-3256607
惠州市惠城區馬安鎮新湖工業區
Xin Hu Industrial Zone,
Ma An, Hui Zhou, 516257, China

愛酷客自行車(越南)有限公司
ACOCA Bicycle (Vietnam) Company Limited
linda_lin@acocabikes.com
P: +86-189-33273377
P: +84-901-132876 (Vietnam)
越南平陽省濱吉市安西社寶翠工業區
Block 20-7A, 8B Street, Protrade International Industrial Park, An Tay Commune, Ben Cat Town, Binh Duong Province, Vietnam

OEM / ODM MANUFACTURER

R6

FRAME: 700C ALLOY
FORK: SUNTOUR SF16 NEX
REAR DERAILLEUR: ALIVIO, RD-T4000
DRIVE UNIT: SHIMANO E6100
BATTERY: DARFON, 36V 500Wh, 14Ah
BRAKE: ALUTS HYDRAULIC DISC BRAKE

R8

FRAME: 700C ALLOY
FORK: SUNTOUR SF17 NCX-E-AIR
DERAILLEUR: TOURNEY RD-TY300
REAR DRIVE: SHENG YI 36V 250W

CHAINWHEEL: PROWHEEL, PRA-108
BRAKE: TOURNEY TX,MECHANICAL DISC BRAKE

R26

FRAME: 700C CR-MO
FORK: 700C CR-MO
INTERNAL HUB: NEXUS 7-SPD
CHAINWHEEL: PROWHEEL, PRO-A38
FRONT DISC BRAKE/REAR ROLLER BRAKE

R41

FRAME: 700C ALLOY
FORK: 700C ALLOY
REAR DRIVE MOTOR : BAFANG 36V 250W
DERAILLEUR: SHIMANO TOURNEY/TY, 7-SPD
CHIANWHEEL: PROWHEEL, PRA112PP

TAROKA

YOUN LIVE INDUSTRY CO., LTD.
No.10-63, Yuangang, Yuanli Township, Miaoli County 35852, Taiwan
Tel:886-37-860061 Fax:886-37-860161 E-mail:sales@taroka.com.tw www.taroka.com.tw

LOWRIDER®
名互茂

NAMMAX CORPORATION
12 FL-5, NO.432,SEC.1,KEELUNG RD.,TAIPEI 1 10, TAIWAN
Tel:886-2-2720-1660,2729-9304 Fax:886-2-2720-1175
E-mail:nammax@nammax.com.tw, lowriderbicycletw@gmail.com
URL:www.lowriderbiketw.com :lowriderbicyclecompany

NX-EB2018D 24" Pedelec

NX-EB2018C 26" Pedelec

NX-EB2018E 26" Shimano 3 Speed Cruiser

NX-EB2018B 26" Pedelec

NX-DX2018LR1 20" Lowrider Gold & Chrome

NX-DX2018LR2 20" Lowrider Gold & Black

NX-EB2018A 26" 1 Speed Cruiser

NX-LR1201RD 12 " Lowrider

otoben@ms62.hinet.net

KELLYS
BIKE COMPANY

NOID 90

FRAME Kellys Gravity DH / Think Link, travel 205mm **FORK** Rock Shox Boxxer World Cup DebonAir, 200mm **REAR SHOX** Rock Shox Super Deluxe Coil RC **SHIFTER** Shimano Zee Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Saint **BRAKES** Shimano Saint Hydraulic Disc

TAYEN 50

FRAME Kellys e-Frame KLC, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm **SHIFTER** Shimano Deore Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano SLX **BRAKES** Shimano MT400 Hydraulic Disc

TYGON 70

FRAME Kellys e-Frame, Uni-Body Integrated Design **MOTOR** Shimano STEPS E8000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** Rock Shox Revelation RC DebonAir, 120mm **SHIFTER** Shimano SLX Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT **BRAKES** Shimano SLX Hydraulic Disc

THEOS 60

FRAME Kellys Allmountain 27.5 / Four-bar link, travel 140mm **MOTOR** Shimano STEPS E8000 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** Rock Shox Yari RC DebonAir, 150mm **REAR SHOX** Rock Shox Monarch RT **SHIFTER** Shimano SLX Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT **BRAKES** Shimano Deore XT Hydraulic Disc

THORX 50

FRAME Kellys Allmountain / Think Link, travel 140mm **FORK** Rock Shox Pike RC DebonAir, 150mm **REAR SHOX** Rock Shox Super Deluxe RC3 DebonAir **SHIFTER** Sram GX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram GX Eagle **BRAKES** Shimano Deore XT Hydraulic Disc

HACKER 90

FRAME Kellys iCAD Carbon Pro 29 **FORK** Fox 32 Factory SC Float Evol, Kashima Coat, 100mm **SHIFTER** Sram X01 Eagle, 12-speed **R/DERAILLEUR** Sram X01 Eagle **BRAKES** Shimano XTR Hydraulic Disc

UNIVICTOR
INTERNATIONAL CORPORATION
MANUFACTURER IMPORT AND EXPORT
No.1, Renhuagong 10th Rd., Dali Dist.,
Taichung 41278, TAIWAN
Tel: +886-4-2491 6008
Fax: +886-4-2491 6007
email: info@univictor.com.tw

Enabling

GREENER FUTURE

With over 47 years of experience in the bicycle industry, DODSUN offers quality you can depend on and low barrier of entry that enable predictable success of your dream bikes.

To find out more-dodsun.com

© 2019 DODSUN BICYCLE & MACHINERY MANUFACTURERS · ALL RIGHTS RESERVED

2019 TAIPEI CYCLE SHOW BOOTH #S0413

micro-mobility

LAST MILE MADE EASY

TEAM Fairly

www.fairlybike.com

No. 4, Shengli Street, Tucheng District, New Taipei City, Taiwan 23678 / info@fairlybike.com

GIANT Liv

CUSTOMIZE

Ride Up To You 騎你所好

你的自行車，由你作主

5 捷安特客製化 步驟，讓你與眾不同

選定車款 確認等級 選版型/調配色 選零件/定規格 客訂確認

捷安特股份有限公司 官網：www.giantcyclingworld.com 客服專線：(04)2311-2357 Mon-Fri 09:00-17:30

更多細節請洽
捷安特客製化服務門市

Ming Cycle

MING CYCLE

SD1804003

www.mingcycle.bike

SIZE	700C
FRAME	Aluminium
FORK	SR SF16-NEX HLO DS 700C+ CTS
TIRE	KENDA K1083A 700C x 40C
CASSETTE	Shimano 11- 32T,9-Speed
BRAKE	Shimano Hydralic disc brake
MOTOR	TTIUM Smooth series 36V/250W
DISPLAY	TTIUM
BATTERY	TTIUM ,Li-Ion 374Wh,36 V/10.4AH Down tube type
WEIGHT	23.78kg

永祺車業股份有限公司 MING CYCLE INDUSTRIAL CO.,LTD.
台中市太平區光興路462巷50號
No.50, Ln. 462, Guangxing Rd., Taiping Dist., Taichung City 411, Taiwan
TEL +886-4-2271-3395 | FAX +886-4-2271-3398 | E-mail : mingbike@ms9.hinet.net

GERMAN ENGINEERING & DESIGN

ONE-TWENTY

THE GREAT ALL-ROUNDER – MADE EVEN BETTER

TAIPEI CYCLE d&i awards 2018 Gold by TF

TAIWAN EXCELLENCE GOLD AWARD 2018

MERIDA

MERIDA.com

RICH EXPERIENCES IN E-VEHICLE AND SPECIAL NEEDS DEVELOPMENT

sectionzero

bringing ideas to life

SERVICES:

- TOTAL SOLUTION PROVIDER
- MARKET RESEARCH
- INNOVATIVE DESIGN
- RAPID PROTOTYPING

.....and more!!

FACILITIES:

- 3D REVERSE ENGINEERING
- 3D PRINTING
- FRAME / BIKE TESTING
- LASER CUTTING
- ROBOT PAINTING
- ROBOT WELDING
- CUSTOMIZED TUBING

.....and more!!

powered by Pacific Cycles · VERSATILE · ULTIMATE · STYLISH · FREEDOM · SUPPORTIVE ·

ALWAYS

ALWAYS CO., LTD.
STRONGMAN CO., LTD.

- Tan Thuan Export Processing Zone
  Dist 7, Ho Chi Minh City, Vietnam
- P.O.Box 216 Central, Ho Chi Minh City, Vietnam
- Tel:+84-28-37701500 • Fax:+84-28-37701456
- E-mail:strongman@strongman.com.vn

STRONGMAN

STRONGMAN CYCLES LTD.

- No. 101, Wun Hua Rd., East Dist., Tainan, Taiwan
- Tel:+886-6-2692889 • Fax:+886-6-2893999
- E-mail:strongman04@strongmancycles.com.tw

Y-LB-1603

Y-OLO-2014

Y-993

Y-LB-1502

5205 E6000

HP-10010

1801

A-1

TZB7

YUNG GREAT INTERNATIONAL CO., LTD. SINCE 1980

TEL: 886-4-24850888, 886-4-24832010 FAX: 886-4-24831258

HTTP://WWW.YUNGGREAT.COM E-MAIL:yg-t103@umail.hinet.net yg-t108@umail.hinet.net

CHINA OFFICE: ZHEJIANG HANGZHOU, GUANDONG SHUNDE, TIANJIN CITY

www.ubike-tech.com

LIWANG PRECISION CO.,LTD.

Taiwan office:
E-mail:topgun8@topgun.com.tw
Tel: 886-4-8310787 Fax: 886-4-8314971

Germany office:
Mobile: +49 (157) 850 744 57

product design award 2013

SPEEDSTER CARBON PRO-27S

- Frame: AC Carbon 22"
- Fork: TOP GUN A601-20 AC Carbon
- Chainwheel: Carbon 52/42/30T
- Freewheel: SRAM PG-970 12-26T
- Derailleur: SHIMANO DEORE
- Handlebar: Carbon
- Adjustable Carbon Folding Stem
- Seatpost: Carbon
- Tire:22"(451)
- Folded Size:85(L)x38(W)x70(H) cm
- Weight:7.5kgs
- Multinational Patents Folded System

reddot award 2014 winner

UB E29 Pro+ INNER

- Frame size: 29" / 27.5"
- Suspension: TGS 110TA LO (Hydraulic)
- Suspension travel: 120mm
- Derailleur: Shimano Deore Shadow+
- E-System: Shimano for 25km/h limit
- Motror Power: 70Nm / 250W
- Battery Power: 500 Wh(36V / 14.0 Ah)
- Weight: 23.1 kg

CITIZEN-E pro 1

- Frame size: 20"
- suspension: TGS rigid fork
- suspension travel: N/A
- Derailleur: Shimano Deore Shadow+
- E-System: Taiwan RED
- Motror Power: 8Kg-cm / 300W
- Battery Power: 24V / 6.2AH
- Weight: 18.1 kg

TROLLEY-Can be moved by wheels

NEW PATENT FOLDING BOX



Press the lever to unlock

Unlock

Wheel connection lever

Close in lever system

www.ubike-tech.com

LIWANG PRECISION CO.,LTD.

Taiwan office:
E-mail:topgun8@topgun.com.tw Tel: 886-4-8310787 Fax: 886-4-8314971

Germany office:
Mobile: +49 (157) 850 744 57

UB E-Road

- Frame size: 700C
- Suspension: TGS R405
- Suspension travel: 35mm
- Derailleur: Shimano Deore Shadow+
- E-System: Taiwan RED
- Motror Power: 8Kg-cm / 300W
- Battery Power: 24V / 6.2AH
- Weight: 17.3 kg

CITIZEN-E pro 2

- Frame size: 20"
- suspension: TGS rigid fork
- suspension travel: N/A
- Derailleur: Shimano Deore Shadow+
- E-System: Taiwan RED
- Motror Power: 8Kg-cm / 300W
- Battery Power: 24V / 6.2AH
- Weight: 17.1 kg

UB E29+

- Frame size: 29"
- Suspension: TGS 110TA LO (Hydraulic)
- Suspension travel: 120mm
- Derailleur: Shimano Deore Shadow+
- E-System: Shimano for 25km/h limit
- Motror Power: 70Nm / 250W
- Battery Power: 500 Wh(36V / 14.0 Ah)
- Weight: 0.2 kg

UB E29 Pro+

- Frame size: 29"
- Suspension TGS: 110TA LO (Hydraulic)
- Suspension travel: 120mm
- Derailleur: Shimano Deore Shadow+
- E-System: Shimano for 25km/h limit
- Motror Power: 70Nm / 250W
- Battery Power: 500 Wh(36V / 14.0 Ah)
- Weight: 21.4 kg

DB24-DK-18S

- Frame: Alloy Masking Colors
- Chainwheel: 52T
- Derailleur: Shimano SORA
- Tire: 24" / Wight: 22kgs
- Folded size : 94(L)*38(W)*72(H) cm
- Fork: Top Gun 3014
- Freewheel: SRAM 11-34T
- Handlebar: Alloy Plate Handlebar
  Adjustable Black Folding Stem
  Multinational Patents Folded System

Citizen-9S

Product design award 2014

reddot award 2015
winner bicycle design

- Multinational Patents Folded System

OYAMA
SINCE 1966

Forward S500

TAIPEI CYCLE d&i awards 2014

organized by iF

PATENTED & TRADE MARK
360 Degree Folding Stem Award



Professional Bicycle Manufacturer

We provide : ODM & OEM Service. / Variety of innovative bikes.

ROAD U-LONG

FOLDING E-BIKE CX-E8D

E-BIKE EM-M500FR

www.oyama.com

GLOBAL TAIWAN OYAMA BIKE

TA JONG INDUSTRIAL CO., LTD.

Add / No.556,Chung-Cheng Road,Yung-Kang District, Tainan City,Taiwan,R.O.C.(Post Code-71066)
TEL / 886 - 6 - 2533695 (sales Rep)
Fax / 886-6-2533697
E-mail:sales.dept@oyama.com

ONLY ONE – BUT FUN!

QU-AX

ONLY ONE BUT FUN!

FOB Orders from Asia

Unicycles in all sizes colours and variations
We are specialists for unicycles! Since many years we develop unicycles and unicycle components.

From 12" to 36", for all-terrain use, with brake or without.

Possibilty to brand the unicycles on your brand, FOB-deliveries available (MOQ might apply)

Standard, Luxus and Freestyle unicycles

Balance-Trainer Kickboard-Steering by leaning to the side

High-End Disc-braked, rim-braked on- & offroad unicycles

27.5"+

36"

QU-AX Vertriebs-GmbH
Dieselstr.92
33442 Herzebrock-Clarholz
GERMANY

T +49-5245-924687
F +49-5245-924688
www.QU-AX.de
info@qu-ax.de

Shouh Mao Industrial Co., Ltd

No.240. Wandung Rd., Huatan Shiang, Changhua Hsien, 503 Taiwan

E. sm460420@ms27.hinet.net T. 886-4-7878318 F. 886-4-7876506~7

www.popbike.com.tw

Box Packaging

Item No.: SM-300
Height: 55 cm
Length: 77 cm
Highest seat from the ground: 35cm
Weight:
Pop bike with Pneumatic Tire: 3.2 KGS
Pop bike with EVA Tire: 2.8 KGS
Material:
Frame: Composite plastic
Fork: Composite plastic
Wheel: P.P rim / Pneumatic Tire or EVA Tire
Grips: TPR
Seats: ABS+TPR

Pop Bike with Brake
Unable to assemble afterwards

SM-3311
Pop Bike Trailer

SM-3309
Carry Bag

SM-3307
Protection Gears

SM-3306
Carry Belt

SM-3305
Helmet

SM-3304
Seat Cover

SM-3303
Basket

SM-3302
Extension Seat Sets

SM-3301
Tripod

SM-216-YE
Training Wheel

All of our products are all insured against **Product Liability Insurance.**

KENG MIN

Hand-built wheels （手工編輪， 少量可接單）

Product

Elastomer Supension
Patent

Double Balance

Aluminum push bike

Model: KMA-07

Height: 80CM

Years: 2+

Weight: 3.6KG

Double Balance

Aluminum push bike

Model: KMA-05

Height: 80CM

Years: 2+

Weight: 2.9KG

Patent

Patent

Aluminum push bike

Model: KMA-01

Height: 80CM

Years: 2+

Weight: 3.6KG

Double Balance

E-Mail:doublebalance2@gmail.com

Web:http://www.doublebalance.net

Tel:886-4-7354266 Fax::886-4-7361901

CHELSTON

CE EN71
COMPLIANCE WITH EUROPEAN TOY SAFETY STANDARDS

LBP SHORTLISTED 2017

Tested , approved and certified in accordance with European standard EN71 & Phthalate (REACH) for children between 18 months to 5 years.

Shortlisted for the best outdoor toy by the UK Loved by Parents Awards 2017.

Distributors wanted worldwide.

We are looking for distributors worldwide.
If you are interested in such an opportunity please email us to info@chelstonbikes.com

chelston_bikes
@chelstonbikes
info@chelstonbikes.com
www.chelstonbikes.com

The best gift for 2-year-olds

- ✓ Safe
- ✓ Certified for children 18m ~ 5 yrs
- ✓ Test for thier toxicity
- ✓ Lightweight
- ✓ Available in 8 stunning colours

CHELSTON Rookie balance bike is carefully designed & handcrafted with all the love and delicacy that a child needs to develop balance Skills from the age of 18m to 5 yrs.

SCAN ME

Scan me for Product Video

MODEL M

modz cycle

ALLIED INTERNATIONAL (1951) LTD.
http://www.modzcycle.com
E-mail: modzcycle@allied.com.tw
Tel: +886-2-2586-8606 Fax: +886-2-2586-0889
11F-7, No 27, Sec 3, Chung Shan N. Rd.,
Taipei, TAIWAN 10461

JIN CHANG SHENG INTERNATIONAL CO., LTD

Tel:886-4-24910448
Fax:886-4-24913229
http://www.jcs-cycle.com.tw

Vendor of high-quality tricycles
Looking for agents
Patented and trademarked products

We provide:

- **Professional Research & Development**
- **ODM and OEM service**
- **Goodquality Bicycle Assembly**
- **Provide a variety of innovative tricycle models.**

Please feel free to contact us:
E-mail: **ym.m5r5873@msa.hinet.net**
Contact Person: **John**

Dual Action

Gas Spring

All New *made in Taiwan*

Platinum GS370

Gas Spring
Auto Return
Silence
Compact Build

Trifo Limited

http://www.facebook.com/platinumexercisebike

友 穗 有 限 公 司
台南市永康區中山北路499巷22號
06-2012542 bob@ms2.hinet.net

home workout cycle
PLATINUM Series

Spring 2019

A&G

www.bikenews.online

features the newest and most important information on the bicycle industry.

bikenews.online
covers the latest bike industry
and market trends,
as well as upcoming events
and new products.

BIKENEWS.ONLINE

In the fast-moving
and competitive world
of cycling,
visit us to remain
ahead of the race.

For Those Who Want to Keep Up With the Race

輪彥國際有限公司
WHEEL GIANT INC.
軟實力傳媒有限公司
Soft Power Media Co., Ltd.

No. 193, Tzu-Chiang Rd., Changhua 50095, Changhua, Taiwan
Tel: 886-4-7350500, 7360794~5
Fax: 886-4-7357860
E-mail: rep@mail.wheelgiant.com.tw
Website: www.bikenews.online

VANTLY FITNESS INTERNATIONAL ENTERPRISE CO., LTD
Head office:
No.41, Youshi Rd., Dajia District, Taichung City 43767, Taiwan
Tel:886-4-26811511
Fax: 886-4-26819311,26815670
E-Mail:vantly.taiwan@msa.hinet.net
China factory:
FRAN WHEEL ENTERPRISE CO ., LTD.
No.9, South 1st Rd., Da Tian Yang Industrial Zone, Song Gang Town,
Bao An Qu, Shen Zhen City, Guang Dong, China
TEL:86-755-27068568
FAX:86-755-27068570
E-mail:vantly@franwheel.com.cn
URL: http://www.vantly.com.tw

BT-1630FADU-S

20" Foldable Baby Trailer
Frame : Alloy frame with adjustable handlebar
Function : Available for Bike Trailer / Stroller / Jogger
Comply with EN15918 and EN1888
Loading weight : 16kg + 16kg + 3kg = 35kg

BT-1628SDU-S

20" Foldable Baby Trailer
Frame : Steel
Function : Available for Bike Trailer / Stroller / Jogger
Comply with EN15918 and EN1888
Loading weight : 16kg + 16kg + 3kg = 35kg

BT-1331FADU-S

20" Foldable Baby Trailer for one kid
Frame : Alloy frame with adjustable handlebar
Function : Available for Bike Trailer / Stroller / Jogger
Loading weight : 18kg + 7kg = 25kg

BT-1630FADU-F

20" Foldable Baby Trailer
Frame : Alloy frame with adjustable handlebar
Function : Available for Bike Trailer / Stroller / Jogger
Comply with EN15918 and EN1888
Loading weight : 16kg + 16kg + 3kg = 35kg

BT-1628SDU-F

20" Foldable Baby Trailer
Frame : Steel
Function : Available for Bike Trailer / Stroller / Jogger
Comply with EN15918 and EN1888
Loading weight : 16kg + 16kg + 3kg = 35kg

BT-1421FADU-F

20" Foldable Baby Trailer
Frame : Alloy frame with adjustable handlebar
Function : Available for Bike Trailer / Stroller / Jogger
Comply with EN15918 and EN1888
Loading weight : 16kg + 16kg + 3kg = 35kg

BT-1525S
20" Foldable Baby Trailer
Frame : Steel
Loading weight : 16kg + 16kg + 3kg = 35kg

BT-1225S
20" Foldable Baby Trailer
Frame : Steel
Comply with EN15918
Loading weight : 9kg + 9kg + 3kg = 21kg

DT-1610S
20" Foldable Dog Trailer
Frame : Steel
Inside dimension : 80x61x60cm

DT-1603SDU-S
12" Foldable Dog Trailer
Frame : Steel
Function : Available for Bike Trailer / Dog Stroller

CT-1601S
16" Foldable Cargo Trailer
Frame : Steel
Easy foldable function

CT-1602S
16" Cargo Trailer
Frame : Steel
Durable water resistance bag

RONGBANG MACHINERY CO., LTD.
Add: No.139, Lane 351, Sec.1, Taiping Rd., Tsaotun, Nantou, Taiwan.
Tel: 886-49-231 5998 Fax: 886-49-233 7203
CHINA FACTORY: KUNSHAN CITY
Add: No.1, Pengxi North Rd., Kunshan Economic &
Technical Development Zone, Kunshan, Jiangsu, China
Tel: 86-512-5761 5299 / 5761 5509 / 5761 5519 Fax: 86-512-5761 5297
E-mail: rb@pub.ks.js.cn; vincentc@rongbangcn.com
Web site: www.rongbangcn.com
www.bicyclesB2B.com/rongbang

RONGBANG®

榮 邦

Model: J13-1
Light alloy foldable frame
Suspension system
Handbrake and footbrake
Quick release wheels

Model: S3
Stable and strong frame, Quick folding system (with second lock), suspension system, detachable front bar, canopy with 4-level adjustment

Model: S4
Very compact frame. One-touch footbrake system. five-point seat belt, Swivel front wheel,

Model: PTJ-9
Alloy or steel foldable frame
Pet stroller and trailer 2-in-1 function
Suspension system
Quick release wheel
360 degree front swivel wheel

Model: PTS-5
Alloy or steel foldable frame
Pet stroller and trailer 2-in-1 function
Quick release wheel
360 degree front swivel wheel

Model: PT-1
Alloy or steel foldable frame
Pet jogger and trailer 2-in-1 function
Quick release wheel
Roomy and comfortable

Model: PJ-1
Available for dog or other small animals
Alloy or steel frame
Swivel front wheel
Quick release wheel

Model: PJ-2
Multifunction pet stroller
One-hand-folding mechanism
306 degree plastic wheel
Rear safety brake

Model: PS-3
Availble for dog or other small animals
Light steel frame with rear parking brake
Easily folding system
Plastic wheel with foam tire

RONGBANG MACHINERY CO., LTD.
Add: No.139, Lane 351, Sec.1, Taiping Rd., Tsaotun, Nantou, Taiwan.
Tel: 886-49-231 5998 Fax: 886-49-233 7203
CHINA FACTORY: KUNSHAN CITY
Add: No.1, Pengxi North Rd., Kunshan Economic &
Technical Development Zone, Kunshan, Jiangsu, China
Tel: 86-512-5761 5299 / 5761 5509 / 5761 5519 Fax: 86-512-5761 5297
E-mail: rb@pub.ks.js.cn; vincentc@rongbangcn.com
Web site: www.rongbangcn.com
www.bicyclesB2B.com/rongbang

RONGBANG®

榮 邦

Model: T-2 EN15918
Alloy or steel foldable frame
Easy conversation from cycling to strolling
Accommodate two children
Quick release wheel



Model: TJ-2 EN15918
Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Detachable side guards
Quick release wheels

Model:TJ-20 EN15918
Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Quick release wheels
Foot brake system
Adjustable handle bar

Model: T-4
Baby trailer and cargo trailer function
Alloy or steel foldable frame
Non-detachable side guards
Quick release wheels

Model: TJ-9 EN15918
Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Suspension system
Detachable side guards
Hub-Quick release wheels

Model: TJ-12
Trailer and jogger function
Accommodate one child
Alloy or steel foldable frame
Detachable side guards
Hub-Quick release wheels

Model: TJ-12D
Trailer and jogger function
Accommodate two children
Alloy or steel foldable frame
Suspension system
Hub-Quick release wheels



Model: T-5
Steel detachable frame
16" plastic wheel, air or foam tire
Reflector on the rear frame

Model: T-8 EN15918
Steel frame with plastic case
16" plastic wheel, air or foam tire
Reflector on the plastic case

非破壞檢測 NDT
Non-Destructive Testing

RT 射線檢測
Radiography Testing

目的 Goal

產業整體面效益
Full Scale Industry Development

加值產品 引領潮流
Increasing value of product and pioneering product trend

彰顯品質 提升形象
Promote product quality standards to improve industry brand

產業國際 價值地位
Establish Taiwan's position on the international stage as a premiere bicycle production industry

產品精進面效益
Product Advancement Capabilities

安全識別 設計回饋
Safety data analysis of composite materials and feedbacks of design analysis

製程技術 改善依據
Provide critical data for improvements of product manufacturing capabilities

產業標準 品級提升
Provide expertise of industry standards to product quality upgrade

射線檢測技術與服務規格
Radiography Testing Technology and Services



CHC 射線檢測服務 CHC radiography testing services：

1.穿透式之 2D 檢測 2D radiography inspection

2.3D 斷層掃描(CT)功能 3D tomography (CT) analysis

特點說明： Service description

具有穿透能力的射線(電磁波)穿透材料或工件時的強度衰減，可觀察其內部結構不連續性的技術。

Through our radiography technology (electro-magnetic radiation wave) – we have the capability to penetrate the material and analyze/reveal possible inconsistencies of the material property.

射線規格 X-Ray SPEC

最高管電壓 Maximum Voltage **160 kvp**	最大待測件尺寸 Max Dimension **800 mm x 1200 mm** (直徑 Ø x 高 height in mm)
待測件材質 Sample Material **金屬與非金屬 Metal & Non-metal**	最大待測件重量 Max Weight of Sample **50 kg**

CHC
財團法人自行車暨健康科技工業研究發展中心
Add:407台中市西屯區工業區37路17號
TEL:(04)23501100

聯絡人:陳美淳 / 高天仁 / 黃雅梅
分機:108 / 270 / 604
信箱:jean@tbnet.org.tw
beryl0420@tbnet.org.tw
mandy08280@tbnet.org.tw

www.tbnet.org.tw

電動車
E-Bikes

E-BIKE ADVERTISERS

A07 Electric Bikes

Adk Technology Limited 環捷 119
Bixetec International Co., Ltd. 巧創 120-123
Grandway Power Tech Co., Ltd. 冠崴 124
Heng Feng Bicycle Co., Ltd. 恆豐 125
Iuvo Industry Co., Ltd. 巨琛 126
Jen Min Mfg. Co., Ltd. 正敏 147
Lang Ju Ent. Co., Ltd. 良駒 127
Merida Industry Co., Ltd. 美利達 146
Stardance International Corp 連盈 128
Teamsun Co., Ltd. 栢馥 129
Teny Rim Ent. Co., Ltd. 田霖 132
Unique Product & Design Co., Ltd. 穩正 130-131
Wheeler Ind. Co., Ltd. 永輪 133

Overseas Manufacturers

Joyland Sports Technology Co., Ltd 昆山均朗 135-137

Brand Companies

Aprove Products Co., Ltd. 宏威 138-139
Arix Enterprise Co., Ltd. 眾鴻 140
Asia Bicycle Trading Company 愷拓 141
Metallica Internationall Co., Ltd. 穎澧 142
Otc Tec Int'l Co., Ltd. 國泰鑫 143
Otoben Bicycle Co., Ltd. 豐麒 144
Sunny Crown Enterprises Co., Ltd. 蔣光燦 145

A08 Battery Units

Mps Energy Inc. 聯永基 155
Trend Energy Technology. Co., Ltd 嘉普 157

A09 Controllers

Avertronics Inc 映興 152
Honey Hope Honesty Enterprise Co., Ltd. 蜜望實 148-151
Microprogram Information Co., Ltd. 微程式 153
Sunshine Technology Co., Ltd. 晟祥 154

A10 Motors

Aicotech Co., Ltd. 弘傳 158-159
Energy Research Technologies Corp. 亞能聚 160
Honlin Heavy Industries Co., Ltd. 紅菱重工 161

Cycling is Good for Your Health and the Environment !

2020 CARBON E-BIKE MASTER

ADK COMPOSITE TECHNOLOGY

ADK TECHNOLOGY LIMITED
http://www.adktec.com

E-mail:kenneth@adktec.com / alex@adktec.com Contact:Kenneth Yen / Alex Chen
Hui Zhou,Guang Dong,China Tel:86-752-2323868 Fax:86-752-2323863
No.792, Sec. 2, Taiwan Blvd., Xitun Dist., Taichung City 407, Taiwan Tel:886-4-36069630 Fax:886-4-36069633

NEW SUSPENSION MTB

MODEL:AKFM44

Type:	E-BIKE 27.5 Plus & 29er compatible
Size:	S/M/L
Headset:	FSA HS ACR/int.NO.55R 1.5" / ACR / STD+TH-894-1
Weave:	UDM Carbon Weave
Dropout:	E-THRU 148mm
Motor:	SHIMANO
Drop Post:	30.9mm
Tire:	27.5 Plusx2.8"(MAX) & 29"x2.25"(MAX)

HARDTAIL MTB

MODEL: AKFM43

Type:	E-BIKE 27.5 Plus & 29er compatible
Size:	16"/18"/20"
Headset:	1 1/8"-1 1/2"(FSA NO.57)
Weave:	UDM Carbon Weave
Dropout:	E-THRU 148mm
Motor:	FAZUA
Seat Post:	KSSP06(30.9mm)
Tire:	27.5 Plusx2.8" (MAX) & 29"x2.25" (MAX)

GRAVEL AERO ROAD

MODEL:AKFM40

Type:	E-BIKE Aero Road & Gravel compatible
Size:	52/55/58cm
Headset:	FSA HS ACR/int.NO.55R 1.5" / ACR / STD+TH-894-1
Weave:	UDM Carbon Weave
Dropout:	E-THRU 142mm
Motor:	FAZUA
Seat Post:	AKSP11(AERO)
Fork:	Optional==>AKF077
Tire:	700Cx38C (MAX)
	Exclusivity in ITALY

GRAVEL ROAD

MODEL:AKFM37

Type:	E-BIKE Road & Gravel compatible
Size:	52/55/58cm
Headset:	1 1/8"-1 1/2"(FSA NO.42/ACB)
Weave:	UDM Carbon Weave
Dropout:	E-THRU 142mm
Motor:	FAZUA
Seat Post:	AKSP10(27.2mm)
Fork:	Optional==>AKF074
Tire:	700Cx38C (MAX)

30T 40T 50T 60T/ CFPF/ SHELL/ STTF/ Textreme/ Graphene/ MR70/ EPS/ E-BIKE/ IMS/ RFID/ SST

BALLISTIC E.BIKE

Full Range of Shimano In-Frame battery and Center motor Ebike Made in Taiwan

SE7-961-BT8020

27.5+ SHIMANO STEPS Full Suspension E-BIKE
Shimano E8000/E7000 + BT8020

SE8-941

27.5+ SHIMANO STEPS Full Suspension E-BIKE
Shimano E8000/E7000 + BT8010

SE6-767L

700C SHIMANO STEPS CITY E-BIKE
Shimano E5000/E6100 + BT-8035 (also available in DARFON Battery)

SE8-960

29" SHIMANO STEPS MTB E-BIKE
Shimano E8000/E7000 + BT-8035 (also available in DARFON Battery)

SE6-767G

700C SHIMANO STEPS TREKKING E-BIKE
Shimano E5000/E6100 + BT-8035 (also available in DARFON Battery)

MPF-565

MPF MTB E-BIKE
MPF 5.3/6.0 + In-frame Battery

BIXETEC INTERNATIONAL CO., LTD.

No.100, Boguan 3rd St., West DIST., Taichung City 40353, Taiwan
TEL + 886-4-23203928 FAX + 886-4-23204181
E-mail: kevin@bixetec.com Web: www.ballistic.com.tw Fb: www.facebook.com/ballistic.tw

BALLISTIC E.BIKE

BG3-200

20" BOSCH FOLDING E-BIKE
BOSCH Active line + BOSCH DT Battery

SHIMANO STEPS

SE5-202

20" SHIMANO STEPS FOLDING E-BIKE
Shimano E5000/E6100 + BT6000

SHIMANO STEPS

SE5-706 Integrated Carrier and Frame

700C SHIMANO STEPS CITY E-BIKE
Shimano E5000/E6100 + BT6000

SHIMANO STEPS

SE6-748

700C SHIMANO STEPS TREKKING E-BIKE
Shimano E5000/E6100 + BT6010

We offer total Solution of Mid-Motor

Frame | **E-Kits** | **Complete Bike**

■ In-house Design

SHE-961-BT8035
27.5 + Compatiblt With SM-DUE11

SHIMANO STEPS

BOSCH

MPF DRIVE

BAFANG

SE8-542
■ Also available for Shimano E7000

BIXETEC INTERNATIONAL CO., LTD.
No.100, Boguan 3rd St., West DIST., Taichung City 40353, Taiwan
TEL + 886-4-23203928 FAX + 886-4-23204181
E-mail: kevin@bixetec.com Web: www.ballistic.com.tw Fb: www.facebook.com/ballistic.tw

BALLISTIC E.BIKE

Center Motor Frames
Available in Shimano E-5000~E-8000

SHE-961-BT8035 In-Frame battery
27.5+ E-Full Suspension Frame
Shimano Steps E8000/E7000 + BT8035

SHE-941-BT8010 DT battery
27.5+ E-Full Suspension Frame
Shimano Steps E8000/E7000 + BT8010

BG3-767L In-Frame battery
City In-Frame Ebike
Bosch G3 (also available in Shimano Steps + Darfon Battery)

SHE-960 In-Frame battery
27.5+ E-MTB hardtail Frame
Shimano Steps + BT8035 or Darfon Battery

SHE-706-1 Carrier battery
City Shimano STEPS Frame
Shimano Steps E6100/E5000 + BT6000

SHE-748L DT battery
Trekking Semi-integrated Battery E-Frame
Shimano Steps
E6100/E7000 + BT8010

SHE-746 DT battery
City Shimano STEPS Frame
Shimano Steps E5000/E6100 + BT6010

BG3-200 DT battery
20" Folding Bosch G3 Frame
Bosch G3 + DT Battery

BIXETEC INTERNATIONAL CO.,LTD.
No.100, Boguan 3rd St., West DIST., Taichung City 40353, Taiwan
TEL + 886-4-23203928 FAX + 886-4-23204181
E-mail: kevin@bixetec.com Web: www.ballistic.com.tw Fb: www.facebook.com/ballistic.tw

BALLISTIC E.BIKE

BM4-565E
27.5" BAFANG CROSS TREKKING E-BIKE
BAFANG M300/M420 + In-Frame Battery

BRM-766E
700C REAR MOTOR CITY E-BIKE
REAR MOTOR + In-Frame Battery

BRM-565 48V, 45KM/HR spec ready
700C REAR MOTOR MTB E-BIKE
REAR MOTOR + In-frame Battery

MPF-203
20" MPF FOLDING E-BIKE
MPF 5.3/6.0 + DT Battery

BM4-565E In-Frame battery
27.5" Bafang Frame
Bafang M420 + in-frame battery

BRM-766E In-Frame battery
700C City in-frame battery
Available in Center and Rear motor

BRM-26F/20F In-Frame battery
20" and 26" folding In-frame Battery E-Frame
Available in Center and Rear Motor

BRM-266F In-Frame battery
26"Folding Low-step In-frame-battery design
Available in Center and Rear Motor

BIXETEC INTERNATIONAL CO., LTD.
No.100, Boguan 3rd St., West DIST., Taichung City 40353, Taiwan
TEL + 886-4-23203928 FAX + 886-4-23204181
E-mail: kevin@bixetec.com Web: www.ballistic.com.tw Fb: www.facebook.com/ballistic.tw

GRANDWAY

ELECTRIC BICYCLE / SCOOTER
ODM / OEM MANUFACTURER

- ODM / OEM bicycle manufacturing
- Scooter frame manufacturing
- e-Bike / e-Scooter assembly line
- Taiwan factory

GRANDWAY POWER TECH CO., LTD.
冠崴興業有限公司
No.52, Lugong S. 3rd Rd., Lugang Township, Changhua County 505, Taiwan
Tel : +886-4-7810828 Fax : +886-4-7810829
info@grandwaybikes.com
www.grandwaybikes.com

HASA
Innovated Generation
HASA
HENG FENG BICYCLE COMPANY LTD
No.280, Sec. 2, Liuqiao W. Rd., Gangshan Dist.,
Kaohsiung City 820, Taiwan
TEL:+886-7-6261084
Fax: 886-7-6265282
E mail: service@hasabike.com.tw
www.hasa.com.tw

IUVO INDUSTRY CO.,LTD
巨琛工業有限公司

No. 460-1 Zhongsan Road Section 1, Tachia District Taichung City, Taiwan
Tel: 886 - 4 - 26804168 Fax: 886 - 4 - 26803968 E-mail: service@iuvo.com.tw

E-Trike

Access-C

26" e-bike / 250W central motor
36V 8.8Ah lithium ion battery / 25km/hr
range: up to 60km

wheelchair E-Kit

E- togo

www.iuvo.com.tw

璟陞企業股份有限公司 Jing Sheng Enterprise Co., Ltd.

NO.5-5, HESHUN LN., FENGSHI RD., SHIGANGDIST., TAICHUNG CITY 422, TAIWAN

Jing Sheng TEL: 04-25820707 FAX:04-25814086 Email: beth9157497@hotmail.com

2019授權系列遊園車 【 救援小隊&琦菲家族】

救援小隊系列: 波力POLI、安寶AMBER、羅伊ROY、赫利 HELLY

琦菲家族系列: 琦菲GIFAYE、琦俊GIJUN、咪寶MIBO、瑪麗MARY

STARDANCE INTERNATIONAL CORP,
連盈國際有限公司
JIANGSU STAREYES BICYCLE INDUSTRIAL CO., LTD
江蘇華盈自行車工業有限公司

ADDRESS:6FL,NO.358,SONGHE ST,NANGANG DIST
TAIPEI,TAIWAN.
TEL: 886-2-2651-7894
FAX: 886-2-2651-7643
EMAIL: star.sales@msa.hinet.net
WEB: WWW.STAREYESBIKE.COM

e-bike

EPAC-1913

FRAME 27.5 ALLOY
TRANSMISSION SHIMANO 7 SPEED
BATTERY 36V*10.4AH /11.6AH
MOTOR 36V*250W BRUSHLESS HIGH SPEED MOTOR
DISTANCE PER CHARGE 45KM

EPAC-1917

FRAME 20" STEEL
BATTERY 36V*8.8AH
MOTOR 36V*250W BRUSHLESS HIGH SPEED MOTOR
DISTANCE PER CHARGE 40KM

EPAC-1914

FRAME 27.5 ALLOY
TRANSMISSION SHIMANO 8 SPEED
BATTERY 36V*10.4AH /11.4AH /14AH
MOTOR 48V 500W BRUSHLESS HIGH SPEED MOTOR
DISTANCE PER CHARGE 55KM

EPAC-1912

FRAME 20 ALLOY
TRANSMISSION SHIMANO 6 SPEED
BATTERY 36V*8.8AH /10.4AH
MOTOR 36V 250W REAR MOTOR
DISTANCE PER CHARGE 45KM

WWW.STAREYESBIKE.COM

BUFALO Bicycle

www.bufalobike.com
www.morganbike.com

e-MTB 3

Frame: **29" ALLOY**
Fork: **RockShox XC32 TK29**
Gear System: **SHIMANO M6000 10-spd**
Power Drive: **BAFANG G320.350 MID-MOTOR 350W/36V**

e-City 4

Frame: **700C ALLOY**
Fork: **700C ALLOY**
Gear System: **SHIMANO NEXUS 8-spd**
Power Drive: **SHENGYI FRONT MOTOR 250W/36V**

e-City 2

Frame: **700C ALLOY**
Fork: **700C ALLOY SUSP Fork**
Gear System: **SHIMANO NEXUS 8-spd**
Power Drive: **BAFANG M400 MID-MOTOR 250W/36V**

e-Road 1

Frame: **700C ALLOY**
Fork: **700C UD CARBON**
Gear System: **SHIMANO R7000 11-spd**
Power Drive: **BAFANG M800 MID-MOTOR 200W/36V**

TEAMSUN CO., LTD

Add:No.12,industrial N. 2nd Road, Nantou City, Taiwan
Tel: 886-49-2264378 Fax: 886-49-2264375
E-mail:david@teamsun.com.tw Executive:David Lee

EN15194 : 2017

IP 67

36V

25kph

45kph

CAN Bus

TRIPLE

USB

MPF inside®

START YOUR ENGINE

MPF DRIVE 6

03

MOTOR 6S

01

BATTERY

04

CONTROL UNIT

02

DISPLAY I4U



Get the ***More Power Feeling ! Matched Performance and Fun !***

Quick Response
BLDC by Sine Wave Control

Simply Powerful
Up to 100Nm

Heavy Duty
Metal Gears Support Extremely Riding Condition for Fatbike, MTB and Cargo bike.





MPF 3

40% Lighter
20% Smaller
(Compare to MPF 5.3)
36V / 250W / 40Nm / 2.9kg
CAN bus communication

MPF 5

RCW-Technology(Rapid Chain Wheel Technology-chain wheel moves faster than the cranks)
36V / 250W / 60Nm / 5.1kg
CAN bus communication

MPF 6

MPF6 line combines power and style through an innovative electric motor, supports with increased torque, improved peak power.
36V / 250W / 80Nm / 4.7kg
CAN bus communication

MPF inside®

Blue tooth
Independent power supply
GSM (4G or Nbiot)
Google Cloud
Bootloader
G Sensor / GPS
CAN bus
APP

FAT BIKE motor

Elongated axle
Reinforced design
Chain wheel adapter for 4,8“ tyre-width

CARGO BIKE motor

Reinforced design
Lowered max. cadence High start torque up to 100 Nm

COASTER Brake motor

To be combined with coaster brake hubs

Integration partners:

- NuVinci Hubs
- Rohloff Hubs
- GearSensor
- SUPERNOVA Lights
- MPS Batteries
- HWT Batteries
- Phylion Batteries
- METCO Batteries
- SRAM Components
- CARBON BELT DRIVE
- YWS Locks

*DRIVE WITH **MORE BOOST!***

www.mpf.com.tw

MPF DRIVE®
穩正企業股份有限公司
Unique Product And Design Co., Ltd.
No. 5, Ming Dong Road, Yong Kang District, Tainan, Taiwan
Tel : + 886 6 253 6766 / Fax: + 886 6 254 1507
E-Mail: sales@mpf.tw

Taiwan Zenith Technology

OEM & ODM for E-bike

Certificate of Taiwan Origin guaranteed

MODEL: DC-7

FRAME	700C,ALUMINUM
MOTOR	DAPU MD250S MID-MOTOR, 36V 250W
DISPLAY	LED 5-STEP
BATTERY	SDI CELLS,36V 10.4AH LITHIUM
NW	<25KG

MODEL: AR-7

FRAME	26", ALUMINUM
MOTOR	AIKEMA REAR-MOTOR, 36V 250W, LISHUI CONTROLLER
DISPLAY	LED 5-STEP
BATTERY	SDI CELLS, 36V 8.4AH LITHIUM
NW	<25KG

Taiwan Zenith Technology

▼ made in Taiwan

MODEL: CR-7

FRAME	26", HI-TEN
GEARS	SHIMANO 7SP
WHEEL SIZE	F: 20" R: 26"
DIMENSIONS	BIKE: 2200mm X 870mm X 1200mm, BOX: 1000mm X 600mm
MOTOR	TAIWAN 3MEN REAR-MOTOR, 36V 250W, TAIWAN 3MEN CONTROLLER
BATTERY	SDI CELLS,36V 8.4AH LITHIUM
LOADING WEIGHT	150KGS
NW	60KGS

台灣杰爾斯科技股份有限公司

Taiwan Zenith Technology Co., Ltd.

No 32, Lane 32, Chung Cheng 1 st, Yung Kang DIST., Tainan City, Taiwan

TEL: +886-6-2425863 FAX: +886-6-2539688 E-mail: tw.zenith@msa.hinet.net

WHEELER® WORLDWIDE

I-VISION DI C

I-VISION MAN C

i-CHASER LTD

www.wheelerworldwide.com

Taiwan Bicycle Source

The Seven-in-One TBS
The Number 1 Global Sourcing Tool !

By combining the dedicated and experienced service of Wheel Giant, along with the confidence of Taiwan's manufacturers, TBS continues to support and aid the future of Taiwan's bike industry.

輪彥國際有限公司
WHEEL GIANT INC.

軟實力傳媒有限公司
Soft Power Media Co., Ltd.

No. 193, Tzu-Chiang Rd., Changhua 50095, Changhua, Taiwan
Tel: 886-4-7350500, 7360794~5 / Fax: 886-4-7357860 / tbs@mail.wheelgiant.com.tw / www.bikenews.online
Shanghai 86-512-57515789 / Ningbo 86-574-88210669 / Tianjin 86-22-28137963 / Shenzhen 86-755-81789589

JOYLAND SPORTS TECHNOLOGY CO.,LTD.

BIKE-LADY1

ABEL6.0

ST2400

KODIAK-27S

BLIZZARO-A7

ALLIGATOR-18S

BIKE-SS03

BIKE-LADY3

Kids Bike 12" Boy

Kids Bike 12" Girl

Kids Bike 16" Girl

Push Bike

www.joylandsports.com

Taiwan Office: +886-2-2654 9056

NO.200 GaoDing Rd.,Kunshan,China
Tel:+86-512-50320352
Fax:+86-512-36691407
info@joylandsports.com / 2242738289@qq.com

JOYLAND SPORTS TECHNOLOGY CO.,LTD.

26FAT804

26CT05L

26MTB510 FAT

27MTB5

20FOD01M

20FOD14

20FAT02

www.joylandsports.com

NO.200 GaoDing Rd.,Kunshan,China
Tel:+86-512-50320352
Fax:+86-512-36691407

Taiwan Office: +886-2-2654 9056

info@joylandsports.com / 2242738289@qq.com

JOYLAND SPORTS TECHNOLOGY CO.,LTD.

E-BIKE
CONVERSION KIT





www.joylandsports.com

NO.200 GaoDing Rd.,Kunshan,China
Tel:+86-512-50320352
Fax:+86-512-36691407

Taiwan Office: +886-2-2654 9056
info@joylandsports.com / 2242738289@qq.com

- ISO 9001:2008 Certified
- In-House EN & ISO 4210 Testing
- One-Stop Manufacturing Process
- OEM & ODM Available

Entering e-bike segment in 2009 as one of the very first movers, we have built up solid design (frame & artwork), R&D, quality and production capabilities and resources to add values to reputable clients worldwide.

APROVE

contact@aproveproducts.com

STRIVER GS1

E-BIKE

FRAME	AL6061 Hydroformed	BRAKE	Hydraulic Disc Brake	COLOR	BK / Pink, BK / Yellow
FORK	AL6061 Hydroformed	TRANSMISSION	Sram Rival 11-S	SIZE	S, M, L
MOTOR	Bafang G530 200W 36V 5Ah	TIRE	Kenda K-193 700 X 35C		
POWER DISPLAY	LED Power Display Panel	WATERPROOF RATING	IP65		

FRAME	X-COBRA KING 240	BRAKE	Shimano Saint	COLOR	Yellow, Purple, Orange
FORK	SR SUNTOUR RUX	TRANSMISSION	Shimano Saint 10-S	SIZE	S, M, L
STEM	X-COBRA MOUNT	CHAINSET	Shimano Saint		
HANDLEBAR	X-COBRA CRUSE FS	TIRE	Maxxis High Roller II 27.5" X 2.50"		

APROVE PRODUCTS CO., LTD.
No.400, Dadun S. Rd., Nantun Dist., Taichung 40854, Taiwan
Tel: +886-4-24751266 Fax: +886-4-24751997 Email: contact@aproveproducts.com

E-bike EVENTS

- ENGINEERING MODE
- PARAMETER SETTING
- DIAGNOSTIC
- MAINTENANCE
- BIKE INFO
- BIKE ID GENERATED
- REGISTERED
- DEVICE REPAIR

Bluetooth

GET IT ON Google Play

Download on the App Store

•ARIX ENTERPRISE CO., LTD.

•www.arixworld.com.tw

GREENTECH

http://www.abcbike.com.tw

TOTAL SERVICE FOR BIKES, SKD/CKD PARTS & ACCESSORIES

MODLE : AMSTERDAM 2019
TYPE : 29" MTB E-Bike Frame
FORK : Rockshox
MOTOR : 36V 350W
BATTERERY : 36V14.5Ah
SHIFT : Shimano Deore 10- Speed
E-Bike Bafang Mide- drive motor system

MODEL : E11
TYPE : 27.5"Plus E-Suspension Frame 4 Bar Linkage
MATERIAL : Alloy 6061
H/T SIZE : 1-1/8" Upper 1-1/2"
REAR HUB :148mm x 12mm Thru-Axle
E-Bike Shimano E8000 System

MODEL : E12
TYPE : 27.5" MTB Frame
MATERIAL : Alloy 6061
REAR HUB :142mm x 12 mm Thru-Axle
E-Bike Bosh Central Motor Built-in Battery

MODEL : E13
TYPE : 700C Trekking Frame
MATERIAL : Alloy 6061
OLD : 130mm
E-Bike Shengyi System

MODEL : E14
TYPE : 700C City Frame
MATERIAL : Alloy 6061
OLD : 135mm
E-Bike Bafang System

ASIA BICYCLE TRADING COMPANY

4F-3, No. 408, Sec. 2, Nantun Rd., Taichung Taiwan.
TEL: 886-4-24725658 FAX: 886-4-24735625
E-mail: abc12688@ms8.hinet.net

穎灃企業有限公司
METALLICA INTERNATIONAL CO LTD

SINCE 1995

eBIKES
MADE IN TAIWAN

23 YEARS ALL FOR BICYCLE

ODM · OEM · EXPORT

SKORPION

TAIPEI CYCLE SHOW 2019
R-0506

+886 4 2355-3186 +886 4 2355-3187
grace_chung@metallica.com.tw
No.20, Jingke Central 1st Rd., Nantun Dist., Taichung City 408, Taiwan
www.skorpionbikes.com

T 886-4-22513436 / F 886-4-22519753 / E otc@otc-tec.com.tw
3F-6 No.304, Sec2, Liming Rd., Nautun District,
Taichung CIty 408, Taiwan

E-BK01 (e-Bike)

RATED VOLTAGE: 24V/36V/48V
RATED POWER: 250W/350W/500W
SPEED (km/h): 25-35
BRAKE TYPE: V / BAND BRAKE
NOISE (db): < 55
WATER PROOF : IP 54
CERTIFICATION: CE ROHS
FOR FRONT/ REAR WHEEL

E-MT01 (MOTOR CYCLE)

RATED VOLTAGE: 48V~72V
RATED POWER: 800W-- 5500W
SPEED (km/h): 50-120
GRADEABILITY: 15° ~20 °
BRAKE TYPE: DISK BRAKE
WHEEL AXLE (WIDTH) :195 -200 MM
TIRE:13 "

E-BK03 (e-Bike)

RATED VOLTAGE: 24V/36V/48V
RATED POWER: 250W/350W/500W/650W
SPEED (km/h):25-35
BRAKE TYPE: V / BAND BRAKE
NOISE (db): < 55
WATER PROOF : IP 54
CERTIFICATION: CE ROHS
ONLY REAR WHEEL

E-MT04(MOTOR CYCLE)

RATED VOLTAGE: 48V~72V
RATED POWER: 800W-- 3500W
SPEED (km/h):40-70
GRADEABILITY: 15° ~20 °
BRAKE TYPE:DISK BRAKE
WHEEL AXLE (WIDTH) : 195 -200 MM
TIRE:12 "

E-BK05 (e-Bike)

RATED VOLTAGE: 36V/48V
RATED POWER: 350W-- 1500W
SPEED (km/h): 20-45
GRADEABILITY: 8° ~12 °
BRAKE TYPE: DISK BRAKE
WATER PROOF : IP 54
FOR FRONT/ REAR WHEEL

E-SC02 (e-Scooter)

RATED VOLTAGE: 36V/48V/60V
RATED POWER:500W/800W/1000W
SPEED (km/h): 20-45
BRAKE TYPE: DISK BRAKE
TIRE:12 "
*OPTION:
10" TIRE: 24/36/48V,
200/250/350W,25~35(km/h)
8" TIRE: 24/36/48V,
200/250/350W,25~35(km/h)
6" TIRE: 24/36/48V,
200/250/350W,25~35(km/h)

E-SC08 (14")

High Torque type
Gear Ratio:(1:6.8) / (1:8.6)
RATED VOLTAGE: 24V/36V/48V
RATED POWER: 200 ~350 W
MAX Torque(M.n): 40(M.n)
BRAKE TYPE: DISK BRAKE
Axle width: F/100mm , R/135mm

Accessory

full set Accessory
Motor+Controller+Sensor
Cable+speed handl+brake lever

otoben@ms62.hinet.net

CKT®

LIFE ON A BIKE

CTK-369

CTK-799

CTK-398

Grade

Battery

Tubing Motor-driver

Sunny Crown Enterprises Co., Ltd.

E-mail: sunnycrn@ms49.hinet.net cktbike@yahoo.com.tw Web:www.ckt-bike.com

No.11, Lane 112, Kulin St., Kaohsiung, Taiwan Tel.: 886-7-3352000. 3361546 Fax:886-7-3361547

GERMAN ENGINEERING & DESIGN

eONE-SIXTY

AWARD WINNING ENDURO E-BIKE

DESIGN & INNOVATION AWARD 2017

E-MOUNTAINBIKE MAGAZINE BEST IN TEST 03/2018

E-MOUNTAINBIKE MAGAZINE BEST VALUE 02/2017

MERIDA

MERIDA.com

0%

Import Duty

to All

EU

Bicycle Factory Based in Chittagong Bangladesh

Bangladesh Factory

- Alita (BD) Ltd. - Entry/ Mid end bicycles and e-bikes assembly
- ACE (BD) Ltd. - Alloy/ Steel frame & Rim factory

We are looking for ODM customers to produce private label bikes. Made in Germany.

Germany Factory

- 4UBikes GmbH - High end bicycles and e-bikes assembly

AKOKO BICYCLE GROUP

www.akoko.com.tw

Sales Contact No.309, Sing An Rd., Ta Chia Dist., Taichung City 437, Taiwan. | TEL +886-4-2686-9250 | sales@akoko.com.tw

Motor unit

Intelligent heart of eBike system

Size (D x W x H)	225 × 92 × 148 mm
Weight	Approx 3.5 kg
Max speed	25 km/h or 20 mph
Power	DC 48 V / 250 W or 350 W (rated), 700 W (max)
Torque	95 Nm (max)
Sensor	Torque, cadence, angle, speed
Other functions	Brake cut off, walk assist

Cycle computer

Several lineups:

Separate type

- *2.4 inch removable LCD display and external handlebar controller (3 keys)*
- *"Supported modes" (4 levels) and "speed" (km/h or mph)*
- *"Remaining mileage" and "remaining battery" (5 levels)*
- *"Cycle computer" and "simple error code"*
- *USB interface (USB charging, interface of setup and diagnosis software)*

Wireless type

- *X3 Wireless type*
- *X5 Wireless type(120度廣角鏡頭 + HD高畫質720p@30fps)*
- *Wireless Transmission (ANT+ & Bluetooth)*
- *Module + Cloud Service*

Setup and diagnosis software

Comes with user-friendly setup and diagnosis software

Powerful, Intelligent

eBIKE SYSTEM

E Bike system by Nidec

蜜望實企業股份有限公司

HONEY HOPE HONESTY ENTERPRISE CO., LTD.

Tel: +886-2-8751-1779 Ext: 6136 Fax:+886-2-2797-9259
E-mail: jerry_huang@threehhh.com.tw
Web: www.threehhh.com.tw/?action=product

eDriving Innovation

ASI ACCELERATED SYSTEMS INC.

Reliable

Smooth Performance

Silent

Configurable

Includes BACDoor software to fine tune performance.



Engineered in Canada

High Level of Customization	Configurable Parameter Dictionary	Unmatched Peripheral Compatibility

E Bike system by Nidec

蜜望實企業股份有限公司

HONEY HOPE HONESTY ENTERPRISE CO., LTD.

Tel: +886-2-8751-1779 Ext: 6136 Fax:+886-2-2797-9259
E-mail: jerry_huang@threehhh.com.tw
Web: www.threehhh.com.tw/?action=product

ASI ACCELERATED SYSTEMS INC.

High Power Controllers & Software

Engineered in Canada

eDriving Innovation

E Bike system by Nidec

蜜望實企業股份有限公司

HONEY HOPE HONESTY ENTERPRISE CO., LTD.

Tel: +886-2-8751-1779 Ext: 6136 Fax:+886-2-2797-9259
E-mail: jerry_huang@threehhh.com.tw
Web: www.threehhh.com.tw/?action=product

avin

WATERPROOF CONNECTOR

RoHS

- **Easy assembly, accurate connected.**
- **Dummy proof design**
- **Robust design for multiple insertion and withdraw forces.**

A1

A3

B1

C1

Application

■ EMS

■ E-Vehicle

■ E-Scooter

■ Sweeping robot

■ Vacuum cleaner

sales@avertronics.com

Avertronics

Smart Bike Service Provider



Offline Product Completely Integrated with Online Applications.

We are dedicated to help your corporation enter the IoT field quickly and achieve digital transformation perfectly via three critical themes of IoT development, which are **cloud service (App)**, **big data** and **IoT devices**.

E-bike Smart Computer

Connected with the cycling App to provide an integrated riding experience from offline to online.
e.g. Customized display and simple setup with the cycling App.

Cycling App

To bring an easy and wonderful experience with our cycling digital services, as well as to offer a convenient service connection between the dealers and customers.

Cycling Data Platform

Focusing on user's cycling related data to understand your customers and provide a better service to them.

micro program 微程式資訊
Microprogram Information Co., Ltd.
Tel：+886-4-23692699 Contact Us：sales@program.com.tw

上海楹裕电子有限公司
Shanghai Ying Yu Electronic Co.,Ltd
中國上海市嘉定區大衆工業園區園業路68號
No.68 Yuan Ye Road Volkswagen Industrial Park.Anting Town,jiading District,Shanghai,China.
Tel:021-69576066-106 / Fax:021-39578106
www.shyingyu.com

晟祥電子有限公司
Sunshine technology Co., Ltd.
新北市中和區板南路669號13樓
TEL: 886-2-2226-7977 #17 FAX: 886-2-3234-7977
E-mail: sales2@sshine.com.tw
www.sshine.com.tw

Water proof signal & power connectors for E-bikes
Raw Cable
Cable/Connector assembly
Module Assembly
IATF16949 Certified Company

Rated voltage:48VDC/
IP66 or IP67



E-Bike Smart Phone Charging Port

E-Bike Battery Charge/Discharge Connectors

E-Bike Display Sensor Connectors

E-Bike Motor Connectors

E-Bike Motor Connectors

E-Bike Panel Mount Connectors

E-Bike Battery Charge/
Discharge connectors

E-Bike Motor to Controller Wire Harness

Facility overview

Professional Lab
(Humidity Chamber, Temperature Rising, Cross Section, Cable Flex Tests)

Overmolding Capability

Battery Docking Station

Taipei Office

Booth number
N0529a

LIFE IS JOURNEY, ENJOY THE RIDE!

Higher efficiency

Easy maintenance

User friendly

Wide applicability

EN15194/ISO13849 complied

Higher reliability

In-Tube Battery – Barcelona

Model No.	MBP-BI36 S7/S8
Type	In-Tube
Rated Voltage	36V
Capacity	14Ah
Energy	508Wh
Communication Interface	CAN/ Bluetooth
BMS	ISO13849 Compliance

Rear Rack Battery - Rome

Model No.	MBP-BR36 S5/S6
Type	Rear Rack
Rated Voltage	48V / 36V
Capacity	17.5Ah
Energy	635Wh
Communication Interface	CAN/ Bluetooth
BMS	ISO13849 Compliance

Down Tube Battery – Paris

Model No.	MBP-BS36 S5/S6
Type	Down Tube
Rated Voltage	36V
Capacity	14Ah
Energy	508Wh
Communication Interface	CAN/ Bluetooth
BMS	ISO13849 Compliance

聯永基股份有限公司
MPS ENERGY INC.
service.mps@acer.com

TAIPEI CYCLE

March 4-7, 2020

TaiNEX 1 & TaiNEX 2
(Taipei Nangang Exhibition Center, Hall 1 & Hall 2)

ufi Approved Event

A New Worldview On Cycling

Visit us on website:
Taipeicycle.com.tw

Organizer:
TAITRA

Co-Organizers:
TVMA

TRENDPOWER

Energy solution provider - Moving energy to you

Range Extender

Support TP-SMN / TP-BOS / TP-PCT(Main Battery)

Battery assembly direction : Range Extender
specification : 360Wh (21700 cell) / 36V
Dimension (L x W x H) : 328 x 100 x76 mm
Weight (kg) : 2.3 kg
System compatibility : Shimano/ Brose / Panasonic



TP-SMN / TP-BOS / TP-PCT(Main Battery)

Battery assembly direction : Integrated type / Portable Type
specification : 630Wh / 504Wh (18650 cell) /36V
Dimension (L x W x H) : 385 x 84 x 72 mm
Weight (kg) : 630Wh : 3.8 kg / 504Wh : 3.3 kg
System compatibility : Shimano/ Brose / Panasonic

Linkage battery AST-01/09/10

Battery assembly direction : Integrated type
specification : 500Wh (18650 cell) / 36V
Dimension (L x W x H) : 479 x 72 x 81 mm
Weight (kg) : 3.3 kg
System compatibility : Shimano/Brose/Yamaha

TP-SMN-07

Battery assembly direction : Integrated type
specification : 540Wh (21700 cell) / 36V
Dimension (L x W x H) : 417 x 87 x 62.5 mm
Weight (kg) : 3.3 kg
System compatibility : Shimano

※Trendpower provides customized and standard battery total solution support different motor system.

Trend Energy Technology. CO., LTD Simplo Group
http://www.simplo.com.tw
03 5695916 #6723
Sales@TrendPower.com.tw
4F, No.471,Sec.2,Pa Teh Rd., Hu Kou 30348,Hsin Chu Hsien, Taiwan

SMP

Mid Motor Drive System

- Powerful & Sporty
- Stable & Reliable
- Smooth & Silent
- Comfortable

Hub Motor

- Energy Efficient
- Silent & Dynamic
- Compact Drive Unit
- High Performance

Taiwan Office: No.450, Fuxing Rd., Taoyuan Dist., Taoyuan City 330
TEL:+886 3-333 2298 FAX:+886 3-333 3843
info@aikema.com.cn

Lishui
GREEN ©
TRAVELING
EU R&D Center
Shanfu Consulting & Business Services GmbH
Add: Am Bhnhof 21, Sankt Augustin,
53757, Germany
Tel: +49-2241-9454576
Fax: +49-2241-9454577
Nanjing Lishui Electronics Research Institute Co., Ltd
Add: No.9 Shuibao Road, Yongyang Town, Lishui District,
Nanjing, 211200, P.R.China
Tel: +86-25-5720-2368/+86-25-5720-7820
Fax: +86-25-5721-2368
Email:sales@lsdzs.com
Taiwan Office
No.450, Fuxing Rd., Taoyuan Dist., Taoyuan City 330, Taiwan
Tel: +886 3-333 2298
Fax: +886 3-333 8843
www.lsdzs.com
Design by Austin studio

Made in Taiwan

SINGLE POWER DRIVE UNIT

Easy to use with outstanding performance

Germany、Japan、China、Taiwan 12 PATENTS

Economic price

Smart Motor

(Auto Check Battery Voltage)

48VOLT→550WATT [OUT PUT]
36VOLT→420WATT
24VOLT→350WATT

2019 ON SALE

Simple wiring, Conector to Battery only

TORQUE SENSOR INSIDE

Water-resistant
Dustproof

ROTOR IS OPTIONAL

- Chopper boost Battery Charging (by braking and free running)
- Programmable sever motor
- Single chip control and communication
- Service plate heat sink
- Direct Drive
- Solid state capacitor
- Water resistant coating
- Multi-poles structure(low start angle)

ER®
Energy Research Technology Corp.
T:+886-4-25332833 / F:+886-4-25333729 / Email:er.corp@msa.hinet.net / www.er-tech.com.tw

ATSUMOTOR®

TUBE Motor inside the frames
E-BIKE system total solution



TAIPEI CYCLE d&i awards 2017 by iF

TÜV SÜD

Climbing ability

Model	TM-5265			TM-5765	TM-6665 New	
Motor Type	AC MOTOR					
Voltage	24V	36V		36V	36V	
Output Power	200W	250W	350W	250W	400W	500W
Output Torque	50Nm	61Nm	77Nm	61Nm	87Nm	98Nm
Weight	3.5kg	3.7kg	4.0kg	3.7kg	4.0kg	4.2kg
Operationg Temp	-10°～ 50°					
Speed Sensor	Standard					
Torque Sesnsor	Optional					
Reduced Speed	80~100 RPM					

TD-51 for EMTB

TD-21 for road e-bike

TD-58 for all e-bike

Battery 24V/ 36V

紅菱重工股份有限公司 電動車事業部
HONLIN HEAVY INDUSTRIES CO ., LTD
TEL:+886-5-5511039
FAX:+886-5-5510028
www.honlin-hp.com
sales@honlin-hp.com