操控零件
Steering Components

A&G

Taiwan Bicycle Product Info Available Any Time, Any Place

Taiwan Bicycle Source, the global bicycle industry's most essential purchasing guide is available for iphones via an app. Thanks to its detailed and comprehensive information, user-friendly interface and proven marketing effectiveness, TBS has become the most professional, practical and complete purchasing guide for the world's cycle industry.

輪彥國際有限公司 WHEEL GIANT INC.

軟實力傳媒有限公司 Soft Power Media Co., Ltd.

No. 193, Tzu-Chiang Rd., Changhua 50095, Changhua, Taiwan
Tel: 886-4-7350500, 7360794~5 Fax: 886-4-7357860
E-mail: tbs@mail.wheelgiant.com.tw www.bikenews.online

Shanghai Tel: 86-512-57515789 Tianjin Tel: 86-22-28137963
Ningbo Tel: 86-574-88210669 Shenzhen Tel: 86-755-28069189

BRAKE TYPES & PARTS

Coaster brake

Band brake

Caliper brake

Cantilever brake


V-Brake

A-B: Brake arm
C-D: Brake shoes
E-F-G-I: Brake shoe hardware
J: Linear spring
K: Spring tension adjuster
L: Spring tension adjust bolt
N-M: Linear spring stop
O: Cable fixing clamp
P: Type of slot
F: Washer
Q: Cable fixing bolt (anchor bolt)
R: Cable guide pipe hook pin
S: Cable guide pipe hook
T: Rubber accordion cable protector
U: Cable guide pipe
V: Pivot bolt washer
W: Pivot bolt



STEERING COMPONENTS ADVERTISERS

E01 Saddles

Anasazi Sports Taiwan, Ltd. 勁馬 584-585
Cionlli Ind. Co., Ltd. 祥力 586-588
Foming Bicycle Parts Co., Ltd. 鋒明 590-593
Grand Star Industrial Corp. 立鉅 594-595
Huga Enterprise., Ltd. 宇珈 589
Jiuh-Yeh Craft Co., Ltd. 巨業 596-604
Marwi Taiwan Industrial Co., Ltd. 台萬 606-607
Velo Ent. Co., Ltd. 維樂 608-617
Viscount Industries Co., Ltd. 美而光 618-619

E02 Pedals

Chien King Ind. Co., Ltd. 健勤 620
Chunky Co., Ltd. 自東 622-623
Exustar Enterprise Co., Ltd. 浩捍 624-625
Fpd Industry Corp. 豐德 626-627
Hafny Co., Ltd. 黑芙尼 621
Hsing Ta Ind Co., Ltd. 信大 628
Kamigawa Co., Ltd. 上川 629
Kehao Co., Ltd. 格豪 630
Mandai Aluminum Co., Ltd. 萬大 631
Marwi Taiwan Industrial Co., Ltd. 台萬 632-633
Scada International Co., Ltd. 新可大 634-635
VP Components Co., Ltd. 鋐光 638
Wellgo Pedal's Corp. 維格 636-637

Brand Companies

Apms International Co. Ltd. 亞柏邁斯 639

E03 Handlebars

Azure Bike International Ltd. 晴也 640
Bev Int'l Corp. 精創 641
Chuan Ma Inc. 軒馬 642
Her Sheng Industry Co., Ltd. 禾勝 643-645
Hl Corp (Tai Wan) 信隆 646-647
Humpert-Asia International Co., Ltd. 溫伯特 652-653
Kalloy Ind. Co., Ltd. 金享 651
Kind Shock Hi-Tech Co., Ltd. 凱薩克 654-655
Lee Chi Enterprise Co., Ltd. 利奇 347-349
M. J. Cycle International Co., Ltd. 猛進 656-657
Tsao Fu Industrial Co., Ltd. 朝富 658-659
Yavis Composite Company 亞斐士 664
Yeu Chueh Ind. Co., Ltd. 鈺捷 660-663
Yicheng Sports Co., Ltd. 鎰晟 665

Overseas Manufacturers

Hl Corp (Shen Zhen) 信隆-松崗 648-650
Lujin Metal Products (S.Z.) Co., Ltd. 呂金 666

E04 Bar Ends

Hafny Co., Ltd. 黑芙尼 667

E05 Grips/Tapes

Chen Whua International Co., Ltd. 辰驊 668-669
Chern Shianq Ent. Co., Ltd. 宸項 670-674
Chililon Ent. Co., Ltd. 晟堅 676-679
Chin Chang Plastic Ind. Co., Ltd. 志昌 675
Co-Union Ind. Co., Ltd. 合宇 680
Hong Chung Tien International Co., Ltd. 虹中田 681
Ling Yuh Enterprises Co., Ltd. 領譽 682-683
Long Du Ent. Co., Ltd. 隆都 685
Propalm Industry Co., Ltd. 宏匯 686-687
Sunny Wheel Ind. Co., Ltd. 瑞振 688-689
Sunshiny Development Co., Ltd. 三興 690-691
Trigram Accessories Ind. Co., Ltd. 鈺秦 692-697
Velo Ent. Co., Ltd. 維樂 698-702
Winning Enterprises Co., Ltd. 曜輗 703
Yang Mao Industry Co., Ltd. 揚懋 704-708

Brand Companies

Otion Co., Ltd. 歐訓 709

E06 Stems

Chuan Ma Inc. 軒馬 710
Chuhn-E Industries Co., Ltd. 駿鎰 711
Chyi Chuan Enterprise Co., Ltd. 奇川公司 712
Dim Shing Ent. 鼎新 713
Fpd Industry Corp. 豐德 714
Her Sheng Industry Co., Ltd. 禾勝 715
Hl Corp (Tai Wan) 信隆 716-717
Kalloy Ind. Co., Ltd. 金享 722
Leadtec Co., Ltd. 利慶 723
Lee Chi Enterprise Co., Ltd. 利奇 347-349
M. J. Cycle International Co., Ltd. 猛進 724-725
Qbest Cycle Industrial Co., Ltd. 品佳 726-729
Tsao Fu Industrial Co., Ltd. 朝富 730
Yuh Chyi Ind. Co., Ltd. 裕期 731

Overseas Manufacturers

Hl Corp. (Shen Zhen) 信隆-松崗 718-721

Brand Companies

Linus Cycle Work Inc. 陞聯 732

E07 Brakes

Alhonga Ent. Co., Ltd. 弘家 734-735, 744-745
An Yi Li Industry Co., Ltd. 安益利 736
Apse Ent. Co., Ltd. 艾栢士 737
Bengal Performance Brake Systems BENGAL 738-741
Dia-Compe, Taiwan Co., Ltd. 太雅康培 742-743
Lee Chi Enterprise Co., Ltd. 利奇 347-349
Tektro Technology Corp. 彥豪 746-752
You Ming Metal Industrial Co., Ltd. 宥銘 754-756
Zalun Ind. Co., Ltd. 捷倫 753

E08 Brake Shoes/Fittings

Adui Brake Industry Inc. 亞得利 757
Alligator Cable Ent. Co., Ltd. 六毅 758
Ashima Ltd. 永克達 759
Baradine Rubber Ind. Co., Ltd. 永傑 760
Legion Engineering Corporation 阿米瑟 761
Sunkiss Development Co., Ltd. 盛記 766
Talonbrake Industry Co., Ltd. 允傑 762-765
Zeit Bicycle Industrial Co., Ltd. 柴特 767

Brand Companies

Xon Ltd. 歐馬 768

E09 Cable Housings/Inner Wires

Achs Industry Co., Ltd. 信昌導管 769
Alligator Cable Ent. Co., Ltd. 六毅 770-771
Chang Ying Metal Ind. Co., Ltd. 彰盈金屬 772-773
Chi Tai Cable Co., Ltd. 吉泰 774
Chuen Han Co., Ltd. 均頡 775
Cian Fa Pipe Industry Co., Ltd. 阡發 776
Cycle Connections Industry Co., Ltd. 正龍 789
Kenswell Tube Forming Inc. 興飛 777
Li-Da Industrial Co., Ltd. 利達 778-779
Quaxar Engineering Co., Ltd. 芫恩利 780-781
Sapience International Ltd. 智勝 782
Startek Cables Industrial Co., Ltd. 彰承 783
Win Horn Ent. Co., Ltd. 紋豪 788
X. Term Ind. 隆安 784-785
Yi Zhan Cable Co., Ltd. 億展 786-787

E10 Disc Brakes

Zeno Bicycle Component Co., Ltd. 勝堯 733

COMPANY PROFILE

Aifeit

艾菲特自行车配件有限公司是一家专业生产和销售自行车鞍座、坐垫套等自行车配件的公司。我们有从产品设计到所有零部件生产的能力并拥有先进的生产设备和检验仪器,检测设备有独立完成EN测试(ISO2014)及JIS2008的能力：五条抽真空自动生产线，三条聚氨酯发泡生产线，九条装配线，鞍座年生产量可达1000万个。我们拥有十多年专业从事鞍座设计、开发的团队以及一个科学的管理团队。

我们的产品执行国际最新的欧盟EN标准及ISO.2014及日本JIS标准，符合欧盟REACH法规、ROHS环保指phthalate-free指令、PAHs指令及美国CPSIA法案等环保要求。

我们的服务宗旨：客户第一，质量取胜！

Aifeit is a professional bicycle company for production of saddles, saddle covers and bicycle accessories. We have the ability to go from production design to all associated parts of the saddles. Aifiet has advanced production equipment and a professional inspection team with all necessary quality control instrumentation. All production equipment has the ability to meet EN(ISO2014) and JIS 2008 tests. Facility is equipped with 5 automation vacuum seat production lines, 3 foam injection lines, 9 fabrication lines producing over 10 million saddles per year with over 10years professional saddle design experience, professional R&D team and an effective management team.

The product meets all the international standards, which includes: The newest European Union EN and ISO.2014 standard, Japan JIS standard, European Union REACH law, ROHS environmental directive, Phthalate- free, PAHs and USA CPSIA.

Aifiet's service goal is customer first, with highest quality.

CHINA FACTORY

Foshan Aifeit Bicycle Accessory Co., Ltd

No.13 Wengfeng North Road ,Rongli ,Ronggui Town,
Shunde District,Foshan,Guangdong

+86-757 23279338
+86-757 23279308
sales@aifeit.com
manager@aifeit.com

TAIWAN

Anasazi Sports Taiwan, Ltd.

1f., No. 14 Shangming 3rd Street,Xitun District,
Taichung City 40744,Taiwan

sales@aifeit.com
manager@aifeit.com

01.Road Racing

MODEL:1212-03
272×140mm

MODEL:16100-07
276×143mm

MODEL:1630-255
279×135mm

MODEL:18100-14
256×140mm

MODEL:18200-02
244×156mm

MODEL:1888-02
277×142mm

02.Junior

MODEL:28100-01
227×124mm

MODEL:28200-02
178×119mm

MODEL:28600-01
171×114mm

03.MTB

MODEL:68101-02
277×165mm

MODEL:68200-02
274×161mm

MODEL:68800-01
279×148mm

04.city/Cruiser

MODEL:78500-02
280×190mm

MODEL:87407-04
263×228mm

MODEL:8810-01
255×188mm

05.saddle covers

AF-11019M-01

AF-22006G-01

AF-32008G-08

AF-22012M-01

CIONLLI

祥力金屬工業股份有限公司
54067 南投市中華路323號
CIONLLI INDUSTRIAL CO., LTD.
323 Chung Hua Road, 54067 Nantou,
Taiwan 54067
Tel: +886 49 2254526 Fax: +886 49 2254529
E-mail: sales@cionlli.com

祥力自行車配件(天津)有限公司
300270 天津市濱海新區大港經濟開發區順達街239號
CIONLLI BICYCLE COMPONENTS (TAIN JIN) CO., LTD.
NO.239 Shunda Street, Dagang Economic Development
Zone, Binhai New Area of Tianjin City, China 300270
Tel: +86 22 63313388 Fax: +86 22 63313389
E-mail: sales.tj@cionlli.com

祥力自行車配件(太倉)有限公司
215412 江蘇省太倉市陸渡鎮東方路41號
CIONLLI BICYCLE COMPONENTS (TAI CANG) CO., LTD.
41 Dong Fang Road, Lu Du Town, Tai Cang City,
China 215412
Tel: +86 512 53456799 Fax: +86 512 53451397
E-mail: sales.tc@cionlli.com

宏力自行車配件有限公司
528322 廣東省佛山市順德區勒流鎮連杜工業開發區
HONGLI BICYCLE PARTS CO., LTD.
Lian Du Road, Fu An Industrial Park, Le Liu Town
Shunde District, Fo Shan City, Guang Dong, China 528322
Tel: +86 757 23662661 Fax: +86 757 25559720
E-mail: sales.sd@cionlli.com

Advanced

1243N
Size : 286 x 138 mm
Foam : Vacuum Tech
Base : PP
Rail : Steel / Chromoly

1260
Size : 282 x 133 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

1316
Size : 280 x 140 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

1337
Size : 273 x 130 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

1503
Size : 273 x 135 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

Sport

6903N
Size : 265 x 193 mm
Foam : Vacuum Tech
Base : PP
Rail : Steel / Chromoly

1320
Size : 280 x 155 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

1274
Size : 275 x 150 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

6902N
Size : 280 x 165 mm
Foam : Vacuum Tech
Base : PP
Rail : Steel / Chromoly

1326
Size : 280 x 135 mm
Foam :
Eco + Padding (High-density)
Base : PP
Rail : Steel / Chromoly

Kids

124
Size : 257 x 130 mm
Foam : Eco + Padding
Base : PP
Tube : Steel 72°

4130
Size : 195 x 118 mm
Foam : Eco + Padding
Base : PP
Tube : Steel 62°

4220
Size : 215 x 133 mm
Foam : Eco + Padding
Base : PP
Tube : Steel 62°

9150
Size : 230 x 125 mm
Foam : Eco + Padding
Base : PP
Tube : Steel 70°

Extreme

4059
Size : 195 x 118 mm
Foam : Eco + Padding
Base : PP
Tube : Aluminum 3°

9321
Size : 235 x 135 mm
Foam : Eco + Padding
Base : PP
Tube : Aluminum 5°

Comfort

6805N
Size : 268 x 192 mm
Foam : Vacuum Tech
Base : PP
Rail : Steel

7813N
Size : 270 x 232 mm
Foam :
Vacuum Tech Memory Foam
Base : PP
Rail : Steel

8406N
Size : 275 x 230 mm
Foam : Vacuum Tech
Base : PP
Rail : Steel

7763V
Size : 250 x 240 mm
Foam : Patent Padding Tech
Base : PP
Rail : Steel

Junior

4116V
Size : 260 x 135 mm
Foam : EVA
Base : PP
Rail : Steel

4162N
Size : 234 x 142 mm
Foam : Vacuum Tech
Base : PP
Rail : Steel

9102
Size : 220 x 112 mm
Foam : Eco + Padding
Base : PP
Rail : Steel

Accessories Saddle Cover (Memory Foam)

M027
Size : 280 x 180 mm

M062
Size : 260 x 195 mm

M069
Size : 275 x 215 mm



"Seamless" Series Saddle

These saddles will be the highes and most consistent quality with production in fewer steps.

The sealed cover provides superior durability, moisture resistance, lighter weight, and overall a simply more sleek and modern looking design than older style stitched models.

We have an entire line of Stitchless models available at competitive prices.

Foam : Vacuum Shapping

Base : PP + Glass Fiber / Nylon + Glass Fiber

Rail : Cr-Mo / Ti / Carbon

◀ **1276**
250 x 136 mm

1288
240 x 131 mm

1289
245 x 144 mm



1290
250 x 155 mm

CIONLLI
祥力金屬工業股份有限公司 54067 南投市中華路323號
CIONLLI INDUSTRIAL CO., LTD. 323 Chung Hua Road, 54067 Nantou, Taiwan 54067
Tel: +886 49 2254526 Fax: +886 49 2254529 E-mail: sales@cionlli.com

All-wings saddle Taiwan

2017 Taipei International Invention Show

The Platinum Awards

2018 Taiwan Nation Invention & Creation Awards

The Silver Medal





Type-Falcon…shaped as Falcon wings, designed especially for long-distance riding of racing bike.
Genital areas designed to be vacant completely avoiding numbness, leg muscles could output strength completely without sharing loadings of body weights.

We are committed to the design and development of new generation full-featured bicycle saddle.
The All-wings saddle combines ergonomics, innovative riding mechanics and the post-modern design.
Welcome to test and know our design in-depth.

Material : German engineering plastic / Cr-mo pipe rail/ Multi-layer paint
Weight : 207g Load : 100 kg

GCN report | Functions & Skills | Material & crafts | Fitting guide | Facebook

info@all-wings.com.tw
Skype : vincent.ts8000
Line : vincent_0220
What's app : +886 930608000
www.all-wings.com.tw

COLLECTION

comfort plus

D043MF

D100208648
WEIGHT 349g
SIZE 260 x140 mm

D063MF

D100208651
WEIGHT 317g
SIZE 270 x140 mm

D073MF

D100208653
WEIGHT 345g
SIZE 259 x157 mm

D053MF

D100208656
WEIGHT 553g
SIZE 270 x185 mm

D102MF

D100208452
WEIGHT 369g
SIZE 265 x162 mm

D153MF

D100208654
WEIGHT 413g
SIZE 272 x173 mm

D123MF

D100208655
WEIGHT 431g
SIZE 266 x190 mm

RECOMMENDED FOR E-BIKES

CHOOSE YOUR ROAD TO RIDE.
WITH COMFORT PLUS IT WILL BE AN AMAZING EXPERIENCE.

www.activeddk.com



FOMING BICYCLE PARTS CO.,LTD.
NO. 183 SEC. 1, YUAN-LU RD., TUNG-AN TSUN
FU-HSING HSIANG, CHANGHWA HSIEN, TAIWAN, R.O.C.
TEL : +886-4-7775931

DDK-5346QSD

D100208873
WEIGHT 689g
SIZE 265 x178 mm

DDK-5347QSD

D100208874
WEIGHT 721g
SIZE 258 x220 mm

DDK-2260Q

D100208713
WEIGHT 478g
SIZE 267 x200 mm

AG-200M

D110100238
WEIGHT 295g
SIZE 275 x265 mm

AG-201M

D110100239
WEIGHT 210g
SIZE 275 x195 mm

AG-202M

D110100240
WEIGHT 150g
SIZE 280 x170 mm

AG-203M

D110100241
WEIGHT 248g
SIZE 260 x245 mm

www.activeddk.com



FOMING BICYCLE PARTS CO.,LTD.
NO. 183 SEC. 1, YUAN-LU RD., TUNG-AN TSUN
FU-HSING HSIANG, CHANGHWA HSIEN, TAIWAN, R.O.C.
TEL : +886-4-7775931

DDK-2005V CLIMBER

D100306429
WEIGHT 274g
SIZE 231 x139 mm

DDK-2405 HIGHWAY



D100306304
WEIGHT 289g
SIZE 256 x136 mm

DDK-2605 HIGHTRAK

D100306305
WEIGHT 310g
SIZE 287 x137 mm

DDK-516 VARTAN

D100208403
WEIGHT 286g
SIZE 257 x140 mm

DDK-5090 CRYPTIC

D100208051
WEIGHT 290g
SIZE 272 x143 mm

DDK-517 KALLUM

D100208408
WEIGHT 299g
SIZE 281 x140 mm

DDK-2373A ILLICIT

D100208417
WEIGHT 299g
SIZE 276 x144 mm

www.activeddk.com



FOMING BICYCLE PARTS CO.,LTD.
NO. 183 SEC. 1, YUAN-LU RD., TUNG-AN TSUN
FU-HSING HSIANG, CHANGHWA HSIEN, TAIWAN, R.O.C.
TEL : +886-4-7775931

DDK-924 RAV

D100208460
WEIGHT 263g
SIZE 211 x132 mm

DDK-2004V RAW

D100208762
WEIGHT 300g
SIZE 226 x135 mm

DDK-2404V ROCT

D100208467
WEIGHT 325g
SIZE 255 x138 mm

DDK-2373V ROYL

D100208469
WEIGHT 312g
SIZE 273 x144 mm

DDK-2359V ZORT

D100208447
WEIGHT 317g
SIZE 271 x140 mm

DDK-225V NUEVA

D100208453
WEIGHT 390g
SIZE 280 x174 mm

DDK-226V TRAY

D100208457
WEIGHT 390g
SIZE 265 x190 mm

www.activeddk.com

GRAND STAR

GRAND STAR INDUSTRIAL CORP
Tel:886-4-8654639
Fax:886-4-8653099
E-mail:gslee@ms18.hinet.net

LI JU BICYCLE FILLINGS (KUNSHAN) CO.,LTD.
Tel:86-512-57664788, 512-57664988
Fax:86-512-57661057
E-mail:kslijugs@163.com

www.grandstar.com.tw

GS-5617ECD
saddle
Size:280X146mm



Decompression

GS-5619CED
saddle
Size:278X145mm

Decompression
GS-1617CED
saddle
Size:270X138mm

GS-1019CED
saddle
Size:275X136mm

Decompression
GS-1098CED
saddle
Size:282X138mm

GS-L231RE
saddle
Size:280X150mm

Decompression
GS-2114CED
saddle
Size:260X128mm

GS-LH6822R
saddle
Size:282X178mm

GS-1066ER
saddle
Size:252X210mm

GS-L682BR
saddle
Size:280X175mm

GS-BL05
Size:202X70X100mm

GS-L2354BRHS
saddle
Size:275X225mm

GS-B06
Size:205X75X110mm

GS-021

GS-022

GS-023

GS-024

GS-025

GS-026 Size:128mm/90mm

GS-B16E
Size:200X70X100mm

GS-KD01
saddle
Size:170X105mm

GS-1309B11Z
saddle
Size:228X122mm

GS-G05
Size:125mm/92mm

GS-5031B18
saddle
Size:246X132mm

GS-5041BC
saddle
Size:210X140mm

GS-5061TD
saddle
Size:235X135mm

GS-5092B11ED
saddle
Size:250X170mm

GS-2118BD
saddle
Size:245X165mm

GS-5898BD
saddle
Size:272X168mm

GS-1055CED
saddle
Size:260X180mm

GS-1518CEQD
saddle
Size:252X182mm

GS-7381B3D2
saddle
Size:273X165mm

GS-7493B1E
saddle
Size:266X170mm

GS-5801D
saddle
Size:270X152mm

GS-2013-5BSP
saddle
Size:258X190mm

GS-1513CED
saddle
Size:272X145mm

GS-1400CD
saddle
Size:275X160mm

GS-809B11BD
saddle
Size:265X182mm

GS-913BEQR
saddle
Size:265X262mm

GS-8081B11ED
saddle
Size:255X220mm

GS-3010B11
saddle
Size:300X300mm

GS-916B2D
saddle
Size:150X190mm
235X298mm

GS-9132B11TD
saddle
Size:260X260mm

GS-917-2B2D
saddle
Size:210X222mm
235X298mm

GRAND STAR

Gyes
www.gyes.com.tw

巨業工藝股份有限公司
JIUH YEH CRAFT CO., LTD.
台中市神岡區光啟路120號
No.120, Guangqi Rd., Shengang Dist., Taichung City 429, Taiwan
TEL: 866-4-25121919 FAX: 886-4-25297825 Mail: gyes@gyes.com.tw

2019 NEW SADDLE E-BIKE

GS-02DS
290x245 mm
Steel Spring + Clamp

GS-02FDS
270x210 mm
Steel Spring + Clamp

GS-10DS
270x210 mm
3 Steel Spring mount + Clamp

GS-13DS
280x250 mm
3 Steel Spring mount + Clamp

GS-23S-1
280x250 mm
Steel Spring + Clamp

GS-12S-1
280x245 mm
Steel Spring

GS-12S-1R
280x245 mm
Steel Spring

GS-13S-1
280x245 mm
Steel Spring

GS-02L
290x245 mm
Steel Spring

GS-01L
290x245 mm
CR-MO

GSE-01
290x245 mm
CR-MO / Rail: ø 8mm

GSE-09N
270x210 mm
CR-MO / Rail: ø 8mm

GSE-12N
280x250 mm
CR-MO / Rail: ø 8mm

巨業工藝 JIUH YEH CRAFT CO., LTD.

2019 NEW SADDLE GSP45

GSP45-09
270x210 mm
CR-MO

GSP45-17
280x170 mm
CR-MO

GSP45-19
280x155 mm
CR-MO

GSP45-24
280x160 mm
CR-MO

GSP45-25
250x175 mm
CR-MO

SADDLE GSP

GSP-09
270x210 mm
CR-MO

GSP-25
250x175 mm
CR-MO

GSP-17
280x170 mm
CR-MO

GSP-19
280x155 mm
CR-MO

GSP-24
280x160 mm
CR-MO

SADDLE

GS-24B
280x155 mm
CR-MO

GS-24L
280x155 mm
CR-MO

GS-24
280x160 mm
CR-MO

巨業工藝 JIUH YEH CRAFT CO., LTD.

GS-24BH
280x155 mm
CR-MO

GS-06
280x155 mm
CR-MO, Stainless, Titanium

GS-17ACU
280x170 mm
CR-MO (Copper)

GS-09
270x210 mm
CR-MO

GS-17CU
280x170 mm
CR-MO (Copper)

GS-25
250x175 mm
CR-MO

巨業工藝
JIUH YEH CRAFT CO., LTD.

GS-06H
280x155 mm
CR-MO, Stainless, Titanium

GS-06CU
280x155 mm
CR-MO(Copper)

GS-09-1
270x210 mm
CR-MO

GS-15
280x170 mm
CR-MO, Stainless

GS-17
280x170 mm
CR-MO, Stainless, Titanium

GS-17A
280x170 mm
CR-MO, Stainless, Titanium

GS-06L
280x155 mm
CR-MO, Stainless, Titanium

GS-17B
280x170 mm
CR-MO, Stainless, Titanium

GS-06C
280x155 mm
CR-MO, Stainless, Titanium

GS-19
280x155 mm
CR-MO

GS-19L
280x155 mm
CR-MO

GS-07
M 270x210 / F 250x210 mm
Steel Spring

GS-07S
M 270x210 / F 250x210 mm
Steel Spring

GS-08
M 270x210 / F 250x210 mm
Steel Spring

GS-08N
270x210 mm
Steel Spring

GS-08S
M 270x210 / F 250x210 mm
Steel Spring

GS-14
270x210 mm
CR-MO

GS-14S
270x210 mm
CR-MO

GS-16
280x170 mm
Steel Spring

GS-16A
280x170 mm
Steel Spring

GS-16S
280x170 mm
Steel Spring

GS-18
280x170 mm
CR-MO

GS-18S
280x170 mm
CR-MO



巨業工藝 JIUH YEH CRAFT CO., LTD.

GS-21
M 270x210 / F 250x210 mm
CR-MO

GS-20
M 270x210 / F 250x210 mm
Steel Spring

GS-11NH
270x210 mm
Steel Spring

GS-01F
270x210 mm
CR-MO

GS-02F
270x210 mm
Steel Spring

GS-10
270x210 mm
Steel Spring

GS-10S
270x210 mm
Steel Spring

GS-11
270x210 mm
Steel Spring

GS-22
270x210 mm
Steel Spring



NYLON

Non-Adjustment

GS-151b
280x150 mm
CR-MO, Stainless

GS-151a
280x150 mm
CR-MO, Stainless

巨業工藝 JIUH YEH CRAFT CO., LTD.

GSN-122
270x210 mm
CR-MO

GSN-116
270x210 mm
CR-MO

GS-126
270x210 mm
CR-MO

GS-115
270x210 mm
Steel Spring

GS-117
M 270x210 / F 250x210 mm
Steel Spring

GS-125
270x210 mm
Steel Spring

SADDLE FGN

FGN-173 Microfiber Leather
280x150 mm
CR-MO, Stainless

FGN-171 Microfiber Leather
270x210 mm
CR-MO

FGN-172 Microfiber Leather
270x210 mm
CR-MO

FGN-175 Microfiber Leather
280x150 mm
CR-MO, Stainless

G-1035FD
130,95 mm
Lock-on: Silver, Black, DK-Gray

CLASSICAL SADDLE

CL-10
270x210 mm
Steel Spring (Rust) Classical Brown

CL-08
270x210 mm
Steel Spring (Rust) Classical Brown

CL-09-1
270x210 mm
CR-MO (Rust) Classical Brown

CL-18
280x170 mm
CR-MO (Rust) Classical Brown

CL-12-1
280x245 mm
Steel Spring (Rust) Classical Brown

BAG

SB-02 Magnetic
180x70x80 mm

SB-03
180x55x100 mm

SB-23
180x50x95 mm

SB-06 Magnetic
180x90x70 mm

SB-15
180x90x120 mm

SB-05 Magnetic
200x70x95 mm

SB-22
180x50x95 mm

SB-11
200x60x95 mm

SB-13
200x60x95 mm

SB-07
185x130x125 mm

SB-24
220x135x100 mm

SB-25
220x135x125 mm

SB-09
210x175x160 mm

SB-08
240x95x140 mm

SB-16
245x90x125 mm

巨業工藝 JIUH YEH CRAFT CO., LTD.

GRIP

G-607A
125,95 mm

G-1035L
130,95 mm
End Cap:Silver, Matt

G-726A1
135,100 mm
Lock-on: Silver, Black, DK-Gray

G-726
140,105 mm
Lock-on: Silver, Black, DK-Gray

G-726U
140,105 mm
Lock-on: Silver, Matt, Black

G-1035
130,95 mm
Lock-on: Silver, Black, DK-Gray

G-1036
130,130 mm
Lock-on: Silver, Black, DK-Gray

G-10361
130,130 mm
Lock-on: Silver, Matt, BK

G-10362
130,130 mm
Lock-on: Silver, Matt, BK

G-727
140,140 mm
Lock-on: Silver, Black, DK-Gray

G-7272
140,140 mm
Lock-on: Silver, Matt, BK

G-7271
140,140 mm
Lock-on: Silver, Matt, BK

G-311ø33mm
125,95 mm
Lock-on: Silver, Matt, Black

G-311 & G-311Colorful ø35mm
125,90 mm
Lock-on: Silver, Matt, Black

巨業工藝 JIUH YEH CRAFT CO., LTD.

GRIP & PARTS

G-10363
130,130 mm
Lock-on: Silver, Matt, BK

G-607C
130,130 mm

G-607B
140,140 mm
Lock-on: Silver, Matt, BK

G-726C
130,130 mm
Lock-on: Silver, Matt, BK

Key Ring

Mudflap

MF-03 & MF-02
MF-03: 115 x 150 / MF-02: 115 x 115
W / Stainless nut

Saddle Hooks
material: Stainless
Angle: 90° / 110°



GT-1 & GT-1H
2000 x 30 mm (Seamless)
W / plugs (Wooden, Plastic)

巨業工藝 JIUH YEH CRAFT CO., LTD.

Velo-City 2019 Dublin

www.velo-city2019.com

'Cycling for the Ages'

Comhairle Cathrach Bhaile Átha Cliath
Dublin City Council

Fáilte Ireland
National Tourism Development Authority

ECF
EUROPEAN CYCLISTS' FEDERATION

Selle San Remo

SSR Pro®

MARWI® GROUP

Marwi Taiwan Industrial Co., Ltd.
TEL：+886-4-2688-1234
FAX：+886-4-2687-1117
E-mail：info@marwi.com.tw

Marwi Indonesia
P.T.Xerama Bicycle Industrial
TEL：+62-21-5981111
FAX：+62-21-5981570
E-mail：info@marwi.com.tw

Marwi Europe B.V.
TEL：+31-10-2088060
FAX：+31-10-2088069
E-mail：info@marwi.nl

VERONA EB CB VU EBR

Top	PU
Size	266 x 198mm
Weight	530(Steel)gram/pc

TORINO CB VU EBR

Top	PU
Size	269 x 169mm
Weight	450(Steel)gram/pc

VARESE EB CB VU EBR

Top	PU
Size	265 x 200mm
Weight	450(steel)gram/pc

VIENNA EB CB VU EBR

Top	PU
Size	252 x 222mm
Weight	519(steel)gram/pc

LUGANO EB CB VU EBR

Top	PU
Size	255 x 231mm
Weight	896(steel)gram/pc

LINDAU EB CB VU EBR

Top	PU
Size	258 x 190mm
Weight	443(steel)gram/pc

DONAU CB HD ST

Top	PU
Size	255 x 190mm
Weight	439(steel)gram/pc

MOSEL CB HD ST

Top	PU
Size	275 x 160mm
Weight	395(steel)gram/pc

TAUNUS EB CB VU EBR

Top	PU
Size	237 x 190mm
Weight	422(steel)gram/pc

3583A EB CB VU EBR

Top	PU
Size	255X220mm
Weight	700(steel) gram/pc

3562 EB CB VU EBR

Top	PU
Size	263X210mm
Weight	570(steel) gram/pc

3850 RB MTB VU CNT or S-CM or EBR

Top	PU
Size	280X125mm
Weight	235(CrNi/Ti) or 260(CrMo) or 300(steel) gram/pc

BIKE
- ATB ATB
- MTB MTB
- RB Road bike
- LB Lady bike
- DB Downhill bike
- CB Commuter bike
- ORB Off road bike
- EB E-bike

FOAM
- SL Super-Light foam
- HR High Resilience foam padded
- HD High density foam
- VU Vacuum

RAIL
- CNT CrNi/Ti Aluminium rail
- T-CM Two toned CrMo rail
- S-CM Satin CrMo rail
- ST Satin steel rail
- EBR ED black steel rail

VENTOUX RB SL CNT

Top	PU+Micro fiber
Size	285 x 125mm
Weight	199(CrNi/Ti)gram/pc

TOURMALET RB MTB SL CNT

Top	PU+Micro fiber
Size	280 x 130mm
Weight	234(CrNi/Ti)gram/pc

POGGIO RB MTB SL CNT

Top	PU+Micro fiber
Size	290 x 135mm
Weight	225(CrNi/Ti)gram/pc

ARIZONA RB MTB HR S-CM

Top	PU
Size	290 x 135mm
Weight	284(CrMo)gram/pc

AVORIAZ RB MTB HR S-CM

Top	PU
Size	295 x 150mm
Weight	374(CrMo)gram/pc

MODANE RB MTB HR S-CM

Top	PU
Size	290 x 135mm
Weight	285(CrMo)gram/pc

BRAVURA MTB HR S-CM

Top	PU
Size	280 x 135mm
Weight	280(CrMo)gram/pc

ABRUZZO MTB HR S-CM

Top	PU
Size	280 x 136mm
Weight	320(CrMo)gram/pc

ARDÈCHE RB MTB HR ST

Top	Vinyl black
Size	290 x 135mm
Weight	354(steel)gram/pc

TOSCANA RB MTB HR ST

Top	Vinyl black
Size	290 x 150mm
Weight	414(seeel)gram/pc

JURA MTB HR ST

Top	Vinyl black
Size	280 x 135mm
Weight	320(steel)gram/pc

PIEMONTE MTB HR ST

Top	Vinyl black
Size	280 x 136mm
Weight	360(steel)gram/pc

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, Kunshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VL-1A67 NEW

Base	Carbon
Fill	Super Light Foam • Light Foam
Rail	Carbon
Key Point	ArcTech • Zone Cut • Light Weight

Weight 132g Size 275 x 128 mm

VL-1A66 NEW

Base	Single Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 256g Size 282 x 135 mm

VL-1A63 NEW

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Y-Cut • ATMOS Shaping

Weight 256g Size 273 x 143 mm

*Graphic design is available as shown above, with color change only.

VL-1A57 NEW

Base	Carbon
Fill	Super Light Foam
Rail	CrN / Ti Alloy
Key Point	ArcTech • Y- Cut • Light Weight

Weight 195g Size 242 x 146 mm

*Graphic design is available as shown above, with color change only.

VL-1A47 NEW

Base	Nylon Fiber Injection
Fill	AirForm
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • ATMOS Shaping

Weight 246g Size 242 x 142 mm

VL-1A39

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • ATMOS Shaping

Weight 277g Size 280 x 130mm

VL-1A37 NEW

Base	Carbon
Fill	Super Light Foam
Rail	CrN / Ti Alloy
Key Point	ArcTech • Y- Cut • Light Weight

Weight 179g Size 241 x 143 mm

*Graphic design is available as shown above, with color change only.

VL-1A36

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • ATMOS Shaping

Weight 285g Size 280 x 143 mm

VL-1A38

Base	Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • Starcut

Weight 267g Size 280 x 136 mm

VL-1A12
VL-1A06 Zone Cut

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut

Weight 238g Size 278 x 136 mm

VL-1A05

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut • ATMOS Shaping

Weight 260g Size 283 x 143 mm

VL-1A04

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Zone Cut

Weight 260g Size 244 x 158 mm

SADDLES

www.velosaddles.com

VL-1A03

Base	Carbon
Fill	Super Light Foam
Rail	Carbon • CrN / Ti Alloy
Key Point	ArcTech • Y- Cut • Light Weight

Weight 160g **Size** 268 x 146 mm

*Graphic design is available as shown above, with color change only.

VL-1966

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN/Ti Alloy • SS Rail
Key Point	ArcTech • Zone Cut

Weight 249g **Size** 244 x 148 mm

VL-1963

Base	Carbon
Fill	Super Light Foam
Rail	Carbon
Key Point	ArcTech • Y- Cut • Light Weight

Weight 142g **Size** 256 x 143 mm

*Graphic design is available as shown above, with color change only.

VL-1961

Base	Carbon
Fill	Super Light Foam
Rail	Carbon • CrN / Ti Alloy
Key Point	ArcTech • Light Weight

Weight 150g **Size** 275 x 128 mm

VL-1863
VL-1862

Zone Cut

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut • ATMOS Shaping

Weight 242g **Size** 280 x 132 mm

VL-1831
VL-1830

Zone Cut

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	Zone Cut

Weight 320g / 249g **Size** 278 x 147 mm

VL-1782
VL-1799

Zone Cut

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut • ATMOS Shaping

Weight 242g **Size** 280 x 140 mm

VL-1776

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Y-Cut • ATMOS Shaping

Weight 225g **Size** 273 x 143 mm

*Graphic design is available as shown above, with color change only.

VL-1747

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Y-Cut • ATMOS Shaping

Weight 246g **Size** 273 x 128 mm

*Graphic design is available as shown above, with color change only.

VL-1684

Base	Carbon
Fill	Super Light Foam
Rail	Carbon
Key Point	ArcTech • Y- Cut • Light Weight

Weight 127g **Size** 275 x 128 mm

*Graphic design is available as shown above, with color change only.

VL-2379

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	Airform
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Zone Cut

Weight 256g **Size** 245 x 145 mm

VL-2378 NEW

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	Airform
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Zone Cut

Weight 265g **Size** 242 x 145 mm

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, Kunshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VL-3594

Base	Nylon Fiber Injection
Fill	AirForm
Rail	Chromoly • Steel
Key Point	ATMOS Shaping • I carry

Weight 370g Size 270 x 165 mm

VL-3593

Base	Nylon Fiber Injection
Fill	AirForm
Rail	Chromoly • Steel
Key Point	ATMOS Shaping • I carry

Weight 296g Size 270 x 154 mm

VL-3586
VL-3450

Zone Cut

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 305g Size 276 x 152 mm

VL-3545 NEW

Base	Nylon Fiber Injection
Fill	AirForm
Rail	Chromoly • Steel
Key Point	ATMOS Shaping • I carry

Weight 310g Size 271 x 145 mm

VL-3530 NEW

Base	Single Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry

Weight 244g Size 276 x 153 mm

VL-3528 NEW
VL 3515

Zone Cut

Base	Double Density
Fill	AirForm
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 269g Size 242 x 135 mm

VL-3517 NEW

Base	Single Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 400g Size 276 x 167 mm

VL-3516 NEW

Base	Nylon Fiber Injection
Fill	AirForm
Rail	Chromoly • Steel
Key Point	ATMOS Shaping • I carry

Weight 330g Size 270 x 155 mm

VL-3475

Base	Nylon Fiber Injection
Fill	AirForm
Rail	Chromoly • Steel
Key Point	ATMOS Shaping • I carry

Weight 319g Size 270 x 143 mm

VL-3434
VL-3435

Zone Cut

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 395g Size 273 x 152 mm

VL-3391

Base	Double Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 413g Size 265 x 166 mm

VL-3421
VL-3422

Zone Cut

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	Zone Cut

Weight 327g Size 274 x 157 mm

SADDLES

www.velosaddles.com

VL-3389
VL-3410

Zone Cut

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount

Weight 300g Size 277 x 158 mm

VL-3379
VL-3448

Zone Cut

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount

Weight 271g Size 270 x 152 mm

VL-3378
VL-3447

Zone Cut

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount

Weight 291g Size 270 x 144 mm

VL-4437

NEW

Base	Single Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 348g Size 245x 165 mm

VL-4432

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • ATMOS Shaping

Weight 294g Size 268 x 155 mm

VL-4405

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut • ATMOS Shaping

Weight 283g Size 268 x 158 mm

VL-4404

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Carbon • CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut • vMount

Weight 295g Size 266 x 158 mm

VL-4393

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Y-Cut • ATMOS Shaping

Weight 246g Size 256 x 158 mm

*Graphic design is available as shown above, with color change only.

VL-4376
VL-4378

Zone Cut

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Chromoly
Key Point	ArcTech • Zone Cut • ATMOS Shaping

Weight 272g Size 266 x 149 mm

VL-4375

Base	Single Density
Fill	Light Foam • High Density
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 258g Size 274 x 134 mm

VL-4365

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	AirForm
Rail	Carbon • CrN / Ti Alloy • SS Rail
Key Point	ArcTech • Y-Cut • ATMOS Shaping

Weight 234g Size 256 x 143 mm

*Graphic design is available as shown above, with color change only.

VL-4335
VL-4318

Zone Cut

Base	Double Density Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN / Ti Alloy • Chromoly
Key Point	ArcTech • Zone Cut

Weight 292g Size 264 x 140 mm

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, Kunshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VL-4333
VL-4358 Zone Cut

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount

Weight 336g Size 278 x 165 mm

VL-4321

Base	Single Density
Fill	Light Foam • High Density
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • vMount

Weight 285g Size 275 x 154 mm

VL-4320

Base	Single Density
Fill	Light Foam • High Density
Rail	RChromoly • Steel
Key Point	ArcTech • Zone Cut • vMount

Weight 330g Size 277 x 165 mm

VL-4319
VL-4377 Zone Cut

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut

Weight 375g Size 272 x 146 mm

VL-5140 NEW

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech

Weight 282g Size 235 x 143 mm (24")

VL-5135

Base	Single Density
Fill	Light Foam • High Density
Seatpoint	Aluminum • Steel Diameter: Ø22.2 • 25.4 • 26.8 • 27.2 mm Length: 200 mm • 250 mm Integrated Seatpost
Key Point	I Carry

Weight 350g Size 207 x 125 mm

VL-5124

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech

Weight 269g Size 234 x 132 mm (24")

VL-5119

Base	Single Density
Fill	AirForm
Rail	Steel
Key Point	ArcTech • Y-Cut • ATMOS Shaping • I Carry

Weight 220g Size 194 x 137 mm (12")

*Graphic design is available as shown above, with color change only.

VL-5113

Base	Single Density
Fill	Light Foam • High Density
Seatpoint	Aluminum • Steel Diameter: Ø22.2 • 25.4 • 26.8 • 27.2 mm Length: 200 mm • 250 mm Integrated Seatpost
Key Point	Adjustable Seatpost Angels (66° • 68° • 70° • 72°) • I Carry

Weight 320g Size 180 x 118 mm (PUSH BIKE)

VL-5093

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech

Weight 285g Size 207 x 146 mm (12"-16")

VL-5073

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech

Weight 267g Size 215 x 140 mm (16"-20")

VL-5062

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • LED Lighting

Weight 278g Size 232 x 135 mm (16"-20")

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, K unshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VL-6471

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry

Weight 475g Size 270 x 195 mm

VL-6482 NEW

Base	Single Density • Double Density
Fill	High Density
Rail	Elastomer • Coil Spring
Key Point	ArcTech • Zone Cut • Elastomer / Coil Spring Suspension

Weight 579g Size 255 x 210 mm

VL-6441

Base	Single Density
Fill	AirForm • High Density
Rail	Steel
Key Point	ArcTech • Y-Cut • I Carry • ATMOS Shaping

Weight 396g Size 260 x 188 mm

*Graphic design is available as shown above, with color change only.

VL-6395

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry

Weight 428g Size 265 x 200 mm

VL-6374

Base	Single Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • I Carry

Weight 504g Size 257 x 219 mm

VL-6334

Base	Double Density
Fill	AirForm • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • I Carry • ATMOS Shaping

Weight 440g Size 270 x 176 mm

VL-6332

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry

Weight 453g Size 269 x 203 mm

VL-6319

Base	Single Density
Fill	AirForm • High Density
Rail	Steel
Key Point	ArcTech • Y-Cut • I Carry • ATMOS Shaping

Weight 417g Size 262 x 193 mm

*Graphic design is available as shown above, with color change only.

VL-6311

Base	Single Density
Fill	AirForm • High Density
Rail	Steel
Key Point	ArcTech • Y-Cut • I Carry • ATMOS Shaping

Weight 388g Size 260 x 188 mm

*Graphic design is available as shown above, with color change only.

VL-6310
VL-6318 Zone Cut

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry

Weight 452g Size 262 x 192 mm

VL-6309
VL-6317 Zone Cut

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry

Weight 411g Size 282 x 172 mm

VL-6301

Base	Single Density
Fill	AirForm • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • I Carry • LED Lighting • Reflector • ATMOS Shaping

Weight 448g Size 274 x 173 mm

SADDLES

www.velosaddles.com

VL-7236

Base	Single Density
Fill	High Density
Rail	Tripod Seatpost
Key Point	Tripod Mount

Weight **281g** Size **234 x 138 mm**

VL-7232

Base	Single Density
Fill	High Density
Seat point	Pivoatal Nylon Fiber Injected Seatpost Ø22.2mm - 90mm • 135mm Ø25.4mm - 75mm • 135mm • 150mm Ø27.2mm - 75mm • 135mm • 150mm
Key Point	Pivotal Mount

Weight **342g** Size **230 x 141 mm**

VL-7222

Base	Single Density
Fill	High Density
Rail	Tripod Seatpost
Key Point	Tripod Mount

Weight **238g** Size **224 x 129 mm**

VL-7157

Base	Single Density
Fill	High Density
Rail	Stealth Pivotal System
Key Point	Pivotal Mount

Weight **320g** Size **232 x 141 mm**

VL-7156

Base	Single Density
Fill	High Density
Rail	Stealth Pivotal System
Key Point	Pivotal Mount

Weight **280g** Size **230 x 132 mm**

VL-7148

Base	Single Density
Fill	High Density
Rail	Tripod Seatpost
Key Point	Tripod Mount

Weight **196g** Size **223 x 119 mm**

VL-8129E

Base	Double Density
Fill	High Density
Rail	Elastomer
Key Point	

Weight **700g** Size **262 x 216 mm**

VL-8128E

Base	Web Spring
Fill	High Density
Rail	Elastomer
Key Point	Web Spring & Elastomer Suspension

Weight **790g** Size **281 x 192 mm**

VL-8127E

Base	Web Spring
Fill	High Density
Rail	Elastomer
Key Point	Web Spring & Elastomer Suspension

Weight **787g** Size **270 x 223 mm**

VL-8033E

Base	Web Spring
Fill	High Density
Rail	Elastomer
Key Point	Web Spring & Elastomer Suspension

Weight **929g** Size **275 x 284 mm**

VL-8030

Base	Single Density
Fill	High Density • Memory Foam
Rail	Steel • Elastomer • Coil Spring • Heavy-duty Spring
Key Point	Elastomer / Coil Spring Suspension

Weight **1065g** Size **269 x 256 mm**

VL-8016

Base	Web Spring
Fill	High Density
Rail	Steel • Elastomer • Coil Spring • Heavy-duty Spring
Key Point	Elastomer / Coil Spring Suspension

Weight **1500g** Size **281 x 244 mm**

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, Kunshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VL-1A65 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 340g Size 280 x 145 mm

VL-1A64 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 307g Size 260 x 135 mm

VL-1475

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	Gel Padding • High Density
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount • V-Form

Weight 335g Size 264 x 139 mm

VL-3540 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 392g Size 278 x 168 mm

VL-3539 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 378g Size 270 x 160 mm

VL-3538 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 355g Size 270 x 150 mm

VL-3534 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 336g Size 270 x 160 mm

VL-3533 NEW

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight 335g Size 270 x 150 mm

VL-3502

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • WingBow • V-Form

Weight 388g Size 265 x 143 mm

VL-3477
VL-3497 Zone Cut

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • WingBow • V-Form

Weight 413g Size 265 x 158 mm

VL-3465

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • WingBow • V-Form

Weight 435g Size 264 x 160 mm

VL-3457

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • WingBow • V-Form

Weight 419g Size 265 x 155 mm

SADDLES

www.velosaddles.com

VL-3424

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount • V-Form

Weight **365g** Size **278 x 168 mm**

VL-3362

Base	Double Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight **409g** Size **274 x 178 mm**

VL-3352

Base	Single Density
Fill	Gel Padding • High Density
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • T-Bar • vMount • V-Form

Weight **376g** Size **287 x 144 mm**

VL-3351

Base	Single Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount • V-Form

Weight **384g** Size **277 x 162 mm**

VL-4283

Base	Base Carbon Fiber Injection • Nylon Fiber Injection
Fill	Gel Padding • High Density
Rail	CrN / Ti Alloy • Chromoly • Steel
Key Point	ArcTech • Zone Cut • vMount • V-Form

Weight **358g** Size **267 x 142 mm**

VL-4111
VL-4110

Zone Cut

Base	Double Density
Fill	Gel Padding • High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • V-Form

Weight **480g** Size **254 x 173 mm**

VL-5138 NEW

Base	Single Density
Fill	High Density
Rail	Steel
Key Point	ArcTech • Y-Cut • I Carry • V-Form

Weight **240g** Size **198 x 142 mm**

*Graphic design is available as shown above, with color change only.

VL-6434
VL-6450

Zone Cut

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • I Carry • WingBow • V-Form

Weight **480g** Size **270 x 199 mm**

VL-6418 NEW

Base	Single Density • Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry • V-Form

Weight **497g** Size **268 x 202 mm**

VL-6393
VL-6420

Zone Cut

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry • V-Form

Weight **507g** Size **265 x 213 mm**

VL-6391

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • I Carry • WingBow • V-Form

Weight **555g** Size **273 x 215 mm**

VL-6384

Base	Nylon Fiber Injection
Fill	High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • I Carry • WingBow • V-Form

Weight **548g** Size **272 x 200 mm**

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, Kunshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VL-6381

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • Zone Cut • U carry • V-Form

Weight **493g** Size **267 x 215 mm**

VL-6375

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • I Carry • LED Lighting • V-Form

Weight **488g** Size **255 x 198 mm**

VL-6345

Base	Double Density
Fill	High Density
Rail	Chromoly • Steel
Key Point	ArcTech • I Carry • LED Lighting • V-Form

Weight **447g** Size **253 x 190 mm**

VL-8111

Base	Double Density
Fill	Gel Padding • High Density
Rail	Elastomer • Coil Spring
Key Point	ArcTech • Elastomer / Coil Spring Suspension • V-Form

Weight **652 / 722g** Size **260 x 218 mm**

VL-1962

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	Rivet • Zone Cut

Weight **309g** Size **272 x 153 mm**

VL-1418
VL-1593 (Rivet)

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	

Weight **253g** Size **273 x 151 mm**

VL-1369
VL-4167(WOMEN)

Base	Base Single Density
Fill	Fill Light Foam • High Density
Rail	Rail CrN / Ti Alloy • Chromoly Steel
Key Point	30 mm width of rail • Designed by TOKYO SAN-ESU

Weight **289g** Size **273 x 140 mm**

VL-1356

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	Zone Cut

Weight **315g** Size **275 x 155 mm**

VL-6397

Base	Double Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • U carry

Weight **437g** Size **283 x 192 mm**

VL-6396

Base	Double Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
Key Point	Zone Cut • U carry

Weight **415g** Size **271 x 213 mm**

VL-6067P (Rivet)
VL-6188P

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Coil Spring • Steel
Key Point	Coil Spring Suspension • Rivet • Saddle Bag Hooks (FB-005)

Weight **541g** Size **281 x 165 mm**

VL-8114S

Base	Single Density
Fill	High Density
Rail	Chromoly • Coil Spring • Heavy-duty Spring • Steel
Key Point	Coil Spring Suspention • Saddle Bag Hooks • Rivet

Weight **800g** Size **264 x 221 mm**

美而光
Viscount Industries Co; Ltd.
NO.39,Dingtianliao,Tamsui Dist.,
New Taipei City 251,Taiwan
TEL :886-2-26215630-4
FAX:886-2-26252280
E-mail : selle@ms9.hinet.net

2161 Thor

- Size: 280mm X 143mm
- Shell: Dual Carbon Injected
- Rail: Carbon Fiber
- Weight : 160g

Complex injection bonding the carbon fiber support, immediately riding bounced feedback, softness and flexibility on the cycling section, and lightweight. This is truly the only one racing saddle combined the strength and comfort at once.

2162 Cambio

TAIPEI CYCLE d&i awards 2016

- Size: 280mm X 143mm
- Rail: Carbon Fiber
- Weight : 190-230g

The saddle is designed for different riding occasion- pro racing, mountain biking, or comfort commuter; just simply switch the designed padding on the shell.

2146

Size: 280mm X 135 mm
Packing:20pcs/ 2.0cuft

2141H-2

Size: 280mm X 140mm
Packing: 20pcs/ 2.0cuft

21210

Size:270mmX143mm
Packing:20pcs/ 2.0cuft

2142

Size: 280mm X 140mm
Packing: 20pcs/ 2.0cuft

2142-3

Size: 280mm X 140mm
Packing: 23pcs/ 2.0cuft

2142-5

Size: 280mm X140mm
Packing: 20pcs/ 2.0cuft

2145H-2

Size: 270mm X 150mm
Packing: 20pcs/ 2.0cuft

21212

Size: 270mm x 130mm
Packing: 20pcs/2.0cuft

2141

Size:280mmx140mm
Packing:20pcs/2.0cuft

21211-3

Size: 260mm X 155mm
Packing: 20pcs/ 2.0cuft

2610-2

Size:305mmx240mm
Packing:12pcs/3.0cuft

2606-5

Size:280mmx210mm
Packing:20pcs/3.0cuft

CKC Environmental Technology Co., Ltd.
CHIEN KING Industrial CO., LTD.

No. 34-15, Pu Tsai Rd., Nan kang Village, Pu Yen Hsiang, Changhua Hsien, Taiwan. 516
Tel: 886-4-8813644 / 8813117 / 8851599 Fax: 886-4-8812804
E-mail: ckic@ms64.hinet.net http://www.ckic.com.tw skype:ckicckic

Approved ISO 4210-8 standard test.
Approved EU REACH/SVHC regulations.
With CKC's patent bio-technology,pedals are made from rice husks from Taiwan.

CK-UB2RH
Body:Fiber particulate composite(rice husks).
Size:100x83mm.
Axle:Br.
Bearing:loose ball type.
Color: brown or black.
Weight:378g/pr.

NEW

CK-RX1 for Unicycle
Body: PP & Elastomer(TPE)
Size: 100 x 97 mm
Axle: steel
Bearing: loose ball type
Color: Gray & Black
Weight: 332g/pr

CK-FBP01 FORK PROTECTOR (travel bag)

made out of rice husks, an agricultural waste product. can protect fork and your travel bag.
for 15mm through axles.

CK-MX1RH
Body: Fiber particulate composite(rice husks).
Size:100x97mm
Axle: Br
Bearing: loose ball type
Color: brown or black
Weight:380g/pr.

CK-MX3RH
Body: Fiber particulate composite(rice husks).
Size:100x94mm
Axle: Br
Bearing: loose ball type
Color: brown or black
Weight:352g/pr.

CK-TARH
Body: alloy silver.
with steel cage, cage with Fiber particulate composite cover.
Size:79x68mm.
Axle:Br.
Bearing:loose ball type.
Color: brown.
Weight:388g/pr.

CK-748BNS
Body: alloy silver.
with steel cage, cage with Non Slip cover.
Size:79x66mm.
Axle:Cr-Mo.
Bearing:loose ball type.
Color: black or optional.
Weight:296g/pr.



CK-748BRH
Body: alloy silver.
with steel cage, cage with Fiber particulate composite cover.
Size:79x66mm.
Axle:Cr-Mo.
Bearing:loose ball type.
Color: brown.
Weight:304g/pr.

CK-C4EP
Body: CNC machined aluminum with emery non-slip paper.
Size:100*92*18mm
Axle: Cr-Mo. CNC machined.
Bearing: 2 sealed ball bearings.
Color: silver or optional
Weight:464g/pr.

CK-C2EP
Body: CNC machined aluminum with emery non-slip paper.
Size:100*92*18mm
Axle: Cr-Mo. CNC machined.
Bearing: 2 sealed ball bearings.
Color: silver or optional
Weight:496g/pr.

CK-C3EP
Body: CNC machined aluminum with emery non-slip paper.
Size:100*92*18mm
Axle: Cr-Mo. CNC machined.
Bearing: 2 sealed ball bearings.
Color: silver or optional
Weight:452g/pr.

CK-C1EP
Body: CNC machined aluminum with emery non-slip paper.
Size:100*92*18mm
Axle: Cr-Mo. CNC machined.
Bearing: 2 sealed ball bearings.
Color: silver or optional
Weight:492g/pr.

CK-C6EP
Body: CNC machined aluminum with emery non-slip paper.
Size:100*92*18mm
Axle: Cr-Mo. CNC machined.
Bearing: 2 sealed ball bearings.
Color: silver or optional
Weight:464g/pr.

NEW

CK-P1EP for City / Urban
Body:PP body with emery non-slip paper
Size: 95 x 77 mm
Axle: steel
Bearing: Loose ball type
Color: black.

CK-756M
Body: Nylon. with mould pins.
Size:100x95mm.
Axle:Cr-Mo. CNC machined..
Bearing: 1DU+1sealed ball bearing.
Color: black.
Weight:288g/pr.

CK-756 with replaceable steel pins.

hafny.com@msa.hinet.net Tel: +886 426883285
www.hafny.com.tw Fax: +886 426887149
No.296 Nanbei 4th Road, Taichung City, Taiwan

MTB Pedals

Over 30 years of experience crafting pedals for the big brands, NOW! We make them just for you!

New HF-1400

Body: Extruded, CNC Machined 6061 T6 Aluminum
Axle: High Strength CNC machined Cro-Mo
Bearing: Igus Bush Bearing & 2 Sealed Bearings
Size: 108x105x13~184 mm
Weight: 208g/ pc
Color: Annnodized

Urban Pedals

HF-1300

Body: 6061 CNC Aluminum
Axle: CNC machined Cro-Mo
Bearing: 2 bearings
Size: 93x115x8 mm
Weight: 152g/ pc
Color:

HF-1000

Body: 6061 CNC Aluminum
Axle: CNC machined Cro-Mo
Bearing: 2 bearings
Anti-slip: Eco-friendly nylon fiber
Reflector: BS-6102/2
Size: 97x93 mm
Weight: 173 g/ pc

HF-1050

Body: 6061 CNC Aluminum
Axle: CNC machined Cro-Mo
Bearing: 2 bearings
Anti-slip: Eco-friendly nylon fiber
Reflector: BS-6102/2
Size: 97x99 mm
Weight: 173 g/ pc
Color:

Light Weight/Thin/Big Surface

HF-1100

Body: 6061 CNC Aluminum
Axle: CNC machined Cro-Mo
Bearing: 2 bearings
Anti-slip: Eco-friendly nylon fiber
Reflector: BS-6102/2
Size: 97x93 mm
Weight: 166 g/ pc
Color:

HF-1150

Body: 6061 CNC Aluminum
Axle: CNC machined Cro-Mo
Bearing: 2 bearings
Anti-slip: Eco-friendly nylon fiber
Reflector: BS-6102/2
Size: 85x89 mm
Weight: 164 g/ pc
Color:

HF-1200

Body: 6061 CNC Aluminum
Axle: CNC machined Cro-Mo
Bearing: 2 bearings
Anti-slip: Eco-friendly nylon fiber
Reflector: BS-6102/2
Size: 85x89 mm
Weight: 165 g/ pc
Color:

CHUNKY CO., LTD.
Add: No. 50, Sec. 1, Hsing Ping Rd.,
Taiping Hsiang, Taichung, Taiwan.
Tel: 886-4-22779993 Fax: 886-4-22779942
Executive: Ellie Chen
E-mail: langer.chen@msa.hinet.net
Product: pedal

CHUNKY Model:TU-869LC
Body:Alloy
Cage:AL or steel
40prs/ctn/2.1'
N.W.:22kgs G.W.:23kgs
N.W.:24kgs G.W.:25kgs

CHUNKY Model:TU-861LC
Body:P.P
40prs/ctn/2.4'
N.W.:20kg s
G.W.:21kgs

CHUNKY Model:TU-604L
Body:Alloy
50prs /ctn/ 1.3'
N.W.:23.5kgs
G.W.:24.5kgs
Size:100mmx93mm

CHUNKY Model: TU-602L
Body: Alloy
50prs/ctn/1.4'
N.W.: 24kgs
G.W.: 25kgs
Size: 98mmx100mm

CHUNKY Model:TU-601L
Body: Alloy
50prs/ctn/1.5'
N.W.: 25kgs
G.W.: 26kgs
Size: 99mmx106mm

CHUNKY Model: TU-605L
Body: Alloy
50prs/ctn/1.4'
N.W.: 24kgs
G.W.: 25kgs
Size: 99mmx102mm

CHUNKY Model:TU-867L
Body: Alloy
Cage: AL or steel
50prs/ctn/0.9'
N.W.:22kgs G.W.:23kgs
N.W.:23kgs G.W.:24kgs
Size: 90mmx70mm

CHUNKY Model:TU-869L
Body: Alloy
Cage: AL or steel
50prs/ctn/0.9'
N.W.: 21kgs G.W.: 22kgs
N.W.: 23kgs G.W.: 24kgs
Size: 90mmx70mm

CHUNKY Model:TU-864L
Body: Alloy
50prs/ctn/1.2'
N.W.:18kgs
G.W.:19kgs
Size: 105mmx70mm

CHUNKY Model: TU-873L
Body: Alloy
Cage: AL or steel
50prs/ctn/0.9'
N.W.: 21kgs G.W.: 22kgs
N.W.: 23kgs G.W.: 24kgs

CHUNKY Model:TU-855L
Body: Alloy
50prs/ctn/0.9'
N.W.:18kgs
G.W.:19kgs
Size: 95mmx65mm

CHUNKY Model:TU-607L
Body: Alloy
50prs/ctn/0.9'
N.W.:18kgs
G.W.:19kgs
Size: 98mmx73mm

CHUNKY Model:TU-875P
Body: P.P.
Cage: AL or steel
50prs/ctn/1'
N.W.: 19kgs G.W.: 20kgs
N.W.: 20kgs G.W.: 21kgs
Size: 100mmx105mm

CHUNKY Model:TU-871P
Body: P.P.
Cage: AL or steel
50prs/ctn/1'
N.W.: 19kgs G.W.: 20kgs
N.W.: 20kgs G.W.: 21kgs
Size: 90mmx70mm

CHUNKY Model:TU-855L-1
Body:Alloy
50prs /ctn/ 0.9'
N.W.:20kgs
G.W.:21kgs
Size:95mmx65mm

CHUNKY Model:TU-610
Body:Alloy
50prs /ctn/1.2'
N.W.:20kgs
G.W.:21kgs
Size:90mmx78mm

CHUNKY Model:TU-611
Body: Alloy
50prs/ctn/1.4'
N.W.:20.5kgs
G.W.:21.5kgs
Size:93mmx97mm

CHUNKY Model:TU-810
Body: Alloy
50prs/ctn/1'
N.W.:21kgs
G.W.:22kgs
Size:98mmx72mm

CHUNKY Model:TU-854
Body: P.P.
60prs/ctn/1.3'
N.W.:23kgs G.W.:24kgs
Size: 95mmx72mm

CHUNKY Model:TU-906
Body: P.P.
50prs/ctn/1.1'
N.W.: 19kgs G.W.: 20kgs
Size: 98mmx73mm

CHUNKY Model:TU-812
Body:p.p.
60prs /ctn/ 1.4'
N.W.:19kgs
G.W.:20kgs
Size:94mmx83mm

CHUNKY Model:TU-876L
Body:Nylon/Alloy
50prs /ctn/ 1'
N.W.:20kgs
G.W.:21kgs
Size:98mmx73mm

CHUNKY Model:TU-861-1
Body: P.P.
Toe Clip.Attachable
60prs/ctn/1.6'
N.W.:17.5kgs G.W.:18.5kgs
Size: 97mmx95mm

CHUNKY Model:TU-861
Body: P.P.
60prs/ctn/1.4'
N.W.:17kgs G.W.:18kgs
Size: 100mmx85mm

CHUNKY Model: TU-903
Body: P.P.
60prs/ctn/1.4'
N.W.: 20kgs
G.W.: 21kgs
Size: 90mmx77mm

CHUNKY Model: TU-909
Body: P.P.
50prs/ctn/1.3'
N.W.:15.5kgs
G.W.:16.5kgs
Size: 100mmx105mm

CHUNKY Model: TU-824
Body: P.P.
60prs/ctn/1.4'
N.W.: 19kgs
G.W.: 20kgs
Size: 99mmx80mm

CHUNKY Model: TU-910
Body: P.P.
With or without Ball
70prs/ctn/1.1'
N.W.:17kgs
G.W.:18kgs
Size: 82mmx70mm

CHUNKY Model: TU-822
Body: P.P.
With or without Ball
60prs/ctn/1.4'
N.W.: 17kgs
G.W.: 18kgs
Size: 100mmx82mm

CHUNKY Model: TU-820
Body: P.P.
With or without Ball
70prs/ctn/1.35'
N.W.: 20kgs
G.W.: 21kgs
Size: 96mmx77mm

CHUNKY Model: TU-851
Body: P.P.
60prs/ctn/1.4'
N.W.: 19kgs
G.W.: 20kgs
Size: 95mmx85mm

CHUNKY Model:TU-801
Body: P.P.
With or without Ball
70prs/ctn/1.3'
N.W.: 20kgs
G.W.: 21kgs
Size: 90mmx70mm

CHUNKY Model:TU-817/904/901 Body:P.P
TU-817: 60prs/ctn/1.4' N.W.:19kgs G.W.:20kgs
Size:96mmx84mm
TU-904: 60prs/ctn/1.3' N.W.:20kgs G.W.:21kgs
Size:95mmx70mm
TU-901: 70prs/ctn/1.4' N.W.:21kgs G.W.:22kgs
Size:97mmx70mm

CHUNKY Model: TU-819/859/802
Body:P.P / Wthout Ball / 100prs/ctn/1.4'
TU-819 :N.W.:20kgs G.W.:21kgs
Size:82mmx62mm
TU-859 :60prs/ctn/1.4' N.W.:18kgs G.W.:19kgs
Size:87mmx83mm
TU-802 : Body:P.P
70prs/ctn/1.3'
N.W.:20kgs
G.W.:21kgs
Size:85mmx63mm

CHUNKY Model:TU-315, TU-316, TU-317
TU-315,316
300prs/ctn/1.1'
N.W.:13kgs G.W.:14kgs
TU-317
300prs/ctn/1.1'
N.W.: 13kgs G.W.: 14kgs

CHUNKY Model:TU-311, TU-312, TU-313
TU-311 100prs/ctn/1.4'
N.W.:6.5kgs G.W.:7.5kgs
TU-312 100prs/ctn/1.4'
N.W.: 7kgs G.W.: 8kgs
TU-313 100prs/ctn/1.6'
N.W.:9kgs G.W.:10kgs

CHUNKY Model:TU-301
2000pcs/ctn/1.4'
N.W.:5kgs
G.W.:6kgs

CHUNKY Model:TU-308
2000pcs/ctn/1.4'
N.W.:8kgs
G.W.:9kgs

CHUNKY Model:TU-307
2000pcs/ctn/1.4'
N.W.:7kgs G.W.:8kgs

CHUNKY Model:TU-5003
300pcs/ctn/1.1'
N.W.:7kgs
G.W.:7.5kgs
Size: 5-1/2" /36H

CHUNKY Model:TU-5007
300pcs/ctn/1.1'
N.W.:9.5kgs
G.W.:10kgs
Size:6"/ 36H

CHUNKY Model:TU-5018
200pcs/ctn/1.1'
N.W.: 5kgs
G.W.: 6kgs
O.D.: 160mm
I.D.: 80mm for 28H



CHUNKY Model:TU-5015
300pcs/ctn/1.2'
N.W.:7kgs
G.W.:7.5kgs
Size: 6"/36H

CHUNKY Model:TU-5017
300pcs/ctn/1.2'
N.W.:8.5kgs
G.W.:9kgs
Size: 6"/ 36H

CHUNKY Model:TU-5016
300pcs/ctn/1.2'
N.W.:7kgs
G.W.:7.5kgs
Size: 6"/32H
Other:Size:4-1/2", 5-1-2",6-1/2",7",7-1/2"

For disc brake Hub

EXUSTAR

ADVANCED
E-PR4ST
ROAD

PR4 SERIES

FULL CONTACT AREA | ABRASION GUARD | LOW STACK HEIGHT | TUBULAR LSL BEARINGS

PR3

PRO
E-PR3CKTI
ROAD

PR2

ADVANCED
E-PR2CK
ROAD

PR1

COMP
E-PR1
ROAD

COMP
E-PR200BK
ROAD

SPORT
E-PR104TR-BL
ROAD

PRO
E-PR18CKTI
ROAD

COMP
E-PR70-BK
ROAD

COMP
E-PR50
ROAD

EXPERT
E-PM235-BL
MTB

ADVANCED
E-PM222MGTI
MTB

COMP
E-PM215+
MTB

SPORT
E-PM239
MTB

EXPERT
E-PS8SSP
INDOOR CYCLING

EXPERT
E-PS9
INDOOR CYCLING

EXPERT
E-PS10CA
INDOOR CYCLING

EXPERT
E-PS11SA
INDOOR CYCLING

EXPERT
E-PM825-TRWH
MTB

EXPERT
E-PM228
MID CONTACT AREA

EXPERT
E-PM827
FULL CONTACT AREA

EXPERT
E-PB562-BL
BMX

EXPERT
E-PB557-GR
BMX

EXPERT
E-PB556-IG
BMX

ADVANCED
E-PS817
INDOOR CYCLING

SPORT
E-PC945
URBAN

浩捍實業股份有限公司
Exustar Enterprise Co. Ltd.
www.exustar.com

Taiwan headquarter
No.111, Aly. 23, Ln. 430, Wang-Fu St., Dadu Dist., Taichung City 432, Taiwan
Tel: +886 (0) 4 2693 7999 Fax: +886 (0) 4 2693 8777
Email: exustar@ms76.hinet.net

Specifications subject to change without notice.
Exustar is a trademark of Exustar Enterprise Co. Ltd.
Copyright 2019 © Exustar Enterprise Co. Ltd.
All rights reserved. All other trademarks are the property of their respective owners.

EXUSTAR

PRO
E-SR236
ROAD

SIDEWALL SOLE TECHNOLOGY



PRO
E-SR236A
ROAD

ADVANCED
E-SR253
ROAD

ADVANCED
E-SR2111
ROAD

ADVANCED
E-SR2611
ROAD

COMP
E-SR406
ROAD

COMP
E-SR4113
ROAD

SPORT
E-SR404A
ROAD

ADVANCED
E-SM3011
MTB

COMP
E-SM3136
MTB

COMP
E-SM364-RD
MTB

COMP
E-SM3010
MTB

SPORT
E-SM3110B-RD
MTB

ADVANCED
E-SP319
INDOOR CYCLING

ADVANCED
E-SR4153
INDOOR CYCLING

ALL SIZE SHOES
(Size 35-59)

SPORT
E-SR404B
ROAD

SPORT
E-SM308B
MTB

SPORT
E-SM3110-BKBL
MTB

SPORT
E-SM308D
MTB

SPORT
E-SM825
MTB

SPORT
E-SM324
MTB

SPORT
E-SB7011
BMX

EXPERT
E-SM3113
WINTER

SPORT
E-SS515
SANDALS

SPORT
E-SS503
SANDALS

浩捍實業股份有限公司
Exustar Enterprise Co. Ltd.
www.exustar.com

Taiwan headquarter
No.111, Aly. 23, Ln. 430, Wang-Fu St., Dadu Dist., Taichung City 432, Taiwan
Tel: +886 (0) 4 2693 7999 Fax: +886 (0) 4 2693 8777
Email: exustar@ms76.hinet.net

Specifications subject to change without notice.
Exustar is a trademark of Exustar Enterprise Co. Ltd.
Copyright 2019 © Exustar Enterprise Co. Ltd.
All rights reserved. All other trademarks are the property of their respective owners.

FPD

Welcome To Visit FPD Website,
All Of Our Pedals Are On Our Website.
www.fpd-fasten.com.tw

FPD INDUSTRY CORP. 豐德興業股份有限公司
台中市烏日區五光路189巷136號
No. 136, Ln. 189, Wuguang Rd., Wurih Dist., Taichung City 41470, Taiwan
Tel | +886-4-2338-9808 **Fax** | +886-4-2338-2807 **Mail** | fpd@fpd-fasten.com.tw

FASTEN PRODUCTS MFG (XIAMEN) LTD. 漳浦瑋柏自行車有限公司
中國福建省漳州市漳浦縣佐鎮鎮佐鎮工業園
Jiuzhen Industrial Zone, Jiuzhen Town, Zhangpu County, Zhangzhou city, Fujian, China
Tel | +86-596-3921360 **Fax** | +86-596-3921365 **Mail** | fpdinf@fpdfasten.com

FPD-C39

SIZE	84x85x23mm
WEIGHT	325g/PR
BODY	Alloy painted body
AXLE	Cr-Mo w/6mm Allen-key
BEARING	Sealed bearing
CLEAT	Look KEO compatible

FPD-C40

SIZE	86x90x31mm
WEIGHT	334g/PR
BODY	Alloy painted body
AXLE	Cr-Mo w/6mm Allen-key
BEARING	Loose balls
CLEAT	Look KEO compatible

FPD-C41 NEW

SIZE	82.3x87x28mm
WEIGHT	266g/PR
BODY	Alloy painted body
AXLE	Cr-Mo w/6mm Allen-key
BEARING	Sealed bearing
CLEAT	Look KEO compatible

FPD-C13BA

SIZE	85x65x25mm
WEIGHT	284g/PR
BODY	Alloy painted body
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible

FPD-C13B

WEIGHT	290g/PR
END CAP	Plastic

FPD-C50B

SIZE	84x51x34mm
WEIGHT	320g/PR
BODY	Alloy painted body
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible

FPD-C50L

WEIGHT	338g/PR
BEARING	Loose balls

FPD-C52N

SIZE	79x55x34mm
WEIGHT	320g/PR
BODY	Alloy painted body
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible
END CAP	Alloy

FPD-C63

SIZE	86x90x31mm
WEIGHT	334g/PR
BODY	Alloy painted body
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible

FPD-C21BA

SIZE	82x65x32mm
WEIGHT	375g/PR
BODY	Alloy painted body
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible
END CAP	Alloy

FPD-C21L

WEIGHT	372g/PR
BEARING	Loose balls
END CAP	Plastic

FPD-C68

SIZE	95.2x94.8x29mm
WEIGHT	410g/PR
BODY	One side clip pedal / Alloy body with TPR rubber
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible

NWL-274

SIZE	117.4x66.2x31.8mm
WEIGHT	480g/PR
BODY	Burnished silver alloy body
CAGE	Steel
AXLE	Cr-Mo
BEARING	Loose balls
CLEAT	Shimano compatible single side clip binding

NWL-280B

SIZE	108x66x28mm
WEIGHT	Alloy cage 375g/PR Steel cage 445g/PR
BODY	Burnished silver alloy body
CAGE	Steel / Alloy
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible single side clip binding

NWL-280L

WEIGHT	Alloy cage 370g/PR Steel cage 440g/PR
BEARING	Loose balls

NWL-273B

SIZE	108x66x33mm
WEIGHT	Alloy cage 390g/PR Steel cage 462g/PR
BODY	Burnished silver alloy body
CAGE	Steel / Alloy
AXLE	Cr-Mo
BEARING	Sealed bearing
CLEAT	Shimano compatible single side clip binding

NWL-273L

WEIGHT	Alloy cage 380g/PR Steel cage 454g/PR
BEARING	Loose balls

CT-001

COLOR	RED
CLEAT	Look style drilling compatible
FOR	FPD-C25T / FPD-C33L

CT-003 / 004 / 005

COLOR	CT-003 Red ~ CT-004 Grey ~ CT-005 Black
CLEAT	CT-003 9° ~ CT-004 5° ~ CT-005 0°
FOR	FPD-C34T / FPD-C34 / FPD-C34K / FPD-C36T / FPD-C36 / FPD-C40 / FPD-C37T / FPD-C37 / FPD-C39 / FPD-C41

CT-002

CLEAT	Shimano compatible Single direction release
FOR	FPD-C13BA / FPD-C13B / FPD-C21L / FPD-C21BA / FPD-C50B / FPD-C52N / NWL-273B / NWL-273L / NWL-326B / NWL-326L / NWL-280B / NWL-280L / NWL-274 / FPD-C66 / FPD-C68 / FPD-C63 / FPD-C52N

CT-006

CLEAT	Shimano compatible Multi-direction release
FOR	FPD-C13BA / FPD-C13B / FPD-C21L / FPD-C21BA / FPD-C50B / FPD-C52N / NWL-273B / NWL-273L / NWL-326B / NWL-326L / NWL-280B / NWL-280L / NWL-274 / FPD-C66 / FPD-C68 / FPD-C63 / FPD-C52N

NWL-363

SIZE	93.2x88.4x24mm
WEIGHT	482g/PR
BODY	Burnished silver alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included
TOE CLIP	Included
TOE STRAP	Included

NW-363

SIZE	85x127x25mm
WEIGHT	364g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included
TOE CLIP	Included
TOE STRAP	Included

NWL-402BX NEW

SIZE	102.8x77.1x27mm
WEIGHT	320g/PR
BODY	CNC alloy body
CAGE	Steel
AXLE	Cr-Mo
BEARING	Sealed bearing

FPD-86L

SIZE	102.2x63x23.5mm
WEIGHT	332g/PR
BODY	One piece alloy body
AXLE	Cr-Mo
BEARING	Loose balls

FPD-87B

SIZE	101x64x23mm
WEIGHT	265g/PR
BODY	One piece alloy body
AXLE	Cr-Mo
BEARING	Sealed bearing

FPD-87L

WEIGHT	268g/PR
BEARING	Loose balls

FPD-85FB

SIZE	98x62.5x18mm
WEIGHT	240g/PR
BODY	Polished silver alloy body
CAGE	Alloy
AXLE	Cr-Mo
BEARING	Sealed bearing
TOE CLIP	Available
TOE STRAP	Available

FPD-85FC

WEIGHT	239g/PR
CAGE	W/O Hook

NWL-498B

SIZE	105x62.5x18mm
WEIGHT	Alloy cage 265g/PR Steel cage 316g/PR
BODY	Polished silver alloy body
CAGE	Steel / Alloy
AXLE	Cr-Mo
BEARING	Sealed bearing

NWL-499

SIZE	109x63x20mm
WEIGHT	Alloy cage 340g/PR Steel cage 395g/PR
BODY	Burnished silver alloy body
CAGE	Steel / Alloy
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-499

SIZE	109x63x22.5mm
WEIGHT	Alloy cage 320g/PR Steel cage 385g/PR
BODY	One piece PP body
CAGE	Steel / Alloy
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-517 NEW

SIZE	96.4x62x24mm
WEIGHT	Alloy cage 288g/PR Steel cage 354g/PR
BODY	Burnished silver alloy body
CAGE	Steel / Alloy
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-517 NEW

SIZE	96.4x62x24mm
WEIGHT	Alloy cage 264g/PR Steel cage 334g/PR
BODY	One piece PP body
CAGE	Steel / Alloy
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-90R

SIZE	106x62x25mm
WEIGHT	420g/PR
BODY	One piece PP body
CAGE	Steel / Alloy
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
TOE CLIP	Available
TOE STRAP	Available

NW-90RC

CAGE	W/O Hook

NWL-99K

SIZE	113x82x21mm
WEIGHT	320g/PR
BODY	Burnished silver alloy body
CAGE	Steel / Alloy
AXLE	Boron / Cr-Mo
BEARING	Loose balls

NWL-538L NEW

SIZE	100x100x22mm
WEIGHT	475g/PR
BODY	Casting alloy body
AXLE	Boron / Cr-Mo
BEARING	Loose balls

NWL-216

SIZE	108x100x24mm
WEIGHT	430g/PR
BODY	One piece alloy body with molded pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-122L

SIZE	100x100x21.5mm
WEIGHT	450g/PR
BODY	One piece alloy body with molded pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-122L-RP

SIZE	100x100x21.5mm
WEIGHT	440g/PR
BODY	One piece alloy body with screw pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-303L-RP

SIZE	110x102x21mm
WEIGHT	444g/PR
BODY	One piece alloy body with screw pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-303

SIZE	110x102x21mm
WEIGHT	430g/PR
BODY	One piece alloy body with molded pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-303

SIZE	111x102x23.5mm
WEIGHT	350g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-303NF

BODY	One piece nylon+fiber body
WEIGHT	386g/PR

NWL-219

SIZE	108x100x24mm
WEIGHT	430g/PR
BODY	One piece alloy body with molded pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-219B

BEARING	Sealed bearing

NWL-219-RP

BODY	One piece alloy body with screw pin

NW-302

SIZE	112.5x100x28.5mm
WEIGHT	325g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-487 NEW

SIZE	113.5x105x26.4mm
WEIGHT	316g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-487 NEW

SIZE	113.5x105x26.4mm
WEIGHT	538g/PR
BODY	One piece alloy body with molded pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-478

SIZE	92x80x24mm
WEIGHT	470g/PR
BODY	One piece alloy body with molded pin
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-562B NEW

SIZE	102x98x16mm
WEIGHT	316g/PR
BODY	CNC alloy body with screw pin
AXLE	Cr-Mo
BEARING	Sealed bearing

NWL-563B NEW

SIZE	102x98x16mm
WEIGHT	331g/PR
BODY	CNC alloy body with screw pin
AXLE	Cr-Mo
BEARING	Sealed bearing

NWL-506B

SIZE	101x98x16mm
WEIGHT	310g/PR
BODY	CNC alloy body with screw pin
AXLE	Cr-Mo
BEARING	Sealed bearing

FPD

Welcome To Visit FPD Website,
All Of Our Pedals Are On Our Website.

www.fpd-fasten.com.tw

FPD INDUSTRY CORP. 豐德興業股份有限公司
台中市烏日區五光路189巷136號
No. 136, Ln. 189, Wuguang Rd., Wurih Dist., Taichung City 41470, Taiwan
Tel | +886-4-2338-9808 **Fax** | +886-4-2338-2807 **Mail** | fpd@fpd-fasten.com.tw

FASTEN PRODUCTS MFG (XIAMEN) LTD. 漳浦瑋柏自行車有限公司
中國福建省漳州市漳浦縣佐鎮鎮佐鎮工業園
Jiuzhen Industrial Zone, Jiuzhen Town, Zhangpu County, Zhangzhou city, Fujian, China
Tel | +86-596-3921360 **Fax** | +86-596-3921365 **Mail** | fpdinf@fpdfasten.com

NWL-123B

SIZE	100x100x18mm
WEIGHT	430g/PR
BODY	Forged alloy body with molded pin
AXLE	Cr-Mo
BEARING	Sealed bearing

Painted color / Anodized color available

NWL-123B-RP

SIZE	100x100x18mm
WEIGHT	430g/PR
BODY	Forged alloy body with screw pin
AXLE	Cr-Mo
BEARING	Sealed bearing

Painted color / Anodized color available

NWL-523B

SIZE	100x94x18mm
WEIGHT	318g/PR
BODY	CNC alloy body with screw pin
AXLE	Cr-Mo
BEARING	Sealed bearing

NW-247

SIZE	106x72x25mm
WEIGHT	380g/PR
BODY	One piece PP body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-468

SIZE	111x97.5x32.6mm
WEIGHT	408g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-467

SIZE	110x97x23mm
WEIGHT	385g/PR
BODY	One piece PP body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-467

SIZE	103.5x92.3x23mm
WEIGHT	400g/PR
BODY	Burnished silver alloy body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-358 NEW

SIZE	110.5x93x28mm
WEIGHT	440g/PR
BODY	Burnished silver alloy body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-971

SIZE	109x80x26mm
WEIGHT	480g/PR
BODY	Polished silver alloy body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-360

SIZE	109x70x24mm
WEIGHT	400g/PR
BODY	Burnished silver alloy body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-369

SIZE	112x72x25mm
WEIGHT	480g/PR
BODY	Burnished silver alloy body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-451

SIZE	105x70.6x25.5mm
WEIGHT	340g/PR
BODY	Burnished silver alloy body with TPR rubber
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-496

SIZE	108x75x23mm
WEIGHT	394g/PR
BODY	Burnished silver alloy body with TPR rubber
AXLE	Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-469

SIZE	97x81x23mm
WEIGHT	320g/PR
BODY	Burnished silver alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-217

SIZE	107x66x24mm
WEIGHT	364g/PR
BODY	Burnished silver alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-423

SIZE	97x66x23.5mm
WEIGHT	360g/PR
BODY	Burnished silver alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-936

SIZE	105x72x24mm
WEIGHT	430g/PR
BODY	Burnished silver alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-399N

SIZE	105x73.7x27mm
WEIGHT	436g/PR
BODY	Burnished silver alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NWL-399B

BEARING	Sealed bearing

NWL-484

SIZE	107x70x29mm
WEIGHT	348g/PR
BODY	Burnished silver alloy body
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included
TOE CLIP	Available
TOE STRAP	Available

NW-468A

SIZE	111x97.5x30mm
WEIGHT	397g/PR
BODY	One piece PP body with grip tape
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-479 NEW

SIZE	96x80x21mm
WEIGHT	336.8g/PR
BODY	PP Black body werth NOn-slip rubber
AXLE	Boron / Cr-Mo
BEARING	Loose balls

NW-609 NEW

SIZE	112.6x84x27.3mm
WEIGHT	303g/PR
BODY	One piece PP body with TPR rubber
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-450

SIZE	95x80x23mm
WEIGHT	278g/PR
BODY	One piece PP body
AXLE	Boron / Cr-Mo
BEARING	Loose balls

NW-450NF

BODY	One piece nylon +fiber body
WEIGHT	298g/PR

NW-248

SIZE	108.5x72x30.2mm
WEIGHT	334g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-313

SIZE	110.5x76x26.8mm
WEIGHT	344g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-246

SIZE	106x72x25mm
WEIGHT	380g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-482S

SIZE	109x95x25mm
WEIGHT	360g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-465

SIZE	105x90x23mm
WEIGHT	295g/PR
BODY	One piece PP body
AXLE	Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-476 NEW

SIZE	96.5x82.8x29mm
WEIGHT	300g/PR
BODY	One piece PP body
AXLE	Steel
BEARING	Loose balls
REFLECTOR	Included

NW-477 NEW

SIZE	100.4x74x26mm
WEIGHT	304g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NWL-605 NEW

SIZE	85x75x27mm
WEIGHT	470g/PR
BODY	One piece alloy body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

FPD-1001 NEW

SIZE	122.9x124.7x53.5mm
WEIGHT	689g/PR
BODY	One piece PP body
TOP STRUP	TPR
AXLE	Boron
BEARING	Loose balls
REFLECTOR	Included

NW-366

SIZE	104x97x26mm
WEIGHT	350g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-366NF

BODY	One piece nylon +fiber body
WEIGHT	375g/PR

NW-284

SIZE	108x108x27mm
WEIGHT	362g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-284NF

BODY	One piece nylon+fiber body
WEIGHT	376g/PR

NW-421

SIZE	110x103x26mm
WEIGHT	386g/PR
BODY	One piece PP body
AXLE	Steel / Boron / Cr-Mo
BEARING	Loose balls

NW-421NF

BODY	One piece nylon+fiber body
WEIGHT	426g/PR

NWL-304

FOLDEN SIZE	60x79.3x29mm
NORMAL SIZE	108x79.3x29mm
WEIGHT	300g/PR
BODY	Burnished silver alloy body
CAGE	Alloy with TPR rubber
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included
OPTION	Axle : Alloy Weight : 401g

NW-319

FOLDEN SIZE	60x76x35mm
NORMAL SIZE	109x76x35mm
WEIGHT	475g/PR
BODY	One piece nylon +fiber body
CAGE	Nylon with TPR rubber
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-329P

FOLDEN SIZE	52x74x36.5mm
NORMAL SIZE	112x74x36.5mm
WEIGHT	576g/PR
BODY	Burnished silver alloy body
CAGE	Nylon with TPR rubber
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-306

FOLDEN SIZE	59x74x28.8mm
NORMAL SIZE	109.4x74x28mm
WEIGHT	435g/PR
BODY	One piece PC body
CAGE	Nylon
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

NW-306P NEW

FOLDEN SIZE	59x74x28.8mm
NORMAL SIZE	109.4x74x28.8mm
WEIGHT	477g/PR
BODY	Burnished silver alloy body
CAGE	Nylon
AXLE	Cr-Mo
BEARING	Loose balls
REFLECTOR	Included

www.ht-components.com

Hsing Ta Industrial Co., Ltd
No.129, Sec. 1, Sanmin Rd., Banqiao Dist.,
New Taipei City 220, Taiwan
T 886-2-29616308 F 886-2-29538734
Email:sales@ms.hti-pedal.com.tw

PEDAL TO THE MEDAL

M1 — XC

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Cleat	X1 / X1F / X1E / X2 (HT exclusive)
Size	68 x 45 x 17 mm
Weight	298g/per pr

T1 — Enduro / BMX racing

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Cleat	X1 / X1F / X1E / X2 (HT exclusive)
Size	83.5 x 68 x 16.8 mm
Weight	368g/per pr

patent

X2 — DH / Enduro / BMX racing

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Cleat	X1 / X1F / X1E / X2 (HT exclusive)
Size	85 x 94 x 14 mm
Weight	450g/per pr

X1 — DH / Enduro / BMX racing

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	3 Sealed + DU bushing
Cleat	X1 / X1F / X1E / X2 (HT exclusive)
Size	83.5 x 93.5 x 17 mm
Weight	470g/per pr

D1 — Dual function

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Cleat	X1 / X1F / X1E / X2 (HT exclusive)
Pins	Replaceable grip pins
Size	80 x 90 x 14 mm
Weight	388g/per pr

new

GT1 — Enduro

Body	Aluminum
Spindle	CNC machined Cr-Moly
Bearing	Sealed + DU bushing
Cleat	X1 / X1F / X1E / X2 (HT exclusive)
Size	73.2 x 94 x 17 mm
Weight	400g/per pr

PK01G — Road

Body	Nylon Composite
Spindle	CNC machined Cr-Moly(cartridge)
Bearing	Sealed + DU bushing
Cleat	HS / H7 / LOOK cleat compatible
Size	86 x 65 mm
Weight	218g/per pr

PK01 — Road

Body	Carbon Composite
Spindle	CNC machined Cr-Moly
Bearing	Sealed + DU bushing
Cleat	HS / H7 / LOOK cleat compatible
Size	86 x 65 mm
Weight	199g/per pr

ME03T — DH / FR / DJ

Body	Extruded CNC machined Magnesium
Spindle	CNC machined Ti
Bearing	EVO⁺ system + IGUS bushing
Pins	Replaceable aluminum grip pins
Size	102 x 96 x 11 mm (ultra thin)
Weight	218g/per pr

patent

ME05T — DH / FR / DJ

Body	Extruded CNC machined Magnesium
Spindle	CNC machined Ti
Bearing	EVO⁺ system + IGUS bushing
Pins	Replaceable grip pins
Size	100 x 96 x 17 mm (central 11mm thin)
Weight	242g/per pr

patent

AE03 — DH / FR / DJ

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	EVO⁺ system + IGUS bushing
Pins	Replaceable grip pins
Size	102 x 96 x 11 mm (ultra thin)
Weight	352g/per pr

patent

AE05 — DH / FR / DJ

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	EVO⁺ system + IGUS bushing
Pins	Replaceable grip pins
Size	100 x 96 x 17 mm (central 11mm thin)
Weight	360g/per pr

patent

AE06 — DH / FR / DJ

Body	Extruded CNC machined Aluminum
Spindle	CNC machined Cr-Moly
Bearing	EVO⁺ system + IGUS bushing
Pins	Replaceable grip pins
Size	110 x 100 x 14.5 mm (central 12.7mm)
Weight	415g/per pr

ANS01 — DH / FR / DJ

Body	Extruded CNC machined Aluminium
Spindle	CNC machined Cr-Moly
Bearing	3 sealed + DU bushing
Pins	Replaceable grip pins
Size	94 x 95 x 16 mm
Weight	372g/per pr

ANS08 — DH / FR / DJ

Body	Extruded CNC machined Aluminium
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Pins	Replaceable grip pins
Size	110 x 100 x 17 mm
Weight	398g/per pr

ANS10 — DH / FR / DJ

Body	Extruded CNC machined Aluminium
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Pins	Replaceable grip pins
Size	100 x 100 x 17 mm
Weight	368g/per pr

AN14A — DH / FR / DJ

Body	Extruded CNC machined Aluminium
Spindle	CNC machined Cr-Moly
Bearing	Dual sealed + DU bushing
Pins	Replaceable grip pins
Size	94 x 95 x 17 mm
Weight	475g/per pr

PA03A — DH / FR / DJ

Body	Nylon Composite
Spindle	CNC machined Cr-Moly
Bearing	Dual sealed + DU bushing
Pins	Replaceable girp pins
Size	107 x 105 x 18 mm
Weight	350g/per pr

PA01A — DH / FR / DJ

Body	Nylon Composite
Spindle	CNC machined Cr-Moly
Bearing	Dual sealed + DU bushing
Pins	Replaceable girp pins
Size	100 x 95 x 18 mm
Weight	354g/per pr

AR06 — Mini velo

Body	Extruded CNC machined Aluminium
Spindle	CNC machined Cr-Moly
Bearing	Sealed + IGUS bushing
Pins	Replaceable pins
Size	94 x 72 x 17 mm
Weight	263g/per pr

Kamigawa®
Z z plus®

KAMIGAWA CO., LTD
No.51, Chung shan N. Rd., Da'an Dist.Taichung City 43963,Taiwan
TEL: + 886-4-2687-0301 FAX: +886-4-2687-0300
E-mail: kamigawa@ms51.hinet.net

上川事業股份有限公司
台中市大安區中山北路51號
電話: + 886-4-2687-0301 傳真: +886-4-2687-0300
E-mail: kamigawa@ms51.hinet.net

www.kamigawa.com.tw

UP-112

MTB
Body: Alloy body w/steel or alloy cage (reflector & toe clip attachable)
Spindle: Cr-mo/boron/steel
Size: 90mm x 62mm
Weight: 500g/prs.

UP-132

MTB
Body: P.P. body w/steel or alloy cage (reflector & toe clip attachable)
Spindle: Cr-mo/boron/steel
Size: 94mm x 62mm
Weight: 360g/prs.

UP-205

BMX
Body: 1-PC aluminum alloy pedal body w/snap-in reflector
Spindle: Cr-mo/boron/steel
Size: 98mm x 90mm
Weight: 500g/prs.

UP-214

MTB
Body: 1-PC aluminum alloy pedal (reflector & toe clip attachable) Low profile design.
Spindle: Cr-mo/boron/steel
Size: 95mm x 64mm
Weight: 360g/prs.

UP-227N

BMX/Freestyle for 20"
Body: 1-PC aluminum alloy pedal W/built-in reflector
Spindle: Cr-mo/boron/steel
Size: 92mm x 92mm
Weight: 420g/prs.

UP-231

City/Trekking for 24"-26"
Body: Die csting alloy pedal w/rubber mounted non-slip type
Spindle: Cr-mo/boron/steel
Size: 96mm x 70mm
Weight: 360g/prs.

UP-303N

MTB for 24"-26"
Body: 1-PC P.P.
Spindle: Cr-mo/boron/steel
Size: 97mm x 83mm
Weight: 300g/prs.

UP-353N

City/Trekking
Body: 1-PC P.P. w/rubber mounted Non-slip type
Spindle: Cr-mo/boron/steel
Size: 97mm x 75mm
Weight: 380g/prs.

UP-360

MTB for 26"
Body: 1-PC P.P.
Spindle: Cr-mo/boron/steel
Size: 95mm x 72mm
Weight: 340g/prs.

UP-324

BMX/Freestyle for 20"
Body: 1-PC P.P.
Spindle: Cr-mo/boron/steel
Size: 95mm x 80mm
Weight: 360g/prs.

UP-234

Road
Body: 1-PC aluminum alloy pedal body w/snap-in reflector
Spindle: Cr-mo/boron/steel
Size: 90mm x 87 mm
Weight: 340g/prs.

UP-364

BMX/Freestyle for 18",20"
Body: 1-PC P.P.hi-impact body Insert in reflector
Spindle: Cr-mo/boron/steel
Size: 92mm x 92mm
Weight: 300g/prs

UP-233

MTB
Body: 1-PC aluminum alloy pedal body w/snap-in reflector
Spindle: Cr-mo/boron/steel
Size: 100mm x 110 mm
Weight: :490g/prs.

UP-226

City/Trekking
Body: Die csting alloy pedal w/rubber mounted non-slip type
Spindle: Cr-mo/boron/steel
Size: 95mm x 70mm
Weight: 440g/prs.

Z-1118(Jelly)

Folding
Body: 1-PC PC hi-impact body
Cage.W/slip resistant design. PC Pull Bar
Spindle: Cr-mo/boron/steel
Colour: Transparent,Yellow,Orange,Pink,Red,Black,Green,Lime,Blue,Purple
Size: 93mm x 72mm x 24mm
Weight: 350g/ prs.

KEHAO

格 豪

E-mail: kehao@ms19.hinet.net

KEHAO CO., LTD

No. 5,Lane 14, Yuheng St., Lukang,
Changhwa, Taiwan.
Tel: 886-4-7778638, 7778655
Fax: 886-4-7786428

NEW

KP-105
CNC Aluminum.
Size 96 x 107 x 18 mm
Weight 480g/pr

NEW

KP-106
CNC Aluminum.
Size 96 x 107 x 18 mm
Weight 480g/pr

NEW

KP-217
Aluminum.
Size 99 x 105 x 22 mm
Weight 510g/pr

NEW

KP-606
PC or Nyloy
Size 100 x 94 x 24 mm
Weight 360g/pr

KP-102
Aluminum.
Size 92 x 93 x 21 mm
Weight 390 g/pr

KP-103
Aluminum.
Size 90 x 93 x 27 mm
Weight 410g/pr

NEW

KP-607
PC or Nyloy
Size 100 x 94 x 24 mm
Weight 360g/pr

KP-382
Aluminum.
Size 96 x 63 x 24 mm
Weight 340g/pr

NEW

KP-383
Aluminum.
Size 90 x 75 x 25 mm
Weight 410 g/pr

KP-387
Aluminum.
Size 92 x 66 x 25 mm
Weight 370 g/pr

KP-215
Aluminum.
Size 100 x 98 x 25 mm
Weight 510g/pr

KP-500
Aluminum.
Size 99 x 83 x 26 mm
Weight 450g/pr

KP-707
Aluminum.
Size 102 x 93 x 31 mm
Weight 440g/pr

KP-313
Aluminum.
Size 99 x 91 x 27 mm
Weight 500g/pr

KP-366
Aluminum/PVC
Size 94 x 77 x 27 mm
Weight 450g/pr

KP-868
Aluminum/PVC
Size 98 x 68 x 28 mm
Weight 470g/pr

KP-945A
Aluminum.
Size 90 x 65 x 26 mm
Weight 360g/pr

KP-940A
Aluminum.
Size 89 x 63 x 25 mm
Weight 370g/pr

KP-361
Aluminum./rubber
Size 98 x 72 x 28 mm
Weight 560g/pr

KP-365
Aluminum ./rubber
Size 95 x 69 x 27 mm
Weight 430g/pr

KP-100R
Steel / PVC
Size 108 x 62 x 32 mm
Weight 550g/pr

KP-723
Steel / PVC
Size108 x 77 x 23 mm
Weight 480g/pr

KP-386
Aluminum.
Size 94 x 78 x 26 mm
Weight 410g/pr

KP-385
Aluminum.
Size 94 x 78 x 27 mm
Weight 456g/pr

KP-208
Aluminum.
Size 93 x 105 x 17 mm
Weight 500 g/pr

MTB Toe Clip
KMT-01 steel, M/L
KMT-02 Nylon, M
KMT-03 Steel, M/L
KMT-06 Nylon, L

ROAD Toe Clip
KRT-01 steel, M/L
KRT-02 Nylon, L
KRT-03 steel, M/L
KRT-06 steel, M/L

STRAP
KSP-01 Leather, 430 mm
KSP-02 Nylon, 450mm
KSP-03 Nylon, 450mm
KSP-06 Leather, 430mm

Light Alloy Folding Pedal
Sealed Bearing System.
Cr-Mo Axle.
Material：Alloy+Steel.
Size：90mm x 60mm x 20mm
Weight：364g／Pairs

MDH

www.mdh-lohas.com

CNC Finished
3D Structural mechanics
9/16c Cr-Mo Axis

MANDAI ALUMINUM CO., LTD.
No. 141, Jen-Ho Rd., Nankang Industrial Zone, Nantou City, Taiwan
E-mail：info@mdh-lohas.com

UNION® Since 1899
xerama
MARWI® GROUP

Marwi Taiwan Industrial Co., Ltd.
TEL：+886-4-2688-1234
FAX：+886-4-2687-1117
E-mail：info@marwi.com.tw

Marwi Indonesia
P.T.Xerama Bicycle Industrial
TEL：+62-21-5981111
FAX：+62-21-5981570
E-mail：info@marwi.com.tw

Marwi Europe B.V.
TEL：+31-10-2088060
FAX：+31-10-2088069
E-mail：info@marwi.nl

SP-102

BR BA BS SO

Body	One piece aluminium
Size	108 x 102mm
Weight	434 gram/pair

SP-309

BR BA BS SO

NEW

Body	One piece aluminium
Size	112 x 100 mm
Weight	574 gram/pair

SP-308

BR BA BS SO

NEW

Body	One piece aluminium
Size	114 x 107 mm
Weight	635 gram/pair

SP-1210

CM TCS SA

Body	AL-6061 Extrusion T6
Size	104 x 100mm
Weight	304 gram/pair

SP-1410

CM CBS SA

NEW

Body	AL-6061 Extrusion T6
Size	110 x 100 mm
Weight	412 gram/pair

SP-1300

CM TCS SA

Body	AL-6061 Extrusion T6
Size	110 x 100mm
Weight	416 gram/pair

SP-1090

CM NCS SA

Body	AL-6061 Extrusion T6
Size	97 x 100mm
Weight	300 gram/pair

SP-460

BR BA BS
or TW

Body	PP
Size	110 x 100 mm
Weight	305 gram/pair

SP-600

BR LBA SD
CNC BS SO

Body	One piece aluminium & CNC side
Size	102 x 78mm
Weight	274 gram/pair

SP-2662

BR LBA BS SI or
SO AL BA

Body	Aluminium with cage
Size	102 x 76mm
Weight	272 gram/pair

SP-931

BR BA BS SI or SO
ST PC or AL AN

Body	PP
Size	102 x 79mm
Weight	316 gram/pair

SP-510

BR BA ED BS or
TW SO

Body	One piece aluminium
Size	105 x 79mm
Weight	368 gram/pair

AXLE		BEARING		BODY		CAGE	
BR	Boron steel	TCS	Thrust + Cartridge System	SA	Sand blasting + Anodized color	AL	Aluminium
CM	CrMo steel	NCS	Needle + Cartridge System	SD	Sand blasting + ED black	ST	Steel
T	Titanium	CBS	Cartridge + Bushing System	ED	ED black	NL	Nylon
		LBA	Lightweight Ball type, adjustable	LP	Liquid painting color	AN	Anodized
		BA	Ball type, adjustable	CNC	Body corner with CNC processed	BA	Black anodized
		BC	Ball type, classic			BC	Black coated
		NB	Non-Ball type,adjustable			PC	Powder-coated
		BL	Ball less			CNC	CNC processed

REFLECTOR	
BS	Approved
TW	Non-Approved
SI	Screw-in
SO	Snap-on
OB	Snap-on & build-in

SP-2150

CM CBS SD
BS SO

NEW

Body	One piece aluminium
Size	99 x 72 mm
Weight	303 gram/pair

SP-2160

CM CBS SD
BS SO

SP-160

BR LBA SD
BS SO

Body	One piece aluminium
Size	101 x 87mm
Weight	334 gram/pair

SP-910

BR BA BS SI or SO
ST PC or AL AN

Body	Aluminium with cage
Size	102x63mm
Weight	370 gram/pair

SP-823

BR BA BS or TW

Body	Aluminum with PP and non-slip inlay
Size	103x78x26mm
Weight	291gram/pair

SP-827

BR LBA
BS or TW

Body	PP with non-slip inlay
Size	111 x 90mm
Weight	364 gram/pair

SP-828

BR LBA BS

Body	Aluminium with PP and non-slip inlay
Size	111 x 90mm
Weight	516 gram/pair

SP-810

BR BA BS or TW

NEW

Body	Aluminium with non-slip inlay
Size	107 x 70mm
Weight	553 gram/pair

SP-813

BR BA BS
or TW

Body	PP with non-slip inlay
Size	110 x 69mm
Weight	290 gram/pair

SP-835

BR BA BS
or TW

Body	PP with non-slip inlay(grey) with additional side reflector
Size	97 x 72mm
Weight	334 gram/pair

SP-821

BR BA BS
or TW

NEW

Body	Aluminium with pp and non-slip inlay
Size	105 x 82 mm
Weight	317 gram/pair

SP-807

BR BA BS
or TW

Body	PP (black or grey) with non-slip inlay (grey or black)
Size	108 x 74mm
Weight	366 gram/pair

SP-153

BR BA BS NL

Function	Foldable to both sides
Body	Aluminium body / Nylon cage with non-slip inlay
Size	110 x 70mm
Weight	470 gram/pair

SCADA
新可大國際股份有限公司
Scada International Co. Ltd.
No.3, E. 2nd St., Youth Ind. Park, Dajia Dist.,
Taichung City 43770, Taiwan
Tel: 886-4-26822656 Fax: 886-4-26811616
www.scada-tw.com scadatw@ms78.hinet.net

Innovation . Precision . Quality

SC-R304ST

NEW SC-KCR72

NEW SC-KCB02

SC-R702

SC-R502

SC-RSL11

SC-BSL11

SC-R703

SC-M120

NEW SC-M140

SC-M208



SC-M117-1

SC-M119

SC-M122

SC-M138

SC-M126

SC-M216

SC-M203



SC-M204-1

SC-M213



Welcome to e-mail your OEM or ODM requirements.

SCADA
新可大國際股份有限公司
Scada International Co. Ltd.
No.3, E. 2nd St., Youth Ind. Park, Dajia Dist.,
Taichung City 43770, Taiwan
Tel: 886-4-26822656 Fax: 886-4-26811616
www.scada-tw.com scadatw@ms78.hinet.net

Innovation . Precision . Quality

SC-R904

SC-R701B

SC-M129



NEW SC-M307

SC-B680

SC-B678

SC-B601-1

SC-B655-1

NEW SC-B631

NEW SC-B686

SC-B676

SC-B625

SC-B649

SC-B682

SC-C821

SC-C823

SC-C805

SC-C811

NEW SC-C825

SC-CCG01

Welcome to e-mail your OEM or ODM requirements.

R344

WEIGHT	360g
BODY	Aluminum
FINISH	ED black or painted
SPINDLE	Cr-Mo
BEARING	Needle / Sedaled
SIZE	85.5 x 88.5 x 29.7 mm

C347

WEIGHT	350g
BODY	Aluminum
CAGE	Aluminum
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	108 x 80 x 27.5 mm

C348

WEIGHT	370g
BODY	Aluminum
CAGE	Aluminum
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	108.5 x 80 x 27.5 mm

C305

WEIGHT	255g
BODY	Aluminum
CAGE	Aluminum
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	99.5 x 80 x 22 mm

C306

WEIGHT	250g
BODY	Aluminum
CAGE	Aluminum
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	95.5 x 80 x 22 mm

B333

WEIGHT	425g
BODY	6061 CNC Aluminum
FINISH	Anodized
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	108.7 x 100 x 28.6 mm

B331B

WEIGHT	455g
BODY	Aluminum
FINISH	ED black or painted
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	112 x 100 x 25.4 mm
OPTION	B331DU as 2DU with mold pin

B335

WEIGHT	305g
BODY	Plastic black
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	111.1 x 113.2 x 24 mm
OPTION	B335M as mold pin

B289

WEIGHT	305g
BODY	Plastic black
SPINDLE	Boron
BEARING	Polymer bearing
SIZE	109.3 x 96 x 30 mm

J345

WEIGHT	205g
BODY	Plastic black
SPINDLE	Boron
BEARING	Polymer bearing
SIZE	83.5 x 93 x 25 mm

C330

WEIGHT	475g
BODY	Aluminum with kraton top
FINISH	Barrel silver
SPINDLE	Boron
BEARING	Polymer bearing
SIZE	106.8 x 109.4 x 26 mm

C337

WEIGHT	425g
BODY	Aluminum with kraton top
FINISH	Barrel silver
SPINDLE	Boron
BEARING	Polymer bearing
SIZE	114.3 x 82 x 29.2 mm

C336

WEIGHT	395g
BODY	Aluminum
FINISH	ED black or painted
SPINDLE	Boron
BEARING	Polymer bearing
SIZE	114.3 x 82 x 26 mm

C339

WEIGHT	240g
BODY	6061 CNC Aluminum
FINISH	Anodized
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	86.5 x 78 x 20 mm

C350

WEIGHT	270g
BODY	6061 CNC Aluminum
FINISH	Anodized
SPINDLE	Cr-Mo
BEARING	DU / Sealed
SIZE	95.8 x 78.5 x 20 mm

C324

WEIGHT	325g
BODY	Aluminum
FINISH	ED black or painted
SPINDLE	Cr-Mo
BEARING	Polymer bearing
SIZE	93.2 x 100 x 23.8 mm

C244

WEIGHT	285g
BODY	Plastic black
SPINDLE	Boron
BEARING	Polymer bearing
SIZE	108.5 x 69.3 x 27 mm

E342

WEIGHT	440g
BODY	Aluminum
FINISH	ED black
SPINDLE	Cr-Mo
BEARING	3 Sealed
CLEAT	RC-5 / RC-6 compatible
SIZE	85 x 93.7 x 38.7 mm

E343

WEIGHT	550g
BODY	Aluminum
FINISH	ED black
SPINDLE	Cr-Mo
BEARING	3 Sealed
CLEAT	98A or RC-5 / RC-6 compatible
SIZE	85 x 93.7 x 47.7 mm

E349

WEIGHT	310g
BODY	Plastic black
SPINDLE	Cr-Mo
BEARING	Needle / Sealed
SIZE	101.3 x 79.5 x 25.3 mm

wellgo

WELLGO PEDAL'S CORP.

No.3, Gong 7th Road, Youth Ind.Park, Dajia Dist.,Taichung City 437, Taiwan

TEL: 886-4-26816991-5 FAX: 886-4-2681-6988, 2681-6998 HTTP: //www.wellgopedal.com E-MAIL: wd@wellgopedal.com

xpedo

WWW.XPEDO.COM SERVICE@XPEDO.COM

M-FORCE

CXR [XMF10AT, XMF10AC]

- 240g(Ti); 295g(Cr)
- 6061 Forged Aluminum
- 3 Sealed
- 53(mm)
- 54 x 63 x 18(mm)
- Titanium or Cromoly
- Square SWP
- XPT (6° Float)

M-FORCE 8 [XMF08TT, XMF08TC]

- 215g(Ti); 260g(Cr)
- Titanium Investment
- 3 Sealed
- 53(mm)
- 51 x 42 x 18(mm)
- Titanium or Cromoly
- Square SWP
- XPT (6° Float)

M-FORCE 4 [XMF4AT, XMF4AC]

- 230g(Ti); 285g(Cr)
- 6061 Forged Aluminum
- 3 Sealed
- 53(mm)
- 51 x 42 x 118(mm)
- Titanium or Cromoly
- Square SWP
- XPT (6° Float)



BALDWIN [XMF09AT, XMF09AC]

- 292g(Ti); 332g(Cr)
- 6061 CNC Aluminum
- 3 Sealed
- 53(mm)
- 62 x 76 x 19(mm)
- Titanium or Cromoly
- Square SWP
- XPT (6° Float)

R-FORCE

THRUST SL [XRF11CT, XRF11CC]

- 164g(Ti); 202g(Cr)
- Carbon Injection-Molded
- 3 Sealed
- 53(mm)
- 62 x 89 x 25(mm)
- Titanium or Cromoly
- Adjustavle MDU
- THRUST 7 (6° Float or Fixed)

THRUST 8 [XRF08CT, XRF08TC]

- 170g(Ti); 210g(Cr)
- Carbon Injection-Molded
- 3 Sealed
- 53(mm)
- 62 x 92 x 19(mm)
- Titanium or Cromoly
- Square SWP
- THRUST 7 (6° Float or Fixed)

THRUST NXS [XRF10NC]

- 220g
- NEP Injection Mold
- 3 Sealed
- 53(mm)
- 62 x 92 x 19(mm)
- Cromoly
- Square SWP
- THRUST 7 (6° Float or Fixed)

THRUST NXL [XRF09NC]

- 245g
- NEP Injection Mold
- 3 Sealed
- 53(mm)
- 62 x 92 x 20(mm)
- Cromoly
- Square SWP
- THRUST 7 (6° Float or Fixed)

C-FORCE

TRVS 9 [XCF09AC]

- 296g
- 6061 CNC Aluminum
- 1 Sealed / 1 DU
- 70 x 78 x 18(mm)
- Cromoly
- 32 Striaight Pins per pair

TRVS 8 [XCF08MT, XCF08MC]

- 190g(Ti); 254g(Cr)
- Magnesium
- 1 Sealed / 1 DU
- 83 x 80 x 31(mm)
- Titanium or Cromoly
- 24 Straight Pins per pair

TRVS DUO [XCF12AC]

- 295g
- 6061 Forged Aluminum
- 3 Sealed
- 53mm
- 67 x 90 x 22(mm)
- Cromoly
- Square SWP
- XPT (6° Float)

MILO [XCF13AC]

- 345g
- Aluminum
- 3 Sealed
- 53mm
- 87 x 73 x 19(mm)
- Cromoly
- Square SWP
- XPC (6° Float)

MX-FORCE

AMBIX [XTF03AC]

- 386g
- Aluminum
- 3 Sealed
- 57(mm)
- 102 x 84 x 19(mm)
- Cromoly
- Square SWP
- XPC (6° Float)

GFX [XGF04AC]

- 468g
- 6061 CNC Aluminum
- 3 Sealed
- 56(mm)
- 105 x90 x18(mm)
- Cromoly
- Square SWP
- XPT (6° Float)

SPRY [XMX24MC]

- 270g
- Magnesium
- 2 Sealed / 1 DU
- 101 x 106 x 11(mm)
- Cromoly
- 28 Straight Pins per pair

ZED [XMX27AC]

- 380g
- 6061 CNC Aluminum
- 2 Sealed / 1 DU
- 110 x 110 x 12(mm)
- Cromoly
- 32 DAX Pins per pair

TAIWAN
No.816, Changsheng Rd., Waipu Dist., Taichung City 43865, Taiwan.
TEL: 886 4 2683 5001 / FAX: 886 4 2683 2604
E-mail: tw-sales@vpcomponents.com

VPE-017P
BODY Extruded / CNC machined aluminum body inlaid Grip tread.
SIZE 110.5 x 82.5 x 20.5 mm.
WEIGHT Fineline included. TW

VP-532
BODY One-piece nylon body.
SIZE 112 x107 mm
WEIGHT TW

VP-R75
BODY Coated aluminum.
SIZE 86.5 x 77.5 mm.
WEIGHT Optional. (VP-R2 black.) TW

VP-S5
BODY Coated aluminum body.
SIZE 115.5 x 100 mm.
WEIGHT 485 g/pr.

VP-ARC6 4.5° FLOAT
VP-ARC6 9° FLOAT

VP-B300AC
SIZE 1-1/8" or 1-1/8" upper 1-1/2" lower.
DIAMETER Ø28.6 / Ø41.8 - Ø49 / Ø39.8.
STACK HEIGHT 3.0 mm

VP-B402AC
SIZE 1-1/8" upper + 1-1/2" lower.
DIAMETER Ø28.6 / Ø41.8 - 51.8 /Ø39.8.
STACK HEIGHT 10.7+0.6=11.3

LA-Z30AM
SIZE 1-1/8" upper + 1-1/2" lower.
DIAMETER Ø28.6 / Ø44 - Ø56 / Ø39.8.
STACK HEIGHT 17.9+3.3=21.2mm

VP-Z101AC
SIZE 1-1/8".
DIAMETER Ø28.6 / Ø44 / Ø30.
STACK HEIGHT 8.4+3.4=11.8

VP-J305AC
SIZE 1-1/8" upper + 1-1/2" lower.
DIAMETER Ø28.6 / Ø44 - Ø56 / Ø39.8.
STACK HEIGHT 12.9+3=15.9

VP-BC73
THREAD BC1.37" x 24T.
AXLE Boron steel.
WEIGHT 155 g.

RR-BB386-24
AXLE 24mm througt.
WEIGHT 82 g

VPG-BS11
WATERIAL PC / Silicone
SIZE ID 22mm x OD 30mm x L 140mm

VPG-125
MATERIAL PP / TPR
SIZE ID 22.2mm x OD 30mm x L 136mm

VPG-BS06
MATERIAL 100% Silicone
SIZE L 128.7 mm x OD 32 mm

VPT-3307 / VPT-3302H
MATERIAL PU / EVA Foamed
SIZE L 210cm x 30mm x 2.5mm

MODUS

SPC-771F-X12
BODY Aluminium
AXLE AL7075

SPC-771R-X12
BODY Aluminium
AXLE Cr-Mo

MD-JA763F-X12
BODY Aluminium
AXLE AL7075

MD-JA763R-X12
BODY Aluminium
AXLE Cr-Mo

JA731F-DSE
BODY Aluminium
AXLE AL7075

JA731R-DSE
BODY Aluminium
AXLE Cr-Mo

PEDOTEC

POWER AND CADENCE

en.apms.tw apms@apms.tw

FORMULA PA1

POWER METER

Double-side

PT-KCR72

FORMULA PS1

POWER METER

Double-side

PT-C01F

FORMULA P3

POWER METER

Double-side

PT-ARC1

FORMULA RP-M1

CADENCE

FORMULA RP-M2C

CADENCE

FORMULA RP-M2CS

CADENCE

PT-C01F

FORMULA RP-M3

CADENCE

PT-C01F

FORMULA RP-P1

CADENCE

PT-KCR72

PT-Arrow158

PT-KCR72

Keo System

PT-Arrow166

PT-KCR72

Keo System

PT-Arrow119

PT-KCR72

Keo System

PT-Arrow148

Double-side

PT-RSL11

Shimano System

PT-Aegis169

PT-C01F

PT-Aegis156

PT-C01F

PT-Aegis175

PT-C01F

PT-Aegis279

PT-C01F

PT-Aegis244

Double-side

15° Angle

PT-C01F

PT-Thunder189

PT-Thunder148

PT-Thunder117

MG magnesium

PT-Thunder220

PT-Thunder225

PT-Thunder180

PT-Thunder183

亞柏邁斯國際股份有限公司
APMS International Co. Ltd.

Tel: +886-4-26815280 Fax: +886-4-26815281
43770台中市大甲區幼獅工業區東二街3號2樓
2F., No.3, E. 2nd St., Youth Ind. Park, Dajia Dist.,
Taichung City 43770, Taiwan

AZURE BIKE INT'L CO., LTD.
LINK BICYCLE CO., LTD.
T. +886-4-8283370 F. +886-4-8283371
152 Yuanlu Rd. Sec. 2, Puxin Township, Changhua, Taiwan
T. +86-512-57381067 F. +86-512-57393337
1019 Tong Fong E. Rd., Kunshan, Jiangsu, China
ben@linkbike.com.tw;
gretalai@linkbike.com.tw
www.linkbike.com

LK-M700
Ø28.6x315~401mm/360~489mm/
440~496mm/440~569mm/ 440~580mm
AL6061-T6 Forged
900~980g

LK-M702
Ø25.4 Quill x 430mm
Steel
Angle 12°
895g

LK-3150DB
Ø31.8x400/420/440mmW
AL6061-T6 Double-Butted
Reach 70mm, Drop 140mm
395g(420mm)
Internal Routing Available

LK-M704
Ø28.6x250mm
Left Folding
Steel
500g

LK-CREATOR19
FOLDING STEM-BAR
PATENTED

AL6061-T6 Forged Arms
28.6mm x 560mm or Customized
570g(560mm)

LK-3156DB
Ø31.8 Clamp
400/420/440/460/480mmW
AL6061-T6 Double-Butted
Drop 60/90/110mm
Flared 20°
305g(420mm)

LK-3157DB
Clamp Ø25.4/31.8
400/420/440/460/480mmW
AL6061 Double-Butted
Bull Horn
320g(420mm)

LK-3152DB
Ø31.8x400mmW
AL6061-T6 Double-Butted
Bull Horn
340g

BEV INT'L CORP. BEVATO INTERNATIONAL CORP.

No. 314-1, Sec. 1, Chung-San Road, Tachia Dist., Taichung City, Taiwan, 43750
Tel: 886-4-2688-6780 Fax: 886-4-2688-5780
E-mail: BEV.INTL@msa.hinet.net
Website: www.bev-intl.com
Executive:Johnson Huang

◀ HBT-6111-COB
Triathlon extension bar with bridge

▲ BSC-316
Light weight carbon wrap stem,+/-6°
ext : 80 ~ 130mm

▲ BSC-317
Light weight round shape carbon wrap stem ,+/-6°
ext : 80 ~ 130mm

▲ BEC-212
Full carbon bar end

▲ BEC-214
Full carbon bar end,

▶ BSC-323
MTB carbon wrap stem,
28.6*31.8, 90/100/110/
120/130/150/180mm,35°,
Height:50mm

▲ HBC-5101
In C-C 42cm & 44cm,
ext: 90/100/110/120/130mm

▲ BSC-324
+/-7°ext :60~130m,
stack height:41mm
for both MTB &
road bike use

New

▲ BSC-320
Light weight carbon
wrap stem,+/-6°
ext:60~130mm

◀ BBS-010
BEVATO cool bell,
angle adjustable,
easy to apply

▲ HBC-5013
monocoque road bar,
barbore: 31.8, C-C: 40, 42 & 44cm,
drop: 128mm, reach: 73mm

▶ BBS-012
classic brass bell
for 22.2, 25.4 &
31.8mm size

▲ BBS-012P
classic brass with plastic
bottom for 22.2 & 25.4mm size

▲ HBC-5015
Gravel racing bar
Drop:125mm,
reach: 80mm, C-C: 40, 42 & 44cm

▲ BCN-228
GoPro
handle bar mount

▲ Stem bell
Angle adjustable,
apply on top of stem

▲ BCN-201P
Plastic computer mount for
25.4, 26, 31.8mm size use

▶ BCN-231
For Garmin 1000 mount
BCN-220 for Garmin
200/500/800 model

▶ BCN-229
GoPro mount on stem,
angle adjustable

▼ BCN-205
Light mount for
use on the fork

▲ BEC-301ST
Black carbon tape
set with carbon plugs

▲ BEC-305ST-W
White carbon look handle
bar tape w/3M backing,
w/carbon end plugs

▲ BEC-306
High end full carbon
plug set

New

▲ BCN-232
For GoPro & Garmin mount

▶ BCN-216
Light / computer
holder on stem

ORION

軒馬(結成)企業有限公司 CHUAN MA INC.
#110 , ALLEY15 , CHANSHOULANE , YONGJING TOWNSHIP, CHANGHUA COUNTY 51246, TAIWAN Web site:www.jyechen.com.tw
TEL : 886-4-8248308 FAX : 886-4-8248313 E-mail:housee@ms16.hinet.net

AL-C3-LA
AL-6061PG
Raise : 30mm
Bar center:25.4mm

ATB-11FC-318
Full Carbon
Bar center:31.8mm

DH-072DB6-318
AL-6061DB
Raise : 20mm
Bar center:31.8mm

DH-07DB6-318
AL-6061DB
Raise : 40mm
Bar center:31.8mm

DH-076PG6-318
AL-6061PG
Raise : 60mm
Bar center:31.8mm

JDL-103DB6-350
AL-6061DB
Bar center:35.0mm

JDL-119FC-318
Full Carbon
Bar center:31.8mm

JDL-103DB6-318
AL6061DB
Bar center:31.8mm

JDL-163DB6-350
AL-6061DB
Bar center:35.0mm

JDL-159DB7C-318
AL-7075+Carbon
Bar center:31.8mm

JC-831T-318
AL-6061
Bar center:31.8mm

JR-69AL
AL-6061
Bar center:25.4mm

JR-91AL-3
AL-6061
Raise: 55mm
Bar center:25.4mm

JR-67AL
AL-6061
Raise: 25mm
Bar center:25.4mm

JDL-121DB6-318
AL-6061DB
Bar center:31.8mm

JDL-123DB6-254
AL-6061DB
Raise : 80mm
Bar center:25.4 / 26.0mm

JDL-118DB6-318
AL-6061DB
Bar center:31.8mm

JBD-18RAL

JBD-18RCAL

JBD-161RAL

JBD-23RAL

禾勝工業有限公司
HER SHENG INDUSTRY CO., LTD.
No. 49-1, Hawking Rd., Nanhsin Village, Puyan Hsiang, Changhua Hsien 51648, Taiwan
Tel:886-4-8651616 Fax:886-4-8651751 E-mail:h616@ms69.hinet.net
http://www.hershengcycle.com.tw

HS-RA-100

Material	ALLOY
Bar bore	26、31.8mm
Width	390-440mm
Drop	150mm
Reach	98mm

HS-RA-125-2

Material	ALLOY, STEEL
Bar bore	25.4、26、31.8mm
Width	390-440mm
Drop	125mm
Reach	80mm

HS-RA-80-19

Material	Alloy
Width	320.340.360mm
Drop	80mm
Center	19mm
Bar bore	25.4mm

HS-RA-120

Material	ALLOY, STEEL
Bar bore	25.4、26、31.8mm
Width	390-420mm
Drop	120mm
Reach	125mm



HS-RA-105

Material	ALLOY
Bar bore	25.4、26mm
Width	420、520mm

HS-RA-105-2U

Material	ALLOY
Bar bore	25.4、26、31.8mm
Width	390-420mm
Drop	125mm

HS-RA-107

Material	ALLOY
Bar bore	25.4、26mm
Width	400-440mm

HS-RA-02

Material	ALLOY,STEEL, CR-MO
Bar bore	25.4、26mm
Width	390.410.430mm

HS-RA-02-10

Material	ALLOY,STEEL CR-MO
Bar bore	25.4、26mm
Width	390 - 500mm

HS-TR-135

FOR	Travel bike,ALLOY
Drop	135mm
Reach	105mm
Width	420.440.460mm
Bar bore	25.4、26、31.8mm

HS-RA-05-3

Swallow Bar, Alloy	
Bar bore	25.4、26mm
Width	480.520mm
Raise	30mm
Back Sweep	20°

HS-870-5

Material	ALLOY, STEEL
Raise	65mm
Bar bore	25.4、26mm
Width	520 until 630mm
Back Swep	18°

HS-RA-05

Material	ALLOY,STEEL
Bar bore	25.4、26、31.8mm
Width	500、525mm
Raise	25.4mm

HS-RA-04

Material	ALLOY
Bar bore	25.4、26mm
Width	400-520mm
Raise	50mm

HS-RA-02-15

Material	ALLOY
Bar bore	25.4、26、31.8mm
Width	560、580、600、630mm
Back sweep	15°

HS-5C

Material	ALLOY
ø31.8mm X 25.4mm	
Length	35、40、45mm

禾勝工業有限公司
HER SHENG INDUSTRY CO., LTD.
No. 49-1, Hawking Rd., Nanhsin Village, Puyan Hsiang, Changhua Hsien 51648, Taiwan
Tel:886-4-8651616 Fax:886-4-8651751 E-mail:h616@ms69.hinet.net
http://www.hershengcycle.com.tw

HS-BE-2

Material	Crmo
Bar bore	22.2 or 23.8mm
Height	150mm

HS-807A-19

Material	Alloy, Steel
Width	400 until 480mm
Raise	35 or 60mm
Center	19mm
Bar bore	25.4mm

HS-878

Material	Crmo 11 or 13
Butted DB heat-treatment	
PG	Steel,Crmo,Alloy
Width	680、712、720mm
Raise	203、209、216mm
Back sweep	12°
Finish	Rainbow

HS-832

Material	Alloy,Crmo,Steel
Bar bore	22.2、25.4mm
Width	700mm
Raise	200、220mm
Back sweep	8°



HS-890

Material	Crmo 11 or 13
Butted DB heat-treatment	
PG	Steel,Crmo
Width	725、765mm
Raise	229mm
Back sweep	12°

HS-832-4

Material	Alloy,Crmo,Steel
Width	630、660mm
Raise	180mm
Back sweep	10°

HS-822-8

Material	Alloy,Crmo,Steel
Width	625mm
Raise	180mm
Back sweep	6°

HS-822-14

Material	Alloy,Crmo,Steel
Width	610、630mm
Raise	155mm
Back sweep	6°

HS-468

Material	Crmo,Steel
Width	740、765mm
Raise	203、216、228mm
Back sweep	11°



HS-469

Material	Crmo,Steel
Width	720、740mm
Raise	225mm
Back sweep	12°



HS-470

Material	Crmo,Steel
Width	749、765mm
Raise	203、235mm
Back sweep	11°



HS-471

Material	Crmo,Steel
Width	736mm
Raise	216、226mm
Back sweep	11°

HS-RA-108-2

Material	Alloy
Width	500.520.540mm
Drop	110mm
Bar bore	25.4、26、31.8mm

HS-808H

Material	Crmo,Steel
Width	500 -660mm
Angle	±10°
Diam	25.4、28.6mm
EXT.	90.100.110mm
Height	66mm

HS-870

Material	Alloy,Crmo,Steel
Width	540、560、580、610mm
Rasie	70mm
Bar bore	25.4、26mm

HS-823

Material	Alloy,Crmo,Steel
Width	550-620mm
Raise	30mm
Back sweep	40°
Bar bore	25.4、26mm

HS-828

Material	Alloy,Crmo,Steel
Width	550-620mm
Raise	65mm
Back sweep	55°
Bar bore	25.4、26mm

HS-828-55

Material	ALLOY, Steel
Raise	55mm
Width	570mm
Back sweep	60°
R	120

HS-828-11

Material	Alloy,Crmo,Steel
Width	580、660mm
Raise	35mm
Back sweep	50°
Bar bore	25.4、26mm

HS-812

Material	Alloy,Crmo,Steel	
Width	600mm	640mm
Raise	140mm	110mm
Back sweep	40°	43°
Bar bore	25.4mm	

禾勝工業有限公司
HER SHENG INDUSTRY CO., LTD.
No. 49-1, Hawking Rd., Nanhsin Village, Puyan Hsiang, Changhua Hsien 51648, Taiwan
Tel:886-4-8651616 Fax:886-4-8651751 E-mail:h616@ms69.hinet.net
http://www.hershengcycle.com.tw

HS-828-15

Material	Alloy,Crmo,Steel
Width	580-600mm
Raise	18mm
Back sweep	30°
Bar bore	25.4、26mm

HS-801-C

Material	Alloy
Width	580、600、630mm
R	500
Angle	30°
Bar bore	25.4mm

HS-801-B

Material	Alloy,Crmo,Steel
Width	560.580.600mm
Raise	0mm
Angle	25°
Bar bore	25.4、31.8mm

HS-807A

Material	Alloy,Steel,Crmo
Width	520-610mm
Raise	35、50、60mm
Bar bore	25.4mm

HS-861

Material	Alloy
Width	520-600mm
Bar bore	25.4、31.8mm

HS-862

Material	Alloy
Width	520 until 800mm
Raise	20、30、35mm
Bar bore	25.4、31.8mm

HS-801TR

Material	Alloy
Width	410、430mm
Bar bore	25.4mm

HS-801-WAR

Material	Wood And ALLOY Clamp
Width	340 until 420mm
Bar bore	25.4mm
EN	C

HS-829

Material	Alloy,Crmo,Steel
Width	660mm
Raise	30mm
Back sweep	35°
Bar bore	31.8mm

HS-321

Material	Alloy
Width	500.520mm
Height	180mm
Bar bore	25.4mm

HS-809D

Material	Alloy,Crmo,Steel
Width	680、780mm
Raise	80mm
Bar bore	22.2、25.4mm

HS-809B

Material	Alloy,Crmo,Steel
Width	635、690mm
Raise	80mm
Bar bore	22.2、25.4mm

HS-809

Material	Alloy,Crmo,Steel
Width	635、690mm
Raise	60mm
Bar bore	22.2、25.4mm

HS-2312

Material	Crmo,Steel
Width	860、910、960mm
Raise	450、500、600mm

HS-2315

Material	Steel,Crmo
Width	760、800mm
Raise	250、330mm
Bar bore	22.2、25.4mm

HS-2310

Material	Steel
Width	580、660mm
Raise	250、300、330、381mm
Bar bore	25.4mm

HS-811

Material	Alloy,Steel,Crmo
Width	520、550、580mm
Raise	150、180、200mm
Bar bore	25.4mm

PAT.:M392134

HS-870E

Material	Steel
Width	560-580、610mm
Raise	70mm
Length	180、200、220mm
Weld	smooth

PAT.:M392134

HS-828E

Material	Steel
Width	550-620mm
Raise	65mm
Length	180、200、220mm
Weld	smooth

HS-2C

	25.4mm X 22.2mm
Length	40、50mm

NOIRETTE PLUS WS

B-Tech Aero

MATERIAL	AL6061
CENTER DIA	Ø31.8
WIDTH	630 / 660 mm
RISE	34 mm
SWEEP	41°
WEIGHT	315 g (W:660)

SHINY BK SHINY SV MAT BK MAT SV

WS
FLATTED WING SHAPE IN SMOOTH

WIEN

B-Tech

MATERIAL	AL6061
CENTER DIA	Ø31.8
WIDTH	640 / 680 mm
RISE	20 mm
SWEEP	35° / 15°
WEIGHT	305 g (W:640)

SHINY BK SHINY SV MAT BK MAT SV

T-STEALTH

MATERIAL	AL-6061
ENTENSION	80 / 90 / 100 / 110
ANGLE	+7°
WIDTH	560 / 580 / 600 / 620
RISE	4°
SWEEP	7°
WEIGHT	357g (W:600 / E:80)

MAT BK MAT SV

Scan for full catalog

X-RACE AERO CARBON

Aero

FLARED DROP

MATERIAL	HIGH MODULUS CARBON FIBER
CENTER DIA	Ø31.8
WIDTH	400 / 420 / 440 / 460 mm
DROP (D)	120 mm
REACH (R)	65 mm
FLARED	8°
WEIGHT	200 g (W:420)

ACF

BOONDOCKS

B-Tech

FLARED DROP

MATERIAL	AL6061
CENTER DIA	Ø31.8
WIDTH	440 / 480 mm
DROP (D)	110 mm
REACH (R)	76 mm
FLARED	21°
WEIGHT	278 g (W:440)

MAT BK MAT SV

BOOMERANG

B-Tech

FLARED DROP

MATERIAL	AL6061
CENTER DIA	Ø31.8
WIDTH	440 / 480 mm
DROP (D)	120 mm
REACH (R)	87 mm
FLARED	21°
WEIGHT	328 g (W:480)

MAT BK MAT SV

FALCON AERO

MATERIAL	AL6061
CENTER DIA	Ø31.8
WIDTH	700 / 720 / 740 / 760
RISE	0 mm
SWEEP	15°
REACH	120mm
WEIGHT	504g (W:760)
STANDER	ISO 4210-M

MAT BK MAT SV

FALCON

B-Tech

MATERIAL	AL6061
CENTER DIA	Ø31.8
WIDTH	620 / 640 / 660 / 680 / 700 / 720 / 740 / 760
RISE	0 mm
SWEEP	15°
WEIGHT	306g (W:760)
STANDER	ISO 4210-M

SHINY BK SHINY SV MAT BK MAT SV

MTB-AL-E3700BT
Compatible with Shimano Di2
and STePS junction boxes

	MTB-AL-E3700BT /ISO-M/DIN+(M)	MTB-AL-E3712BT /ISO-M/DIN+(M)	MTB-AL-E3720BT /ISO-M/DIN+(M)
MATERIAL	Alloy butted	Alloy butted	Alloy butted
BAR BORE	ø35	ø35	ø35
WIDTH	720 740 760 780 800	720 740 760 780 800	720 740 760 780 800
BACK SWEEP	6° 9°	6° 9°	6° 9°
UP SWEEP	0	4°	3°
RISE	±5	12	20
FINISH	Sand blasted an color	Sand blasted an color	Sand blasted an color

MTB-AL-300BT FOV/ISO-M

MTB-AL-312BT FOV/ISO-M

MTB-AL-320BT FOV/ISO-M

	MTB-AL-300BT FOV/ISO-M	MTB-AL-312BT FOV/ISO-M	MTB-AL-320BT FOV/ISO-M
MATERIAL	Alloy butted	Alloy butted	Alloy butted
BAR BORE	ø31.8	ø31.8	ø31.8
WIDTH	580 600 620 640 660 680 700 720 740 760 780	580 600 620 640 660 680 700 720 740 760 780	580 600 620 640 660 680 700 720 740 760 780
BACK SWEEP	6° 9°	6° 9°	6° 9° 15°
UP SWEEP	--	4°	3°
RISE	±5	12	20
WEIGHT	235g (w:620)	235g(w:620)	237g(w:620)
FINISH	Sand blasted an bk or silver	Sand blasted an bk or silver	Sand blasted an bk or silver

HANDLE BAR SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

MTB-AL-E320BT FOV/ISO-M

MATERIAL	Alloy butted
BAR BORE	ø31.8
WIDTH	720mm
BACK SWEEP	9°
RISE	20
FINISH	Sand blasted an bk or silver

NR-AL-124FOV/ISO-C

MATERIAL	Alloy
BAR BORE	ø31.8
WIDTH	620
BACK SWEEP	38°
RISE	38
FINISH	Sand blasted an bk or silver

BH-21/S/ISO-C
BH-AL-21/S/ISO-C

MATERIAL	Steel or alloy
BAR BORE	ø25.4
WIDTH	635 650 700
BACK SWEEP	55°
RISE	135
FINISH	(ST) CP BED D.SF (AL) high polished an bk or silver

NR-14/ISO-C
NR-AL-14/ISO-C

MATERIAL	Steel or alloy
BAR BORE	ø25.4
WIDTH	570 595 610
BACK SWEEP	44°
RISE	66
FINISH	(ST) CP BED D.SF (AL) high polished an bk or silver

NR-16/ISO-C
NR-AL-16/ISO-C

MATERIAL	Steel or alloy
BAR BORE	ø25.4
WIDTH	590 610
BACK SWEEP	33°
RISE	26
FINISH	(ST) CP BED D.SF (AL) high polished an bk or silver

BH-226/ISO-C
BH-CR-226/ISO-C

MATERIAL	Bteel or crmo
BAR BORE	ø25.4
WIDTH	460 490 530 560
BACK SWEEP	56°
RISE	247
FINISH	(ST) CP BED D.SF

HANDLE BAR SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

FLANDERS

DR-AL-199BT FOV/ISO-R
DR-AL-E199BT FOV/ISO-R

MATERIAL	Alloy butted
BAR BORE	ø31.8
WIDTH	380 400 420 440 460
REACH	77
WEIGHT	124g (w:380/400) 128g (w:420/440)
FINISH	Sand blasted an bk or silver

DR-AL-302BT FOV/ISO-R
DR-AL-E302BT FOV/ISO-R

MATERIAL	Alloy butted
BAR BORE	ø31.8
WIDTH	380 400 420 440
REACH	80
DROP	124
FINISH	Sand blasted an bk or silver

DR-AL-312BT FOV/ISO-R
DR-AL-E312BT FOV/ISO-R

MATERIAL	Alloy butted
BAR BORE	ø31.8
WIDTH	380 400 420 440
REACH	80
DROP	124
FINISH	Sand blasted an bk or silver

DR-AL-195BT FOV/ISO-R
DR-AL-E195BT FOV/ISO-R

MATERIAL	Alloy butted
BAR BORE	ø31.8
WIDTH	380 400 420 440
REACH	77
DROP	128
FINISH	Sand blasted an bk or silver

DR-AL-211BT FOV/ISO-R

MATERIAL	Alloy or alloy butted
BAR BORE	ø31.8
WIDTH	380 400 420 440
REACH	85
DROP	124
WEIGHT	328g (BT FOV w:420)
FINISH	Sand blasted an bk or silver

DR-AL-311BT FOV/ISO-R

MATERIAL	Alloy butted
BAR BORE	ø31.8
WIDTH	380 400 420 440
REACH	85
DROP	118
WEIGHT	328g (BT FOV w:420)
FINISH	Sand blasted an bk or silver

HANDLE BAR SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

HBL101
ISO 4210 - R approved
6061 D.B. racing bar
Barbore: 31.8mm
Drop: 125mm
Reach: 70mm
Width: 400/420/440/460mm
Ramp angle: 10degree
Flare angle: 6/12degree
Weight: 300g(420mm)

HBL102
ISO 4210 - R approved
6061 D.B. racing bar

HBL001
ISO 4210 - R approved
6061 P.G. racing bar
Barbore: 31.8mm
Drop: 125mm
Reach: 70mm
Width: 400/420/440/460mm
Ramp angle: 10degree
Flare angle: 6/12degree
Weight: 315g(HBL102 420mm)
370g(HBL001 420mm)

HBRB11
HBRB11L
ISO 4210 - M approved
6061 P.G. rise bar
Barbore: 25.4mm(HBRB11)
Rise: 20/30mm
Backsweep: 6/9/12degree
Width: 500/520/540/560/580/600/620/640/660/680mm
Weight: 375g(660mm)

Barbore: 31.8mm
Rise: 10/15/25/35mm
Backsweep: 5/9/12degree(HBRB11 10/15mm)
5/9degree(HBRB11 25/35mm)
5/9degree(HBRB11L)
Width: 560/580/600/620/640/660/680mm(HBRB11)
700/720mm(HBRB11L)
Weight: 390g(720mm)

HBRB12
HBRB12L
HBRB12W
ISO 4210 - M approved
6061 D.B. rise bar
Barbore: 25.4mm(HBRB12)
Rise: 25mm
Backsweep: 8degree
Width: 500/520/540/560/600/620/640/660/680mm
Weight: 252g(660mm)

Barbore: 31.8mm
Rise: 15/25mm(HBRB12/HBRB12L)
15/25/35mm((HBRB12W)
Backsweep: 5/9/15/25degree(HBRB12 Rise:15mm)
5/9/15degree(HBRB12 Rise:25mm/HBRB12L)
5/9degree(HBRB12W)
Width: 500/520/540/560/580/600/620/640/660/670/680mm(HBRB12)
700/720/740mm(HBRB12L)
760/780/800mm(HBRB12W)
Weight: 295g(HBRB12L 720mm)

www.kalloyuno.com
KALLOY INDUSTRIAL CO., LTD
No.186, Dazhou Rd., Shengang Dist., Taichung City 429, Taiwan (R.O.C.)
Tel:+886 4 25250555 Fax: +886 4 25274838

BIKEPARTS
ERGONOMIC AND SAFE

BARRACUDA
AL 6061, 31.8, 20˚

Swell-R Ahead 70
AL 6061/ 31,8

HIGH BARRACUDA
AL 6061, 31.8, 45˚

EP-FOLDING
Nylon, foldable

Aero 2
Kraton

INTEGRA-BK
AL 6061, 31.8

HUMPERT®
溫伯特
Since 1918

Humpert(Germany) Tel：+49-2377-9183-0 E-mail:info@humpert.com
Humpert-Asia Tel：+886-2-2754-6068 E-mail:humpert.asia@msa.hinet.net
www.humpert.com
www.humpert-asia.com

ergotec®

RANDONNEUR

AL 6061, 31.8

SPACE

AL 6061

Ergo XS-XXL

AL6061,31.8 & 25.4



GRAVEL

AL 6061, 31.8

Lady Town 31.8

AL 6061

Trekking 31.8

AL 6061

M-99

Alloy housing/arm

ergotec 1 2 3 4 5 6 safety level

KS
cake
GET DOWN
& DIRTY
WWW.KSSUSPENSION.COM

KS

EITHER

CARBON BARS

CARBON FLAT BAR
LENGTH: 720MM
RISE/SWEEP: 0MM/9°
CLAMP DIAMETER: 31.8MM/35.0MM
WEIGHT: 197 GRAMS

CARBON RISER BAR
LENGTH: 780MM
RISE/SWEEP: 20MM/9°
CLAMP DIAMETER: 31.8MM/35.0MM
WEIGHT: 207 GRAMS

ALLOY BARS

ALUMINUM FLAT BAR
LENGTH: 720MM
RISE/SWEEP: 0MM/9°
CLAMP DIAMETER: 31.8MM/35.0MM
WEIGHT: 252 GRAMS

ALUMINUM RISER BAR
LENGTH: 780MM
RISE/SWEEP: 20MM/9°
CLAMP DIAMETER: 31.8MM/35.0MM
WEIGHT: 322 GRAMS

CARBON & ALLOY SEAT POSTS

CARBON SEAT POSTS
LENGTH: 400MM
OFFSET: 0MM
DIAMETER: 27.2MM/30.9MM/31.6MM
WEIGHT: 180-190 GRAMS

ALLOY SEAT POSTS
LENGTH: 400MM
OFFSET: 0MM
DIAMETER: 27.2MM/30.9MM/31.6MM
WEIGHT: 249-265 GRAMS

FORGED ALLOY STEM

BARBORE 31.8MM
LENGTH: 50MM, 70MM
RISE: 0°
ALLOY WEIGHT: 120-158 GRAMS

BARBORE 35MM
LENGTH: 50MM, 70MM
RISE: 0°
ALLOY WEIGHT: 149-188 GRAMS

southpaw

CARBON

I-SPEC

KG SERIES

ALLOY

ALLOY MATCHMAKER

KG DROP

WESTY

southpaw-P

WWW.KSSUSPENSION.COM

MJ CYCLE

Technically Beyond Amazing

NO. 51, LANE 303, YUAN LU ROAD SECTION 4,
HSIHU CHEN, CHANGHUA HSIEN, TAIWAN
TEL: (886) 4 8812221 TO 4
FAX: (886) 4 8852685
E-MAIL: SALES@MJCYCLE.COM

SPIRAL-BUTTED TUBING

GAME-CHANGING TUBE EXTRUSION TECHNOLOGY APPLIED TO **ALL MJ CYCLE ALLOY HANDLEBARS**



Traditional butting involves a cumbersome 3-step process that does not maximize the potential of aluminum and resulting in compromises.

SPIRAL-BUTTING allows a more dense or compact packing of aluminum material within the tube structure. The result: **a significant gain of strength and durability with less weight.**

MATERIAL TEST REPORT : GRAIN SIZE ANALYSIS

STANDARD DOUBLE-BUTTED TUBE

x100 Magnification



OUTSIDE WALL: Less densely packed. Note diffused grain.



INSIDE WALL: Material broken at 100 μm

x200 Magnification



OUTSIDE WALL: Less densely packed. Note diffused grain.



INSIDE WALL: Material broken at 100 μm

MJ SPIRAL DOUBLE-BUTTED TUBE

x100 Magnification



OUTSIDE WALL: More densely packed. Note amount of grain.



INSIDE WALL: Material remains together and unbroken

x200 Magnification



OUTSIDE WALL: More densely packed. Note amount of grain.



INSIDE WALL: Material remains together and unbroken

MJ-131TP SERIES

MATERIAL	Double-butted **MJ-131TP-60** 6061 T6 alloy Double-butted **MJ-131TP-70** 7050 T73 alloy
BAR BORE	25.4 / 31.8 mm
RISE	0 mm
WIDTH (C to C)	540 - 700 mm
BACKSWEEP / UPSWEEP	7˚ / na

MJ-131MT SERIES

MATERIAL	Double-butted **MJ-131MT-60** 6061 T6 alloy Double-butted **MJ-131MT-70** 7050 T73 alloy
BAR BORE	25.4 / 31.8 mm
RISE	0 mm
WIDTH (C to C)	720 - 780 mm
BACKSWEEP / UPSWEEP	7˚ / na

MJ-133TP SERIES

MATERIAL	Double-butted **MJ-133TP-60** 6061 T6 alloy Double-butted **MJ-133TP-70** 7050 T73 alloy
BAR BORE	31.8 mm
RISE	+/- 5 mm
WIDTH (C to C)	540 - 700 mm
BACKSWEEP / UPSWEEP	7˚ / na
WEIGHT	220g (680mm)

MJ-133MT SERIES

MATERIAL	Double-butted **MJ-133MT-60** 6061 T6 alloy Double-butted **MJ-133MT-70** 7050 T73 alloy
BAR BORE	31.8 mm
RISE	+/- 5 mm
WIDTH (C to C)	720 - 780 mm
BACKSWEEP / UPSWEEP	7˚ / na

MJ-134

MATERIAL	Double-butted 6061 T6 alloy
BAR BORE	31.8 mm
RISE	8 mm
WIDTH (C to C)	720 - 760 mm
BACKSWEEP / UPSWEEP	10˚ / 4˚

MJ-025BT/MT SERIES

MATERIAL	Double-butted **MJ-025BT/MT-60** 6061 T6 alloy Double-butted **MJ-025BT/MT-70** 7050 T73 alloy
BAR BORE	31.8 mm
RISE	15 / 20 /25 mm
WIDTH (C to C)	**MJ-025BT** 600 - 680 mm **MJ-025MT** 700 - 780 mm
BACKSWEEP / UPSWEEP	7˚ / na

MJ-3350 SERIES

MATERIAL Double-butted **MJ-3350-6** 6061 T6 alloy
Double-butted **MJ-3350-7** 7050 T73 alloy
BAR BORE 35 mm

RISE 12 / 25 / 38 mm
WIDTH (C to C) 710 / 750 mm
BACKSWEEP / UPSWEEP 8˚ / 5.5˚
WEIGHT **MJ-3350-7** 320 g (W:750)

MJ-3536

MATERIAL Double-butted 7050 T73 alloy
BAR BORE 31.8 mm (2.2 / 1.2)
RISE 20 / 38 mm

WIDTH (C to C) 700 - 800 mm
BACKSWEEP / UPSWEEP 8˚ / 5.5˚

MJ-3550 SERIES

MATERIAL Double-butted
MJ-3550-60 6061 T6 alloy
MJ-3550-70 7050 T73 alloy
BAR BORE 31.8 mm (2.4 / 1.4)

RISE 25 mm
WIDTH (C to C) 750 - 780 mm
BACKSWEEP / UPSWEEP 5˚ / 8˚
WEIGHT 300 g

MJ-3552

MATERIAL Double-butted 7050 T73 alloy
BAR BORE 31.8 mm

RISE 8 / 12 mm
WIDTH (C to C) 700 - 810 mm

MJ-3557

MATERIAL Double-butted 6061 T6 alloy
BAR BORE 31.8 mm

RISE 76 mm
WIDTH (C to C) 680 - 740 mm
BACKSWEEP / UPSWEEP 7˚ / 5.5˚
WEIGHT 380 g

MJ-RH29 / RH29S SERIES

MATERIAL Double-butted
MJ-RH29(S)-60 6061 T6 alloy
MJ-RH29(S)-70 7050 T73 alloy
BAR CENTER 31.8 mm
WIDTH (C to C) 400 - 440 mm
DROP **MJ-RH29** 145 mm**MJ-RH29S** 130 mm
REACH **MJ-RH29** 90 mm**MJ-RH29S** 75 mm

MJ-RH33 SERIES

MATERIAL Double-butted
MJ-RH33-60 6061 T6 alloy
MJ-RH33-70 7050 T73 alloy
BAR CENTER 31.8 mm
WIDTH (C to C) 400 - 440 mm
DROP 140 mm
REACH 75 mm
WEIGHT **MJ-RH30-70** 303 grams

MJ-RH37 SERIES

MATERIAL Double-butted
MJ-RH37-60 6061 T6 alloy
MJ-RH37-70 7050 T73 alloy
BAR CENTER 31.8 mm
WIDTH (C to C) 400 - 440 mm
DROP 130 mm
REACH 75 mm

MJ-RH40-12

MATERIAL Double-butted 6061 T6 alloy
BAR CENTER 31.8 mm
WIDTH (C to C) 380 - 500 mm
DROP 125 mm
REACH 80 mm
FLARE 12˚

MJ-TR-XX SERIES

MATERIAL 6061 T6 alloy *BAR CENTER* 31.8 mm

	MJ-TR-01	MJ-TR-02	MJ-TR-03	MJ-TR-04
Rise (mm)	40	0	17	22
Width (mm)	660	680	640	700
Upsweep	0˚	20˚	0˚	3˚
Back Sweep	35˚	40˚	30˚	30˚

MJ-TR05-AERO

MATERIAL Double-butted 6061 T6 alloy
BAR CENTER 31.8 mm
WIDTH (C to C) 730 mm
RISE 0 mm
UPSWEEP 48˚
BACK SWEEP 22˚

朝富工業有限公司
Tsao Fu Industrial Co., Ltd.
No.135, Alley 39, Lane 576, Sec.4, Chang Shui Rd., Hu Dung Li, Shi Hwu Jenn, Chang Hua Hsien, Taiwan.
Tel:886-4-8817247 · 8817274 Fax:886-4-8817249
E-mail: tsao_fu@yahoo.com.tw
tsaofu@pchome.com.tw

TF-HR-895AL
Material: Alloy 6061
Length: 150~200

TF-R-90CUS
Material : CR-MO
SIZE: Ø 28.6* Ø 25.4
EXT: 60~100

TF-ATB-15AL
Material: ALLOY 6061
Width : 550~650
BB : Ø 31.8

TF-HR-880ALS
Material : ALLOY 6061
Width : 300W~450W
Raise : 150

TF-ATB-20
Material :
STEEL / ALLOY / CR-MO
Width : 600~700
Raise : 65
BB : Ø 31.8

TF-HR-870
Material : ALLOY / CR-MO
BB: Ø31.8 TP Ø23.8
Width : 400~480

TF-HR-890AL
Material : STEEL
Width : 400~480

TF-R88AL
Material:Alloy
Diam:22
Ext:80
Angle:-20°
Length:140

TF-HR-896AL
Material : ALLOY / CR-MO
BB: Ø26 TP Ø23.8
Width : 400~500

PAT.

TF-SP-916ALP
Material : ALLOY 6061
SIZE:Ø 28.6, Ø 27.2, Ø 25.4, Ø 22.2

TF-43
Material : STEEL
SIZE: Ø 25.4, Ø 22.2

TF-45E
Material : Alloy + Steel
SIZE: Ø 25.4
EXT: 45

TF-17
Material : ALLOY + STEEL
SIZE: Ø 22x140m/m

TF-HR-770CU
Material : STEEL
SIZE: 550~700

TF-FR-5
Material: Steel, Cr-mo
Width: 650~710
Raise: 180~220

TF-FR-13
Material: Steel, Cr-mo
Width: 650~715
Raixe: 200~230

TF-FR-20
Material: Steel, Cr-mo
Width: 650~700
Raise: 180~210

TF-FR-21
Material: Steel, Cr-mo
Width: 650~690
Raise: 180~210

TF-FR-22
Material: Steel, Cr-mo
Width: 650~715
Raise: 185~220

TF-DH-7
Material: Steel, Cr-mo, Alloy
Width: 500~650
Raise: 30~60



TF-FR-31
Material: Steel, Cr-mo
Width: 650~750
Raise: 180~250



TF-HR-403
Material: Steel, Cr-mo
Width: 600~1050
Raise: 300~650



TF-HR-556
Material: Steel, Cr-mo
Width: 600~700
Raise: 300~400

TF-HR-401
Material: Steel, Cr-mo
Width: 600~720
Raise: 300~400

TF-FR-32
Material: Steel, Cr-mo
Width: 650~700
Raise: 200

Product Integrated Road bar
Material Carbon

Product Riser / Flat Bar, Road Bar, TT Bar
Material Carbon, Aluminum Alloy

Our precise lay-up process provides accurate high fiber to resin ratios and offers precision control throughout the entire component structure. We provide design analysis and testing to achieve all the benefits you require-lighter and stronger products. Our entire staff is cross trained over the entire lay-up process and our dedicated QC staff is motivated to ensure the highest quality of production is delivered for your products. Our tracking / code system assures batch control along with integrated work flow.

Precision CARBON LAY-UP

Product Base Bar / Extension Bar
Material Carbon, Aluminum Alloy

PMT PREMETE

Yeu Chueh Industry Co., LTD.

www.yeuchuehpmt.com

Product Riser / Flare Road Bar
Material Carbon, Aluminum Alloy

Product Base Bar / Extension Bar
Material Carbon, Aluminum Alloy

Product Extrusion tube (Seamless)
Material Aluminum Alloy

Product Hydro-forming Frame Tube
Facility Max. OD 130 mm
Material Aluminum Alloy

PMT PREMETE
Yeu Chueh Industry Co., LTD. E-mail: premetec@seed.net.tw

Product Motorcycle Handlebar
Material Aluminum Alloy

www.yeuchuehpmt.com

Product Hydro-forming Frame Tube
Material Aluminum Alloy

Premetec has integrated in-hous capability for manipulating tubing including butting, swaging, heat treatment, taper walling and hydro-forming. we are not only a fabricator of metal products, but has in-house finishing capability to support end use requirements including anodize, laser etch, pad printing, silk screen, wate decal and finished con sumer packaging

Integrated Capability, from Tubing to Branding



TEL +886-4-26814791
FAX +886-4-26810599 +886-426816107

亞斐士有限公司 Customization

Newest Resin Transfer Molding And Multi-Angle Braiding Technology

The mold is free

Give me
an aluminum handlebar,
and I can give you
a carbon one.

ADZE-FR89 EN 14781 Approved

ADZE-27

ADZE-MA

ADZE-FM05 EN 14766 Approved



ADZE-FA31 EN 14766 Approved

ADZE-FT79

ADZE-FSP52

We can produce the carbon handebar whatever you want!!

The Vietnam plant was established in 1992.

亞斐士有限公司 YAVIS COMPOSITE CO.,LTD.

TAIWAN OFFICE
VIETNAM FACTORY

桃園市龜山區民生北路1段166巷36號
No. 36, Lane 166, Sec. 1, Min Sheng N. Rd.,
Kuei Shan Dist, Taoyuan City, 333 Taiwan.
Excutive:David Lin

http://yavis-carbonparts.com
FAX:+886-3-3255628 TEL:+886-3-3255677
Taiwan Mobile Phone: +886-915-995981
Vietnam Mobile Phone: +84-938096087
e-mail:yaviscompany@gmail.com
LINE:a0915995981

2019-2020
PRODUCTS COMPANION

www.aricle.com.tw

MODEL: YC-A110KJ-DB6
(BAR BORE:Ø31.8)
- MATERIAL: AL6061
- BEND: 9°
- WEIGHT:180g
- WIDTH: 480mm for 20"
  520mm for 24"

FOR JUNIOR RACING
MODEL: YC-DR-42KJ-DB6
- MATERIAL: AL6061
- BAR BORE: Ø31.8 WEIGHT: 260g
- REACH: 65mm DROP: 100mm
- WIDTH: 320,340mm for 20"
  360,380mm for 24"

FOR JUNIOR RACING
AERO-ERGO FLAT TOP
MODEL: YC-DR-43KJ-DB6
MATERIAL: AL6061
- BAR BORE: Ø31.8 WEIGHT: 270g
- REACH: 65mm DROP: 100mm
- WIDTH: 320,340mm for 20"
  360,380mm for 24"

FOR JUNIOR RACING
STRAIGHT 31.8
MODEL: YC-DR-44KJ-DB6
MATERIAL: AL6061
- BAR BORE: Ø31.8 WEIGHT: 270g
- REACH: 65mm DROP: 100mm
- WIDTH: 320,340mm for 20"
  360,380mm for 24"

MODEL: YC-A215KJ-DB62
(BAR BORE:Ø31.8)
- MATERIAL: AL6061
- RISE: 25mm UP: 6° / BEND: 9°
- WIDTH: 520mm for 20"
  560mm for 24"

MODEL: YC-DR-25KC-DB6 (AL6061 BUTTED)
- WIDTH: 400 , 420 , 440 mm , BAR BORE:Ø31.8

MODEL: YC-DR-25C-DB6 (AL6061 BUTTED)
- WIDTH: 400 , 420 , 440 mm , BAR BORE:26.0mm

MODEL: YC-DR-41HC-DB6-3
MATERIAL:AL6061-T6TRI-BUTTED
- WIDTH: 400 , 420 , 440 mm
- BAR BORE:Ø35 , 340g

MODEL: YC-A225HC-DB721 (AL7075 BUTTED)
- WIDTH: 780mm , RISE:25mm , UP:5° , BEND: 9°

MODEL: YC-A225HC-DB73 (AL7075 BUTTED)
- WIDTH: 780mm , RISE:38mm , UP:5° , BEND: 9°

MODEL: YC-A244HC-DB713 (AL7075 BUTTED)
- WIDTH: 780mm , RISE:10mm , UP:5° , BEND: 9°

MODEL: YC-A244HC-DB721 (AL7075 BUTTED)
- WIDTH: 780mm , RISE:20mm , UP:5° , BEND: 9°
- BAR BORE:Ø35

MODEL:YC-4MF-809K-4
- MATERIAL:AL6061 3D-FORGED
- ANGLE:+6°/-6° , HEIGHT:38mm
- EXT:60, 70, 80, 90, 100, 110, 120mm
- BAR BORE:Ø31.8

MODEL:YC-4MF-813K-4
- MATERIAL:AL6061 3D-FORGED
- ANGLE:+6°/-6° , HEIGHT:39mm
- EXT:65, 85, 105mm , DIAM:38mm(1.5")
- BAR BORE:Ø31.8

MODEL: YC-A242KC-DB722
- BAR BORE :Ø31.8
- WIDTH: 740mm , BEND: 9°
- WEIGHT: 290g

MODEL:YC-4MF-815K-4
- MATERIAL:AL6061 3D-FORGED
- ANGLE:+6°/-6° , HEIGHT:39mm
- EXT:60↔70, 80↔90, 100↔110mm
- DIAM:28.6mm , BAR BORE:Ø31.8

ALLOY CNC-MACHINED
MODEL:YC-4MN-816K
- MATERIAL:AL6061-T6
- ANGLE: +/- 9° , EXT: 70mm
- BAR BORE: Ø31.8
- HEIGHT: 38 mm
- DIAM: Ø28.6mm

ALLOY CNC-MACHINED
MODEL:YC-4MN-817K
- MATERIAL:AL6061-T6
- ANGLE: +/- 9° , EXT: 70mm
- BAR BORE: Ø31.8
- HEIGHT: 38 mm
- DIAM: Ø28.6mm

MODEL: YC-4MF-802K-3
(BAR BORE:Ø31.8)
- MATERIAL: AL6061
- ANGLE: + 0° , EXT: 35 mm ,
- HEIGHT: 38 mm

MODEL: YC-4ME-801K-4
(BAR BORE:Ø31.8)
- MATERIAL: AL6061
- ANGLE: + 0°,+6°
- EXT: 35~80 mm , HEIGHT: 34 mm

MODEL: YC-4DN-811K-2
- BAR BORE : Ø31.8
- ANGLE:+0° , EXT:25mm
- WEIGHT: 112g

YICHENG SPORTS CO., LTD.
#470 CHANG SHUI RD., SEC. 4, PITUO SHIANG, CHANGHUA TAIWAN
E-MAIL:aricle@ms33.hinet.net
TEL:886-4-8926321 – 5 FAX:886-4-8925781

ARICLE

逸樺/呂金
YIHUA METAL PRODUCTS
www.lj-yh.com

逸樺/呂金五金製品(深圳)有限公司
LUJIN METAL PRODUCTS (S.Z.) CO., LTD.
深圳市龍華區觀瀾街道黎光工業區74號 逸樺公司
NO.74 Liguang Industrial Zone, Guanlan Street,
Longhua District, Shenzhen, Guangdong, China.
TEL: 0755-28199995, 0755-28199985 FAX：0755-28191972
E-mail:lvjin_sky@hotmail.com
于順企業（台灣）股份有限公司
YIUSHUN ENTERPRISE CO., LTD.
高雄市楠梓區大學32街101號
TEL:+886(0)7-5911569 FAX:+886(0)7-5911108

Locking pin seatpost
Locking pin stem

JP, TW, CN, Pat.

卡式防滑伸縮桿

▶ LJ-FS-188A

▶ LJ-FS-188B

▶ LJ-FS-01

▶ LJ-FS-02

▶ LJ-FS-188C

Hafny 黑芙尼有限公司 Hafny Co., Ltd
hafny.com@msa.hinet.net Tel: +886 426883285
www.hafny.com.tw Fax: +886 426887149
No.296 Nanbei 4th Road, Taichung City, Taiwan

HF-500

HF-600

HF-650

HF-550

HF-100

HF-150

HF-210 HF-220 HF-250

Body	Eco-friendly TPR
Length	130 mm
Clamp	Aluminum ED

HF-350

Pat.

Body	Eco-friendly TPR
Length	130 mm

- *Comfy Palm Support*
- *Eco-friendly Durable TPR*
- *One Screw Lock on Hidden System*

BA-001 BA-004 BA-005

BA-002

Body Aluminum ED-black

Ergonomic Hand Design

HF-652 w/ Hafny Mirror

Body	Eco-friendly TPR
Length	130 mm
Bar-end	Aluminum ED-Black
Mirror	Unbreakble Stainless Steel Lens

- *Comfy Palm Support*
- *Ergonomic Thumb Rest*
- *Adjustable Bar-end Angle*

→ Visit the Hafny Bike Mirror Category

HF-MR070 New

Pat.

Chen Whua Int. Co., Ltd.
No.58, Niouroulíao, Datong Village,
Anding District, Tainan City, Taiwan R.O.C. 74558
Tel: 886-6-5935168 Fax: 886-6-5937368
E-mail: vg@v-grip.com.tw
www.v-grip.com.tw

V-184 NEW
L: 134 MM
ONE SIDE ALLOY RING
MATERIAL: PP/KRATON

V-194 NEW
L: 134 MM/90 MM AVAILABLE
ONE SIDE RING
MATERIAL: PP/KRATON

ER1-AC L134mm
Triple materials kraton/gel
w/alloy Ring

V-20688
L:130mm
Double density Materials Kraton/ Gel

SILICONE FOAM SERIES ULTRA-LIGHT WEIGHT

CWG-018SL
L:130mm
WEIGHT:29g/PC

CWG-018AC1
L:130mm

ONE RING

Silicone Foam Grip
Material : Silicone
One ring : L:130 mm
CWG016AC-1R

TWO RING

Silicone Foam Grip
Material : Silicone
Two ring : L:133 / 140mm
CWG016AC-2R

SILICONE FOAM ULTRA-LIGHT WEIGHT

CWT926SL
L:185 cm

CWT926SL/C

CWT927SL
L:185 cm

ER1A2
L137mm / 95mm
Triple Density Material
Alloy Clamp
Class: Class: High Quality
Bar End Material: Nylon+Fiber

ER-188LED
L148mm / 95mm
Triple Density Material
Kraton/Nylon+fiber

V-ER188
L148mm / 95mm
Triple Density Material Gel/Nylon+Fiber

Silicone Foam Grip
CWG016SL
L:130mm
Material: Silicone

V-689BE L137mm
Triple Density Material Gel/kraton/Alloy

V-818BEC L137mm
Double Density Material kraton/Alloy
/ Nylon+Fiber

V-588BE L137mm
Triple Density Material Gel/kraton/Alloy



V-818BE L137mm
Double Density Material kraton/Alloy

V-689 L133mm
Double Density Material Gel/kraton

V-103 L120mm
Material:Alloy/kraton

V-104 L120mm
Material:Alloy/kraton

CWG820H-V-G L132mm
Material : PVC

V-818ACH-01 L130mm
Lock Foam Grip
Material:HD Foam
2 Sides Lock

V-818ACH-02 L130mm
Lock Foam Grip
Material:HD Foam
1 Side Lock

V-818H6L
L90mm / L102mm
/ L110mm
Material /PU/Leather
Hand-Stitched

V-818ACH-03 L130mm
Lock Foam Grip
Material:HD Foam
1 Side Lock

V-818ACH-04 L130mm
Lock Foam Grip
Material:HD Foam
1 Side Lock

V-818ACL
L130mm
Material /PU/Leather
Hand-Stitched
Color:White , Brown

V-818H6L
L127mm
Material /PU/Leather
Hand-Stitched

CWG823 L140mm
Material : PU

V-818ACH-05
L 127mm
Material: Silicone Foam

Chen Whua Int. Co., Ltd.
No.58, Niouroulliao, Datong Village,
Anding District, Tainan City, Taiwan 74558
Tel: 886-6-5935168 Fax: 886-6-5937368
E-mail: vg@v-grip.com.tw
www.v-grip.com.tw

CWG20588B L128mm
Double Density Material Gel/kraton

CWG-30386 L130mm
Double Density Material Gel/kraton

CWG-20589B L128mm
Double Density Material Gel/kraton

CWG-810 L120mm
Double Density Material 2 Color PVC

CWG-800 L120mm
Double Density Material 2 Color PVC

V-9999B L140mm
Double Density Material Gel/kraton

V-9140OB L140mm
Double Density Material Gel/kraton

V-9140 L140mm/125mm/112mm
Double Density Material Gel/kraton

V-9999 L130mm
Double Density Material Gel/kraton

CWG-20668 L132mm
Double Density Material Gel/kraton

CWG-9923L L120mm
CWG-9923 L85mm
Double Density Material Gel/kraton

CWG-30388BM L128mm
Double Density Material Gel/kraton

CWG20588BM L128mm
Double Density Material Gel/kraton

CWG-9813 L115mm
Material kraton/PVC

CWG-S120
CWG-S120A Endless L120mm
Material kraton/PVC

CWG-339
CWG-339A Endless
L92mm
Material Kraton/PVC

CWG-340
CWG340A Endless
L92mm
Material Kraton/PVC

CWG-9333
CWG9333A Endless
L85mm
Material Kraton/PVC

CWG015 L160mm
Material Kraton

CWG-S102
CWG-S102A Endless L102mm
Material Kraton/PVC

V-588AC L130mm
Triple Density Material Gel
/kraton/Alloy ring

V-818ACD L130mm
Double Density Material/kraton
Swarovski Crystal

Carbon Looking

V-818ACC L130mm / L95mm
Double Density Material /kraton

Close End

V-588CE L132mm
Triple Density Material Gel
/kraton/Alloy ring

V-588AC L130mm
Triple Density Material Gel
/kraton/Alloy ring

V-818ACD L130mm
Double Density Material/kraton
Swarovski Crystal

V-588ACD L130mm
Double Density Material/kraton
Swarovski Crystal

Close End

V-588FCE L134mm
Triple Density Material Gel
/kraton/Alloy ring

V-180 L180mm
Material Kraton/PVC

EVA A GRADE (high density) / B GRADE(medium density)

CWT917-W

CWT917-BL

CWT917-BK

CWT917-R

CWT919CBL

CWT919CR

PU HEXAGON LOOKING

CWT917H-B

CWT917H-W

CWT917H-R

CWT917H-BL

EVA+CORK

CWT918-W

CWT918-Y

PU

CWT919X

CWT919S-R

CWT919S-BL

CWT919S-Y

CWT919S-G

CWT919S-E
Material : PU

EVA + CORK

CWT918W CWT918BK

CWT919CR CWT919CW CWT919CBK

PU CARBON LOOKING

CWT919H-W

CWT919H-B

CWT919H-R

CWT919H-BL

Ultra-Light Weight NEW

CWT926SL

CWT926SL/C

SILICONE FOAM

CWT927SL

CWT917CA CWT917CB CWT917CW

Plug End

CWP-1071F
Logo laser inscribe
Material: Alloy

CHERN SHIANQ ENT. CO., LTD.
No. 57, Fu Chiang Rd. Guan Tian Ind. Park,
720 Tainan, Taiwan
Tel: 886-6-699 2373
Fax: 886-6-699 2620
www.chernshianq.com
E-mail: chern.shianq@msa.hinet.net

CST-108AK2 CST-104P CST-129STR CST-126

CST-BR104 CST-104SH CST-105 CST-105SH CST-126 CST-110 CST-107

SILICONE

CST-115 CST-115B CST-125 CST-127 CST-SI128F CST-SI128F SI126F SI130F SI108

CST-101GD.101SV CST-151 CST-119.119SH CST-125PW CST-104PW

CST-106 CST-108 CST-109A CST-104K2 CST-104K2 CST-102A CST-103 CST-118 CST-120LV

MTB/BMX GRIP

CSG-C120 C121 C660D C660L C672A C672B C672C C670A C659A SIC660 681A 681B 681C 660L.M

new! new! new! new! new! new! new!

CSG-629L 629K2 629K2S 699 6703 C6719K2 6719K2 6708K2 6720K2 C6720K2 684K2

new! new! new! new! new!

CSG-683 690 CSG-C694A C694B 6707K2L 684 C684 684F 685F 6708K2L 686 686XL 660XL

new! new! PATENT

new!

CSG-132 672 6715K2L .M 682 689 661L.M new! 682 659F 6713K2

new!

CSG-C6718 665 6703 6717K2 663 664 665

6723 C6723 C6705 CSG-691 693

CSG-626L.M.S 688 631 634

new!

100% SILICONE

CSG-SI6108F

CSG-HB600A·B.CR

MOTORCYCLE GRIP

CSG-695 CSG-696 CSG-697 CSG-698 CSG-699 CSG-679 CSG-667A CSG-658 CSG-602

RUBBER FOAM GRIP

CSG-132 CSG-132M CSG-132RX CSG-120 CSG-120RS CSG-121

CSG-115 CSG-115A CSG-115B CSG-851S CSG-852S CSG-853S CSG-856S CSG-859S

CSG-131 CSG-137 CSG-1314 CSG-1314A CSG-135-1 CSG-135-2 CSG-135-3 CSG-135-4 CSG-135-5

CSG-138 CSG-1381 CSG-134 CSG-134-1 CSG-134-A CSG-134-B CSG-134-C CSG-134-D

CSG-138 CSG-1381 CSG-134 CSG-134-1 CSG-134-A CSG-134-B CSG-134-C CSG-134-D

CSG-513

new!

CSG-145 CSG-126

EDGE CUSHION

CSP-813



CSP-814

Custom Products

STEM PAD

CSP-808

HELMET DISPLAY

CHAIN-STAY PROTECTOR

CSP-810 CSP-810-1

BARKE/DERAILLEUR CABLE HOUSING TUBE

ADJUSTABLE VELCRO

RIM STRIP

CST-114

CST-112

CSP-811

CST-113

BRAKE PROTECTIVE TUBE

CSP-815

CSP-815R

TOP TUBE BAG/ HANDLEBAR BAG

CSP-821

TOOL BAG FOR ROAD BIKE

CSP-827

Vibrating Foam Roller

new!

CSP-830

YOGA MAT / FLOOR PROTECTOR



CSP-805 CSP-822

BOTTLE PAD

CSP-801 CSP-1210 CSB-507PT CSB-APT-J

CHERN SHIANQ ENT. CO., LTD.
No. 57, Fu Chiang Rd. Guan Tian Ind. Park,
720 Tainan, Taiwan
Tel: 886-6-699 2373
Fax: 886-6-699 2620
www.chernshianq.com
E-mail: chern.shianq@msa.hinet.net

CST-108AK2 CST-104P CST-129STR CST-126

CST-BR104 CST-104SH CST-105 CST-105SH CST-126 CST-110 CST-107

SILICONE

CST-115 CST-115B CST-125 CST-127 CST-SI128F CST-SI128F SI126F SI130F SI108

CST-101GD.101SV CST-151 CST-119.119SH CST-125PW CST-104PW

CST-106 CST-108 CST-109A CST-104K2 CST-104K2 CST-102A CST-103 CST-118 CST-120LV

MTB/BMX GRIP

CSG-C120 C121 C660D C660L C672A C672B C672C C670A C659A SIC660 681A 681B 681C 660L.M

All Of PVC Grips Comply With Cpsia, Rohs ..And EN 71)

Grips

Model:CC-237
Size: 125mm x (1" or 7/8")
Material: PVC or Rubber

CC-149A
CC-149B
CC-149C

Model:CC-149
CC-149A
Size: 114mm x 19/22.2mm
CC-149B(1x 4)
Size: 114mm x 1"
CC-149C
Size: 114mm x 1-1/4 OR 1-1/8"
Material: PVC

Model:CC-101
Size: 20" Meshroom Grip
Material: PVC

Model:CC-235
Size: 120mm x (1" or 7/8")
Material: PVC

Model:CC-174
BMX Grip
Size: 110 x 7/8"
Material: PVC or Rubber

CC-126
CC-199B

Model:CC-127
Size: 124mm x 7/8" or 1"
Material: PVC or Rubber

Model:CC-126, CC-199B
CC-126 Size: 90mm x 7/8"
CC-199B Size: 100mm x 7/8"
Material: PVC

Model:CC-234, CC-236
MTB Grips
CC-234 Size: 12" x 7/8"
CC-236 Size: 16" x 7/8"
Material: PVC

Model:CC-182
Size: 7/8"x 475mm
Material: PVC

Model:CC-128
Size: 125mm x 19" / 22.2"/ 25.4"
Material: PVC or Rubber

Model:CC-122
Size: 107mm x 7/8"
Material: PVC

Model:CC-150
Size: 115mm x 7/8"
Material: PVC

Model:CC-118
Size: 7/8"x 198mm
Material: PVC

CHIN CHANG PLASTIC INDUSTRY CO., LTD.
No.23, Dawei Rd., Dali District, Taichung, Taiwan.
TEL: 886-4-24064852 . 24067688 FAX: 886-4-24062579
E-mail:a4062579@seed.net.tw / service@chinchang.com.tw
http://www.chinchang.com.tw

LONG LASTING PLEASURE
Silic1 ONE
WWW.SILIC1USA.COM

Silic1 ONE

the Silicone Form Specialist

Foam & Mold Technology

>Ultimate shock absorption

>Reduce hand numbness

Stretch-to-fit

>Secure fit to handlebar without adhesives

>Increase steering control

All-weather Ready

>Maintain tacky surface under sun, rain,
>and snow conditions

>Enjoy the ride through the seasons

CHILILON ENTERPRISE CO., LTD.

No.102, Guozhong Rd., Dali City, Taichung County 412, Taiwan
台中縣大里市國中路102號
TEL:(04)24063005 FAX:(04)24070999
chililonco@gmail.com
http://chililon.com.tw

晟 堅 CHILILON ENTERPRISE CO., LTD

102 Kuo-Chung Rd., Tail Dist.,Taichung City, Taiwan Tel:886-4-24063005 Fax:886-4-24070999
Email:chililon@ms72.hinet.net http://www.chililon.com.tw Executive: Philip Hsu

LONG LIFE

Silicone Foam



Model: CLL-SF1
Material: Hi-density Medical Silicone Foam
Size: 18mm(id) x 130mm(lenght)

Foam & Mold

Shock absorption specifical.
Precise and improved tension strength.

Feeling Dry and Fresh

Feel the dry and fresh from the beginning to the end.

Control through all conditions

Keep the controllability through sunshine, rainy, and windy.

Model:CLL-BT01
Material: Hi-Density medical silicone
Size: 2000 (length) x 30 (width) x 3.0 (thickness)mm

Mold Rubber Foam

Model:CLL-H06
Rubber foam grips
Size:7/8"×5"
Assorted colors
Absorbent shock material

Model:CLL-H01
Rubber foam grips
Size:7/8"×5"
Assorted colors
Absorbent shock material

Model:CLL-H02
Rubber foam grips
Size:7/8"×5"
Assorted colors
Absorbent shock material

Model:CLL-H05
Rubber foam grips
Size:7/8"×5"
Assorted colors
Absorbent shock material

Rubber Foam

Model:CLL-129K
Hi-density rubber foam MTB grips
Size:7/8"×4"
Assorted colors

Model:CLL-129Z
For MTB grips
Size:7/8"×5"

Model:CLL-129(D/DI)
Hi-density rubber foam MTB grips
Size:7/8"×5-1/4"
All black.

Model:CLL-129(SF)
Rubber foam MTB grips
Size:7/8"×5"
Assorted colors

Model:CLL-129(O)
Rubber foam MTB grips
Size:7/8"×5"
Assorted colors

Model:CLL-129(F)
Hi-density rubber foam MTB grips
Size:7/8"×5-1/4"
All black.

Model:CLL-129DS/129DSA
Rubber foam BMX grips
Size:7/8"×4"
Assorted colors

Model:CLL-129(J)
Hi-density rubber foam MTB grips
Size: 7/8"×5-1/4"
All black

Model:CLL-129(L)
Hi-density rubber foam MTB grips
Size: 7/8"×5-1/4"
All black.

Model:CLL-142
12" and 16" BMX plastic MTB plastic grips with grips with foam sleeve foam sleeve
Size: 7/8"×4"
Assorted colors.

Model:CLL-145
12" and 16" BMX plastic MTB plastic grips with grips with foam sleeve foam sleeve
Size: 7/8"×5"
All black.

Model:CLL-129(I)
Hi-density rubber foam MTB grips
Size: 7/8"×5-1/4"
All black.

Model:CLL-129(K)
Hi-density rubber foam MTB grips
Size: 7/8"×5-1/4"
All black.

Tri-color

Model:CLL-129E
Tri-tone Rubber foam MTB grips
Size: 7/8"×5"
Assorted colors.

Model:CLL-128/128AC
Two-tone rubber foam MTB grips
Size: 7/8"×5"
Assorted colors.

Model:CLL-129A
Rubber foam MTB grips
Size: 7/8"×5"
Assorted colors.

Model:CLL-129AH
Two-tone rubber foam MTB grips
Size: 7/8"×5"
Assorted colors.

晟 堅 CHILILON ENTERPRISE CO., LTD

102 Kuo-Chung Rd., Tail Dist.,Taichung City, Taiwan Tel:886-4-24063005 Fax:886-4-24070999
Email:chililon@ms72.hinet.net http://www.chililon.com.tw Executive: Philip Hsu

LONG LIFE

Rubber Foam

Model:CLL-130MI/131XN
Rubber foam MTB grips
Size: 25×6×120mm
25×6×130mm
Assorted colors.

Model:CLL-134A
Tri-tone rubber foam MTB racing grips
for 7/8"handlebar
Size: 7mm×8-1/2"
Assorted colors.
5mm(8.5",10")

Model:CLL-136
Two-tone rubber foam Beach Cruiser grips
Size: Acceptable on request
Assorted colors.
CLL-128(10mm)+7/8"×7mm(11",12-1/2",13")
CLL-128(10mm)+7/8"×5m(11",12-1/2",13")

Model:CLL-138
Rubber foam Beach Cruiser grips
Size: Acceptable on request
Assorted colors.
CLL-142+CLL-133/5mm(11",12-1/2",13")
CLL-142+CLL-133/7mm(11",12-1/2",13")

Model:CLL-139
Rubber foam Beach Cruiser grips
Size: Acceptable on request
Assorted colors.
CLL-139+CLL-133/5mm(11",12-1/2",13")
CLL-139+CLL-133/7mm(11",12-1/2",13")
CLL-129+CLL-133/8mm(11",12-1/2",13")
CLL-129+CLL-133/10mm(11",12-1/2",13")

Model:CLL-F14/14N
Hi-density rubber foam ATB grips
Size: 7/8"×14"
All black.



Model: BAR END
Hi-density rubber foam Bar-end grips
Size:2mm W.T.xlength
Length: Acceptable on request
All black.
(8",12")

Model:CLL-133
Ground foam grips with both round sides.
Size: acceptable on request
7/8"×4mm(T)XL(8.5")
7/8"×5mm(T)XL(10")
7/8"×7mm(T)XL(100mm)

Model:CLL-131
Two-tone rubber foam racing grips
for 7/8" handlebar
Size: 7mm×8-1/2"
Assorted colors
5mm(8.5",10")
7mm(8.5",10")

Model:CLL-131B
Two-tone rubber foam racing grips
for 7/8" handlebar
Size: 7mm×8-1/2"
Assorted colors
5mm(8.5",10")
7mm(8.5",10")

Model:CLL-134
Two-tone rubber foam racing grips
for 7/8" handlebar
Size: 7mm×8-1/2"
Assorted colors
5mm(8.5",10")
7mm(8.5",10")

Model:CLL-301B
Hi-density rubber foam lever
grips Fits all kind of MTB levers
Size: 10×2×85mm
Assorted colors



http://www.counion.com.tw
http://www.counion.ttnet.net
http://www.counion.cttnet.net

Ebon
CO-UNION INDUSTRY CO., LTD.

Catalogue Facebook Website

Ebon
CO-UNION INDUSTRY CO., LTD.

CO-UNION INDUSTRY CO.,LTD.
No.48,Huangong Rd. Yongkang Dist., Tainan City 710, Taiwan
TEL: (886) 06-2338551 FAX:(886) 06-2013594 / (886) 06-2335731
E-mail: Grace@counion.com.tw
合宇工業株式会社
台湾台南市永康区環工路48号

CO-UNION(VIETNAM) CO.,LTD.
Rd. 15,Tan Thuan Export Processing Zone Dist. 7,
Hochiminh, Vietnam
TEL: (8428) 37701148 FAX:(8428) 37701147
合宇責任有限会社
胡志明市、第七郡、新順加工出口区、15号路

HCT SPRINT

LED LIGHT FOR BIKE GRIPS/BAR END

Patented Product

PROFESSIONAL MANUFACTURED

BPF102 Series

BND005 S BND005 B

BND004

BND004B-black BND004S-black BND004S-black

2019 HCT PRODUCTS

BIKE GRIPS

- Taiwan-based research and development & design.
- Ride safety at night.
- Fashion and luxury look.
- Flash light, easy operation, turn function available.

LF101

▲LF101 Series with LED

BIKE PEDAL

TotemS- silver
TotemR- red
TotemB- black
100 x 92.5 m/m

LF102

EF102 (Without LED)

LPF102

▲EF102 Series / LF102 Series with LED

PF102

▲ PF102 Series

EF103 LF103 BL002 BL003 BL004 PF-104-1B

NEW

CF-104-2C2B CF-104-1CAB

PF-104-2B PF-104-3B

BAR END

BEND003 BEND001

BAR END CAP

LCK001 LCK004

MAOL

CK001

HCT 虹中田有限公司 自行車零件專業製造

HUNG CHUNG TIEN INTERNATIONAL CO., LTD.
No.11-3, Fuda Ln., Sioushuei Township, Changhua County 504, Taiwan.
TEL:+886-4-7683728 FAX:+886-4-7683720
E-mail:hct.sprint@msa.hinet.net http://www.hct-sprint.com

ATB / MIB & CITY BIKE GRIPS

MATERIAL : KRATON RUBBER OR PVC AND DOUBLE DENSITY GEL / RUBBER COLOR TO ORDER

LOCK FIXED GRIPS

- LY-3145 Size 125mmX20mm

GRIPS

- LY-4128 Size 120mmX20mm

- LY-3148M,L Size 95~125mmX20mm

- LY-3148LB Size 125mmX20mm

- LY-3148MB Size 95mmX20mm

- LY-3139L Size 125mmX20mm

GRIPS

- LY-4167 Size 125mmX20mm

- LY-4133 Size 125mmX20mm

- LY-3149 Size 130mmX20mm

- LY-3146L,M,S Size 95~130mmX20mm

- LY-3129 Size 125mmX20mm

- LY-3131L,M Size 95~130mmX20mm

SILICONE GRIPS

- LY-4108 Size 125mmX20mm

- LY-4134 Size 125mmX20mm

- LY-3122 Size 100mmX20mm

- LY-3125 Size 130mmX20mm

- LY-3127 Size 120mmX20mm

- LY-3116 Size 130mmX20mm

- LY-3123L Size 120mmX20mm

- LY-3123S Size 95mmX20mm

- LY-4131,B Size 120mmX20mm

- LY-4132,B Size 120mmX20mm

- LY-4145 Size 145mmX20mm

- LY-3103 Size 130mmX20mm

- LY-3124L,M Size 95~120mmX20mm

- LY-3124S Size 65~85mmX20mm

- LY-3117,3117S Size 85~95mmX20mm

E.V.A.

- LY-3141 Size 120mmX20mm

C

- LY-3141C Size 120mmX20mm

- LY-4166 Size 185mmX20mm

領譽企業有限公司
LING YUH ENTERPRISES CO., LTD.
台南市安南區智安二街 16 , 18 號 NO.16, JHIH-AN 2ND ST,TAINAN TAIWAN
Tel:886-6-2562740 · 2562750 Fax:886-6-2562731
e-mail:carol.t53710@msa.hinet.net

HANDLE BAR TAP

LING YUH ENTERPRISES CO., LTD.

SILICONE

GEL

LY-3169 LY-3168 LY-3166-P LY-3166 LY-3167 LY-3181A

CORK TAPE

LY-3198 LY-3172-P LY-3152 LY-3153 LY-3158 LY-3172 LY-3199

LED +Multifunctional Cap

LY-H002 5+2LED

Usage:

- Promotional Advertising of Enterprise Image
- Ontdoor Mountain Climbing and Camping
- Night Lighting in the Fields
- Offshore Operation Lighting for Fishermen
- Autombile Repairing Lighting
- Safe Products for the Old
- For Walking, Riding, and Angling at Night
- And for Various Places Where Vision is Weak

Patented Products, Counterfeiting Not Allowed

BSS
BICYCLE SUPER SALE
BY NEO

BICYCLE SUPER SALE

CLEARANCE SUPER SALE

10.00-21.00 hrs.
June 20-23, 2019
Hall 7-8, Impact
Muangthong Thani

Organized by

N.C.C. Exhibition Organizer Co., Ltd.
Tel: 02 203 4240-4 E-mail: neoteam4@nccexhibition.com

LONG DU
No.123-17, Xinji, Anding Dist., Tainan City 745, Taiwan
TEL:886-6-5938576,886-6-5937654 Fax:886-6-5939724
http://www.lungtu.com.tw mail: lung.tu01@gmail.com

LD-101	LD-102	LD-103	LD-104	LD-104B
22mm x115mm	22mm x100mm	22mm x80mm	22mm x 120mm	22mm x 105mm

LD-105	LD-109B	LD-111B	LD-112	LD-113
22mm x 115mm	22mm x 127mm	22mm x 120mm	22mm x 124mm	22mm x88mm

LD-116	LD-118	LD-131	LD-133B	LD-136B
22mm x90mm	22mm x117mm	22mm x 111mm	22mm x 118mm	22mm x 105mm

LD-140	LD-601	LD-602	LD-603	LD-605
22mm x 90mm	22mm x 97mm	22mm x 118mm	22mm x 123mm	22mm x 127mm

LD-610	LD-621	LD-622	LD-630	LD-553
22mm x 123mm	22mm x 124mm	22mm x 124mm	22mm x 120mm	22mm x 125mm

Always in your hand!

NEW

PRO-B730-Ep1-CD (Lock-on)

PRO-H222-Ep1-CD(Lock-on)

PRO-H222M-CD

NEW Special Material (CR,Choloprene)

PRO-H830Ep1 (Lock-on)

PRO-H830

PRO-H537

PRO-H537Ep1(Lock-on)

PRO-F735Ep1(Lock-on)

PRO-D1971

PROPALM INDUSTRY CO., LTD.

No. 28-3 Ta Hsin Rd. Hsin Shui Village, Puyen Hsiang, Changhua Hsien, 51646 Taiwan

Tel: +886-4-8656623 Fax: +886-4-8656624 Skype: propalm5

propalm.propalm@msa.hinet.net www.propalm.com.tw

NEW COMFORT GRIPS

PRO-H039M PRO-H039MEP1 PRO-H383EP1 PRO-G177EP1 PRO-G177-3

DISPLAY STAND

PRO-H388DS

CR BMX FREE STYLE

HY-055
(End Plug)

PRO-058WS
(End Plug)

PRO-H838EP2-CR PRO-303X-MIX2 (2-Color Mix) PRO-303-MIX3 (3-Color Mix)

CARBON LOOK

PRO-F800EP1 PRO-F800XEP1

BMX & PUSH BIKE GRIPS

PRO-H057-EU-20
(End Plug)

PRO-H057-EU-17
(End Plug)

PRO-1036-100mm

HIGH DENSITY FOAM

PRO-1036-100mm

PRO-J031EP1 (19mm)

PRO-H006EU(19mm/22mm)

PRO-J031EU-MIX3(19mm/22mm)

Tel：+886-4-761-6188
Fax：+886-4-761-2008
E-mail：service@sunnywheel.com.tw

SW-GC-135

Bicycle Grip

• Material: TPR

SW-GC-159A/B

Bicycle Grip Patented

SW-GC-171A/B

Bicycle Grip Patented

SW-GC-177A/C

Bicycle Grip

A • Material: SILICONE
C • Material: SILICONE FOAM

SW-GC-177B

Bicycle Grip

• Material: SILICONE

SW-GC-177D

Bicycle Grip

• Material: SILICONE FOAM

SW-GC-151

Bicycle Grip

• Material: TPR

FL-GC-137

Bicycle Grip Patented

• Material: TPR Grip / Aluminum Bar-end

FL-GC-139

Bicycle Grip Patented

• Material: TPR Grip / Aluminum Clamp

REAR-VIEW MIRROR

L E24 000026

SW-BM-117

- Material: PP / PA6 / POM / Glass
- Fit ø14.5~ ø19.5mm handlebar-end.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-117R / BM-117L) or a set.
- Suitable for 45 km/hr E-bike.

Mirror Size

60° Bracket Suitable Angle

360° Multi-angle Adjustable

Convex Mirror

SW-BM-111A

- Material: ABS+Coating / PA / Glass
- Fit ø14.5 ~ ø19.5mm handlebar-end
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-111R / BM-111L) or a set.
- Color:

Mirror Size

Angle-adjustable

360° Multi-angle Adjustable

Convex Mirror

SW-BM-113A

- Material: ABS+Coating / PA / Glass
- Fit ø14.5 ~ ø19.5mm handlebar-end.
- Avaliable in single item (BM-113R / BM-113L) or a set.
- Color:

Mirror Size

Angle-adjustable

360° Multi-angle Adjustable

Convex Mirror

SW-BM-115

- Material: ABS+Coating / PA / Glass
- Fit ø18~ ø21mm Inner Diameter bar-end.
- Avaliable in single item (BM-115R / BM-115L).
- Color:

Mirror Size

Angle-adjustable

360° Multi-angle Adjustable

Convex Mirror

GRIP/HANDLEBAR TAPE/PLASTIC INJECTION OEM/ODM

886 4 2326 1668 886 4 8827668
sun.shinytw@msa.hinet.net

SS-BC-221-GL
SS-BC-221-GLU
SS-BC-221PUL
MATERIAL : GENUINE LEATHER & PUL
KEY POINT : Hand-Stitching
LENGTH : 139.5mm

SS-216L-GL
SS-216L-PUL
MATERIAL : GENUINE LEATHER & PUL
KEY POINT : Hand-Stitching
LENGTH : 130/90mm

SS-TB-203
MATERIAL.....KRATON/PP
LENGTH.....126.1mm
WIDTH.....32.5mm
INTERNAL DIAMETER....22.2mm

SS-TB-202
MATERIAL.....KRATON/PP
LENGTH.....126.1mm
WIDTH.....32.5mm
INTERNAL DIAMETER....22.2mm

SS-TB-208
MATERIAL.....KRATON/PP
LENGTH.....126.1mm
WIDTH.....32.5mm
INTERNAL DIAMETER....22.2mm

SS-TB-202-GL
SS-TB-202-GLU
SS-TB-202-PUL
MATERIAL : GENUINE LEATHER & PUL
KEY POINT : Hand & Machine Stitching
LENGTH : 126.1mm

COLOR:

Honey#01

Brown#02

Black#03

Natural#04

SS-6004
MATERIAL : 100% SILICON GRIP
SIZE : 18.5 x 28.5 x 130mm
2 END PLUGS INCLUDING
COLOR : 白/黑/紅/橘/黃/藍/螢光綠

SS-6006(NO BACKING ADHESIVE)
MATERIAL : 100% SILICON FOAM TAPE
SIZE : 30(W) x2.5(T) x1550mm
2 END PLUGS INCLUDING
COLOR : 白/黑/紅/橘/黃/螢光綠

SS-217
Kids Grip
INTERNAL DIAMETER 21mm
LENGTH 115mm
MATERIAL ..... KRATON
Color ..... TBD

SS-BB-W1E1-207
MATERIAL.....KRATON
LENGTH.....160mm
WIDTH.....32mm
INTERNAL DIAMETER....20mm

SS-BB-W1E1-207S
MATERIAl.....KRATON
LENGTH.....120/100mm
WIDTH.....32mm
INTERNAL DIAMETER.20mm

SS-BB-F1E1-207
MATERIAL.....KRATON
LENGTH.....160mm
WIDTH.....32mm
INTERNAL DIAMETER....20mm

SS-BB-F1E1-207S
MATERIAL.....KRATON
LENGTH.....120/100mm
WIDTH.....32mm
INTERNAL DIAMETER.20mm

SS-1001 Clamp
For 202、203、208、215、221

SS-215
MATERIAL.....KRATON/PP
LENGTH.....139.5mm
WIDTH.....59.5mm
INTERNAL DIAMETER....22.2mm

NEW

SS-BC-221
MATERIAL.....KRATON/PP
LENGTH.....139.5mm
WIDTH.....59.5mm
INTERNAL DIAMETER....22.2mm

NEW

SS-W1E1-223L/ SS-F1E1-223L
MATERIAL ..... KRATON
LENGTH 130/150/160mm
INTERNAL DIAMETER . 19mm
Color ..... BLK / TBD
Without Flange / W Flange

SS-216/SS-216L
MATERIAL.....KRATON
LENGTH.....90mm/130mm
WIDTH.....51.8mm
INTERNAL DIAMETER....20mm

SS-204
MATERIAL.....KRATON
LENGTH.....129mm
WIDTH.....32.2mm
INTERNAL DIAMETER....19mm

SS-AB-209
MATERIAL.....KRATON
LENGTH.....126mm
WIDTH.....29.4mm
INTERNAL DIAMETER....20.4mm

SS-205
DOUBLE DENSITY
MATERIAL.....KRATON
LENGTH.....133mm
WIDTH.....60.5mm
INTERNAL DIAMETER....20mm

SS-214
MATERIAL.....KRATON
LENGTH.....125mm
WIDTH.....34.3mm
INTERNAL DIAMETER....20mm

SS-AB-210
MATERIAL.....KRATON
LENGTH.....126mm
WIDTH.....29.4mm
INTERNAL DIAMETER....20.4mm

SS-201/SS-201L
DOUBLE DENSITY
MATERIAL.....KRATON
LENGTH.....90mm/123.7mm
WIDTH.....37.2mm
INTERNAL DIAMETER....21mm

SS-206
MATERIAL.....KRATON
LENGTH.....125mm
WIDTH.....30.2mm
INTERNAL DIAMETER....20mm

SS-AB-213
MATERIAL.....KRATON
LENGTH.....126mm
WIDTH.....29.6mm
INTERNAL DIAMETER....20.4mm

SS-1002 END PLUGS
SIZE : 36.5mm*31mm
INTERNAL DIAMETER....20.25mm

SS-1003 END PLUGS
Size : 29.5mm*32mm
INTERNAL DIAMETER....20mm

SS-1005 END PLUGS
SIZE : 36.5mm*28mm
INTERNAL DIAMETER....20.25mm

G25WK
High Density
Hand Sewn
129mm

G25BK
High Density
Hand Sewn
129mm

G25RK
High Density
Hand Sewn
129mm

G25YK
High Density
Hand Sewn
129mm

G-TP3
Sponge Leather
Embossed
129mm

G-E9R
Fabric Embossed
129mm

G-E9K
Fabric Embossed
129mm

G-E9B
Fabric Embossed
129mm

G30-W2
High Density
129mm



G30-K1
High Density
129mm

G-CE1
Carbon Sponge Leather
Embossed
129mm

G-TP1
Sponge Leather
129mm



GOTHIC
Carbon Sponge
Hand Sewn
129mm

G-AR6
Abrasion-resistant
129mm

G-AR5
Abrasion-Resistant
129mm

G22K
129mm

TRIGRAM

G25GK
129mm

CHAIN GUARD

C-S1 Embossed & Knitting
90x110x260mm

C-S2 Embossed & Knitting
90x110x260mm

C-S3 Embossed & Knitting
90x110x260mm

C-S6 Embossed & Knitting
90x110x260mm

CLIMAX Nylon & Neoprene
90x110x260mm & Assorted size

CCZ Nylon & Neoprene
90x110x260mm & Assorted size

C-ES10 Abrasion-resistant
90x110x260mm

CIGAR Nylon & Neoprene
80x100x260mm & Assorted size

E-mail:trigram167@gmail.com

GK-M2
Carbon Sponge
Leather
Abrasion-resistant
128mm

GR-M5
Carbon Sponge
Leather
128mm

GLITTER
Vinyl & Foam
128mm

GB-R2
Carbon Sponge
Leather
Plush Embossed
128mm

GB-K2
Carbon Sponge
Leather
Plush Embossed
128mm

GX-K9
Sponge Leather
128mm

GX-N9
Sponge Leather
128mm

GX-R9
Sponge Leather
128mm

GC-K8
Sponge Leather
128mm

GR7S
Sponge Leather
128mm

GSE-K1
Carbon Sponge
Leather Embossed
128mm

GSB-R1
Carbon Sponge
Leather Embossed
128mm

GP2C
Sponge Leather
128mm

GR2C
Sponge Leather
128mm

GK2C
Sponge Leather
128mm

GC-K6
128mm

TRIGRAM

GT-8S
128mm

CHAIN GUARD

CNP Fabric Embossed & Neoprene 90x110x260mm

CBZ Polyester & Neoprene 90x110x260mm & Assorted size

CFZ Fabric Embossed & Neoprene 90x110x260mm

C-R1 Fabric Embossed & Reflective 90x110x260mm

C-R2 Fabric Embossed & Reflective 90x110x260mm

C-R3 Fabric Embossed & Reflective 90x110x260mm

COCKY Nylon & Neoprene 90x110x260mm Assorted

Tel:+886-4-7616981 Fax:+886-4-7616980

G24K
High Density
Hand Sewn
129mm

G24Y
High Density
Hand Sewn
129mm

G24B
High Density
Hand Sewn
129mm

G-XG3
High density
Abrasion-resistant
Hand Sewn
129mm

G-K2
High Density & Plush
Hand Sewn
129mm

G-CN1
Sponge Leather
Embossed
129mm

G-CN2
Sponge Leather
Embossed
129mm

GSS
Fabric Embossed
Hand Sewn
129mm

GST
Fabric Embossed
Hand Sewn
129mm

G-N11
Fabric Embossed
Hand Sewn
129mm

G-CW6
High Density & Cow Leather
Hand Sewn
129mm

G-TG4
High Density & Cow Leather
Hand Sewn
129mm

G-CE9
High Density
Fabric Foam
129mm

G-T2X
High Density
Fabric Embossed
Hand Sewn
129mm

GFA
High Density
Hand Sewn
129mm

GF-T10
128mm

TRIGRAM

GOODY
129mm

CHAIN GUARD

CNA Fabric Embossed & Neoprene
90x110x260mm

C-T1 Fabric Embossed & Neoprene
90x110x260mm

C-T2 Strong-Pad & Neoprene
90x110x260mm

C-T4 Polyester & Neoprene
& Cow Leather
90x110x260mm

CHIC Nylon & Neoprene
80x100x260mm & Assorted size

CHOKER Nylon & Neoprene
90x110x260mm & Assorted size

CHARM Nylon & Neoprene
90x110x260mm & Assorted size

CHIPPY Nylon & Neoprene
80x100x260mm & Assorted size

E-mail:trigram167@gmail.com

GW-C1
Carbon Sponge
128mm

CR-C2
Carbon Sponge
128mm

GN-C4
Carbon Sponge
128mm

GB-R3
Plush Embossed
128mm

GB-K3
Plush Embossed
128mm

G-CK3
Cow Leather
Hand Sewn
138mm

GREATER
Cow Leather & Kraton
Hand Sewn
138/128/99mm

G-CL1
Cow Leather & Kraton
Hand Sewn
L: 138mm R: 99mm

GEM
Cow Leather & CR series
Hand Sewn
129/120/92mm

G-LS5
Cow Leather
Hand Sewn
L:130mm, R:93mm

GSN
Cow Leather & CR
reflector series
Hand Sewn 129mm

G-XL1
Cow Leather
Embossed
130mm

GZP
Cow Leather & CR series
Hand Sewn
125/80mm

GC-L4
Carbon Sponge &
Cow Leather
128mm

GOP
High Density & Cow leather
Hand Sewn
129mm

GF-AR1
128mm

TRIGRAM

GZQ
128mm

CHAIN GUARD

C-T5 Double Embossed
90x110x260mm

C-T6 Cow Leather
90x110x260mm

CMC Abrasion-resistant
& Cow Leather 90x110x260mm

CLUE Vinyl carbon
90x110x260mm & Assorted size

C-ES12 Knitting Backing
90x110x260mm

COBRA
CARBON FIBER 198x 15mm

SADDLE COVER

SNAPPY
Lycra & Gel
280x158mm

SNAZZY
Lycra & Gel
280x185mm

Tel:+886-4-7616981 Fax:+886-4-7616980

G20K
High Density
Hand Sewn
129mm

G20W
High density
Hand Sewn
129mm

G20C
High density
Hand Sewn
129mm

G-C2
High Density
129mm

G-C1
High Density
129mm

GROUP
Kraton
120/130mm

GUIDE
Kraton
130/120/95/80mm

GK-T2
Kraton
130mm

GK-T5
Kraton
130mm

GK-T6
Kraton
134mm

GUSH
Kraton
125mm

GUTTER
Kraton
138mm

G30R
High Density
129mm

G30B
High Density
129mm

G30K
High Density
129mm

G-R1
129mm

TRIGRAM

G-K1
129mm

DOWN TUBE

DTC
Sponge-Carbon 270x55mm

DTD
Cow Leather 270X55mm

DTB
Fabric Embossed & Neoprene
Size:270X230mm, 475X285mm

U-MP1
Strong-Pad Embossed & Neoprene
205x485mm

MTB FORK MUD PAD

FORK MUD PAD

UZA
Fabric Embossed & Neoprene
165mm Trave:140~200mm

UZB
Fabric Embossed & Neoprene
125mm Trave:90~140mm

UZE
Fabric Embossed & Neoprene
165mm Trave:140~200mm

E-mail:trigram167@gmail.com

G-KW5
High Density
129mm

G-K5
High Density
129mm

G-RB5
High Density
129mm

GFJ
High Density
Hand Sewn
129mm

GFI
High Density
Hand Sewn
129mm

G-E6-9
Fabric Embossed
128mm

GN8
Sponge Leather
128mm

GW8
Sponge Leather
128mm

GC8
Sponge Leather
128mm

GC-B8
Sponge Leather
128mm

GASP
Carbon Sponge & Foam
128mm

GRIST
Nylon & Foam
128mm

GZO
Fabric Embossed
128mm

GALLANT
Nylon & Foam
128mm

GF-N2
Fabric Embossed
128mm

GR-S11
128mm

TRIGRAM

GN-S12
128mm

MASK

MASTER

MAXIM

M-X1

M-X2

Lycra & Neoprene
Cow Leather
565x155mm
605x155mm

TROUSER BAND

POSH
Light 315x35mm

POSIT
Light 325x32mm

POP
Light 315x35mm

Tel:+886-4-7616981 Fax:+886-4-7616980

New Innovative Technology

MICROTECH TEXTURE



VLG-1670

Material	Hard Plastic/KRATON/Gel
Key point	Triple Density, Microtech Texture
Vis	G2, One Side Ring, Aluminum
Spec	Ø22.4mm 131.6/92mm

VLG-1670D3-L1	(Closed End)	131.6/131.6 mm
VLG-1670AD3-L1	(Open End)	131.6/131.6 mm
VLG-1670-1D3	(Closed End)	92/92 mm
VLG-1670-2D3	(Closed End)	131.6/92 mm

VLG-1859

Material	Hard Plastic/KRATON/Gel
Key point	Triple Density, Microtech Texture
Vis	G2,One Side Ring, Aluminum
Spec	Ø22.4mm 136/95mm

VLG-1859D3	(Closed End)	136/136 mm
VLG-1859-1D3	(Closed End)	95/95 mm
VLG-1859-2D3	(Closed End)	136/95 mm

VLG-1777D2

Material	Hard Plastic/Gel
Key point	Double Density, Microtech Texture
Vis	Plastic Clamp, One Piece
Spec	Ø22.4 mm(Closed End)131.6/131.6mm

VLG-1879D2 NEW

Material	Hard Plastic/Gel
Key Point	Double Density, Microtech Texture
Vis	Plastic Clamp, One Piece
Spec	ø22.4mm(Closed End) 138/138mm

VLG-1839 NEW

Material	Hard Plastic/Gel
Key Point	Double Density, Microtech Texture
Vis	G2, One Side Ring
Spec	ø22.4mm 131.7/140mm

VLG-1839AD2 (S)	(Open End)	131.7/131.7mm
VLG-1839AD2 (L)	(Open End)	140/140mm

Plastic Clamp Series-One Piece

VLG-1851D2 NEW

Material	Hard Plastic/VEXK
Key Point	Double Density
Vis	Plastic Clamp, One Piece
Spec	ø22.4mm(Closed End) 115/115mm

VLG-1883D2 NEW

Material	Hard Plastic/VEXK
Key Point	Double Density
Vis	Plastic Clamp, One Piece
Spec	ø22.4mm(Closed End) 133/133mm

VLG-1887D2 NEW

Material	Hard Plastic/VEXK
Key Point	Double Density
Vis	Plastic Clamp, One Piece
Spec	ø22.4mm(Closed End) 134.8/134.8mm

VLG-1812D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	Plastic Clamp, One Piece
Spec	Ø22.4 mm (Closed End) 134.8/134.8 mm

VLG-1661

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	Plastic Clamp,One Piece
Spec	Ø22.4 mm 132.6/131 mm

VLG-1661D2	(Closed End)	132.6/132.6 mm
VLG-1661D2-N	(Closed End)	131/131 mm

VLG-1879D2 NEW

Material	Hard Plastic/Gel
Key Point	Double Density, Microtech Texture
Vis	Plastic Clamp, One Piece
Spec	ø22.4mm(Closed End) 138/138mm

VLG-1777D2

Material	Hard Plastic/Gel
Key point	Double Density, Microtech Texture
Vis	Plastic Clamp, One Piece
Spec	Ø22.4 mm(Closed End) 131.6/131.6mm

VLG-1505

Material	Hard Plastic/KRATON
Key point	Double Density
Vis	Plastic Clamp,One Piece
Spec	Ø22.4mm 132/92 mm

VLG-1505D2	(Closed End)	132/132 mm
VLG-1505-1D2	(Closed End)	92/92 mm
VLG-1505-2D2	(Closed End)	132/92 mm
VLG-1505D2-HP	(Closed End)	132/132 mm
VLG-1505-2D2-HP	(Closed End)	132/92 mm

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, K unshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

Diamond Design

Diamond Design

Mushroon Design

Mushroon Design

VLG-1820-11D2

Material	Hard Plastic/VEXK
Key point	Double Density, OD:32
Vis	G2,One Side Ring, Aluminum
Spec	Ø22.4 mm (Colsed End) 132/132mm

VLG-1816-11D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	G2,One Side Ring, Aluminum
Spec	Ø22.4 mm (Closed End) 135/135 mm

VLG-1862-11D2 NEW

Material	Hard Plastic/VEXK
Key Point	Double Density
Vis	G2, One Side Ring,Aluminum
Spec	ø22.4mm(Closed End) 130/130mm

VLG-1863 NEW

Material	Hard Plastic/VEXK
Key Point	Double Density
Vis	G2, Two Side Rings,Aluminum
Spec	ø22.4mm 130/135.5mm

VLG-1863AD2 (Open End)	130/130mm
VLG-1863-12D2 (Closed End)	135.5/135.5mm

VLG-884-11PD2 plastic clamp

VLG-884-2AD2-L2

VLG-884AD2-L1

VLG-884-12D2

VLG-884-9AD2-L1

VLG-884-3AD2-L1

Duracork

VLG-884

Material	Hard Plastic/VEXK
Key point	Double Density, Light Weight
Vis	G2, Side Ring, Aluminum, Plastic Clamp
Spec	Ø22.4 mm 136.5/135/132/92/80 mm

VLG-884AD2-L1 (Open End)	132/132 mm
VLG-884-2AD2-L2 (Open End)	135/135 mm
VLG-884-3AD2-L1 (Open End)	92/92 mm
VLG-884-5AD2 (Open End)	135/92 mm
VLG-884-8AD2 (Open End)	132/92 mm
VLG-884-9AD2-L1 (Open End)	80/80 mm
VLG-884-10AD2 (Open End)	135/80 mm
VLG-884-11D2-L1 (Closed End)	132/132 mm
VLG-884-11PD2 (Closed End) (Plastic Clamp)	132/132 mm
VLG-884-12D2-L2+VLP-171 (Closed End)	136.5/136.5 mm

VLG-649

Material	Hard Plastic/Gel/DuraCork
Key point	Double Density and Triple Density, Anatomic Design
Vis	G1, Lock Ring
Length	Ø22.4 mm 135/92 mm
OD	L: 55.94/M: 53.5/S:51 mm

VLG-649AD3 (Open End)	135/135 mm
VLG-649AD2 (M) (Open End)	135/135 mm
VLG-649AD2 (S) (Open End)	135/135 mm
VLG-649-1AD2 (Open End)	92/92 mm

Mushroon Design

VLG-1192-11D2(L) VLG-1192-11PD2(S)

VLG-1266

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	G2, One Side Ring , Two Side Rings, Aluminum
Spec	Ø22.4 mm 135 / 132 mm

VLG-1266AD2-L2 (Open End)	135/135 mm
VLG-1266-11D2-L1 (Closed End)	132/132 mm

VLG-1192

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	G2, One Side Ring, Aluminum, Plastic
Spec	Ø22.4 mm 130 mm
OD	L: 33.6/30.3 mm S: 33.6/28.5 mm

VLG-1192AD2(S) (Open End)	130/130 mm
VLG-1192-11D2(S) (Closed End)	130/130 mm
VLG-1192-11D2(L) (Closed End)	130/130 mm
VLG-1192-11PD2(S) (Closed End)	130/130 mm
VLG-1192-11PD2(L) (Closed End)	130/130 mm

VLG-1389

Material	Hard Plastic/ KRATON / Gel
Key point	Triple Density, Anatomic Design
Vis	G2, One Side Ring, Aluminum, Plastic
Spec	Ø22.4 mm 133 mm
OD	L: 46.9 / S: 45 mm

VLG-1389AD3 (S) (Open End)	133/133 mm
VLG-1389D3 (L) (Closed End)	133/133 mm
VLG-1389D3 (S) (Closed End)	133/133 mm
VLG-1389PD3 (L) (Closed End) (plastic clamp)	133/133 mm
VLG-1389PD3 (S) (Closed End) (plastic clamp)	133/133 mm

VLG-1541

VLG-1541AD2

Material	Hard Plastic/VEXK
Key point	Q Base
Vis	G2, One Side Ring, Aluminum
Spec	Ø22.3-19.5 mm (Open End)132.4 / 132.4 mm

VLG-1541

	VEXK
	Single Density
	W/O Vise
	Ø19.5 mm (Closed End) 125/125 mm

VLG-1185AD3

Material	Hard Plastic/KRATON/Gel
Key point	Triple Density, Anatomic Design With Bar-End
Vis	G2, One Side Ring, Aluminum
Spec	Ø22.4 mm (Open End) 138/138 mm

VLG-1745AD3

Material	Hard Plastic/ KRATON / Gel
Key point	Triple Density
Vis	G2, Two Side Rings, Aluminum
Spec	Ø22.4 mm (Open End) 130/130 mm

GRIPS

www.velosaddles.com

VLG-864

Material	Hard Plastic/KRATON/Super Light Foam
Key point	Triple Density, Light Weight
Vis	G2, One Side Ring, Aluminum
Spec	Ø22.4mm 130.7/129/120/92 mm

VLG-864-1AD3 (Open End)	129/129 mm
VLG-864-2AD3 (Open End)	92/92 mm
VLG-864-4AD3 (Open End)	120/120 mm
VLG-864-5AD3 (Open End)	129/92 mm
VLG-864-12D3+VLP-171 (Closed End)	130.7/130.7 mm

VLG-864

Material	Hard Plastic/KRATON/Super Light Foam
Key point	Triple Density, Colorful Super Light Foam
Vis	G2, One Side Ring, Aluminum
Spec	Ø22.4mm 129/120 mm

VLG-864-21AD3 (Open End)	129/129 mm
VLG-864-24AD3 (Open End)	120/120 mm

VLG-1545AD3-L1-G2

Material	Hard Plastic/KRATON/Super Light Foam
Key point	Triple Density
Vis	G2, One Side Ring, Aluminum
Spec	Ø22.4mm (open end) 129/129 mm

VLG-1880AD3 NEW

Material	Hard Plastic/KRATON/Super Light Foam
Key Point	Triple Density
Vis	G2, One Side Ring
Spec	ø22.4mm(Open End) 131.3/131.3mm

VLG-1745D2

Material	KRATON/Gel
Key point	Double Density
Vis	W/O Vise
Spec	Ø19.5 mm (Closed End) 125/125 mm

VLG-1892 NEW

Material	KRATON
Key Point	Single Density
Vis	W/O Vise
Spec	ø17mm(Closed End) 90mm

VLG-901

Material	KRATON
Spec	Ø19.5 mm & 17 mm 100/82 mm

VLG-901 (Closed End)	82/82 mm
VLG-901-1 (Closed End)	100/100 mm
VLG-901-2 (Closed End)	100/82 mm

VLG-1679

Material	KRATON/Gel
Key point	Double Density
Vis	W/O Vise
Spec	Ø19.5mm 125/120/82 mm

VLG-1679D2 (Closed End)	125/125 mm
VLG-1679AD2 (Open End)	125/125 mm
VLG-1679-8 (Closed End) (Single Density)	82/82 mm
VLG-1679-10 (Closed End) (Single Density)	120/120 mm
VLG-1679-11 (Closed End) (Single Density)	120/82 mm

VLG-1872 NEW

Material	VEXK
Key Point	Single Density
Vis	W/O Vise
Spec	ø19.5mm 155/155mm

VLG-1872 (Closed End)	155/155mm
VLG-1872A (Open End)	155/155mm
VLG-1872-1 (Closed End)	155/155mm
VLG-1872-1A (Open End)	155/155mm

VLG-1893 NEW

Material	KRATON
Key Point	Single Density
Vis	W/O Vise
Spec	ø19mm 115/76mm

VLG-1893 (Closed End)	115/115mm
VLG-1893-1 (Closed End)	76/76mm
VLG-1893-2 (Closed End)	115/76mm

VLG-1670

Material	KRATON/Gel
Key point	Double Density
Vis	W/O Vise
Spec	Ø19.5mm 131.6 mm

VLG-1670D2 (Closed End)	131.6/131.6mm
VLG-1670AD2 (Open End)	131.6/131.6mm

VLG-1824

Material	KRATON/Gel
Key point	Double Density
Vis	W/O Vise
Spec	Ø19.5mm 131.6/92 mm

VLG-1824D2 (Closed End)	131.6/131.6 mm
VLG-1824-1D2 (Closed End)	92/92mm
VLG-1824-2D2 (Closed End)	131.6/92mm

VLG-1133

Material	KRATON/Gel
Key point	Double Density, Anatomic Design
Vis	W/O Vise
Spec	Ø19.5mm 130/92 mm

VLG-1133AD2 (Open End)	130/130 mm
VLG-1133-1AD2 (Open End)	92/92 mm
VLG-1133D2 (Closed End)	130/130 mm
VLG-1133-1D2 (Closed End)	92/92 mm

VLG-1389

Material	KRATON/Gel
Key point	Double Density, Single Density
Vis	W/O Vise
Spec	Ø19.5mm 130/92/76 mm

VLG-1389D2 (Closed End)	130/130 mm
VLG-1389-1D2 (Closed End)	92/92 mm
VLG-1389-2D2 (Closed End)	130/92 mm
VLG-1389-3D2 (Closed End)	130/76 mm
VLG-1389 (Closed End)	130/130 mm
VLG-1389-1 (Closed End)	92/92 mm
VLG-1389-2 (Closed End)	130/92 mm

VELO feels right

VELO ENTERPRISE CO ., LTD.
1012, Sec.1 Chung-Shan Road, Tachia, Taichung, Taiwan
Tel: +886-4-2686-4546 / Fax: +886 -4-2686-8636
Email: info@velosaddles.com

GICHING BICY CLE PARTS (S.Z) CO., LTD.
No.208, Bulong Road, Shang Shui Ching , Buji Town,
Long Gang Di strict,Shenzhen, Guangdong Province, China
Tel: +86-755-2857-6688 / Fax: +86-755 -2852-2147

VELO CYCLE (KUNSHAN) CO ., LTD.
No.101, Yue He South R oad, Kunshan Economic &
Technical Development Zone, Kunshan, Jiang Su, China
Tel: +86-512-5771-0289 / Fax: +86-512-5770-0441

VLG-075

Material	Super Light Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø19mm 130/117/100 mm

VLG-075A	(Open End)	117/117 mm
VLG-075-1A	(Open End)	100/100 mm
VLG-075-2A	(Open End)	130/130 mm
VLG-075-3A	(Open End)	130/117 mm
VLG-075-4A	(Open End)	130/100 mm

VLG-075-2A

Material	NANO Foam
Key point	Light Weight, Laser logo
Vis	W/O Vise
Spec	Ø19mm (Open End) 130/130 mm

VLG-1643A

Material	100% Silicone
Key point	Anti Slip, Anti UV, Natural material
Vis	W/O Vise
Spec	Ø20mm (Open End) 127/127 mm

VLG-1749A

Material	Silicone Foam
Key point	Light Weight, Any Logo Available
Vis	W/O Vise
Spec	130/130 mm
OD	Installed 34/32/30 mm

VLG-1782

Material	KRATON/Cover
Key point	Machine-Stitching
Vis	W/O Vise
Spec	Ø20.5 mm 125/92 mm

VLG-1832

Material	KRATON/Cover
Key point	Machine-Stitching
Vis	W/O Vise
Spec	Ø20.5 mm 125/92 mm

VLG-1782AD2	(Open End) 125/125 mm	VLG-1832AD2	(Open End) 125/125 mm
VLG-1782-2AD2	(Open End) 125/92 mm	VLG-1832-2AD2	(Open End) 125/92 mm

VLG-1906A NEW

Material	Silicone Foam
Key Point	Light Weight,Suede
Vis	W/O Vise
Spec	130/130mm
OD	Installed 34/32/30mm

VLG-1912A NEW

Material	Silicone Foam
Key Point	Light Weight
Vis	W/O Vise
Spec	ø18mm(Open End) 137/137mm

VLG-200 (cover)

Material	KRATON/Cover
Spec	Ø19.5 mm 120/105/75 mm

VLG-200 (Closed End)	120/120 mm
VLG-200-1 (Closed End)	105/105 mm
VLG-200-2 (Closed End)	120/75 mm
VLG-200-3 (Closed End)	75/75 mm
VLG-200-4 (Closed End)	105/75 mm
VLG-200-6 (Closed End)	120/105 mm

VLG-1731D3

Material	Hard Plastic/Gel/Cover
Key point	Leather + Hand-Stitching
Vis	G2, Two Side Rings
Spec	Ø22.4mm (Closed End) 132.8/132.8 mm

VLG-1814

Material	KRATON/Leather Or Standard Cover
Key point	Leather + Hand-Stitching
Vis	W/O Vise
Spec	Ø19.5 mm(Closed End)135/135 mm

VLG-1863 NEW

Material	Hard Plastic/Gel/Cover
Key Point	Leather + Hand-Stitching
Vis	G2, Two Side Rings
Spec	ø22.4mm 130/135.5mm

VLG-1863AD3	(Open End)	130/130mm
VLG-1863-12D3	(Closed End)	135.5/135.5mm

VLG-1565

Material	Hard Plastic/KRATON/Gel/Cover
Key point	Leather + Hand-Stitching
Vis	G2, One Side Ring
Length	Ø22.4 mm 135/92 mm

VLG-1565D3 (Closed End)	135/135 mm
VLG-1565-1D3 (Closed End)	92/92 mm
VLG-1565-2D3 (Closed End)	135/92 mm

VLG-649

Material	Hard Plastic/KRATON/Cover
Key point	Leather + Hand-Stitching
Vis	G1, Lock Ring
Spec	Ø22.4 mm 140/95 mm

VLG-649AD2(S) (Open End)	140/140 mm
VLG-649-1AD2 (Open End)	95/95 mm
VLG-649D2(S) (Closed End)	140/140 mm
VLG-649-1D2 (Closed End)	95/95 mm

Hand-Stitching

S1 Double cross stitch Wax rope 2mm	S4 Single cross stitch Wax rope 2mm
S2 Double cross stitch Resin 1mm	S5 Parallel stitch Wax rope 2mm
S3 Double cross stitch Wax rope 1mm	S6 Parallel stitch Leather 4mm

TAPE

Reflective Tape

Velo's new reflective tapes are born to strengthen safety for all road riders at night.

VLT-5095
Texture Metal Looking
Key point Nano Finishing

VLT-5094
Texture PU, Special artwork
Key point Nano Finishing

VLT-7092
Texture Linen
Key point Washable,Sweat-Absobent

VLT-1011
Texture Suede
Key point Gel, Vex Gel

VLT-1001
Texture EVA
Key point Gel, Vex Gel

VLT-1052
Texture Chinese Style Pattern
Key point Gel, Vex Gel

VLT-1051
Texture Diamond Pattern
Key point Gel, Vex Gel

VLT-2019HD2-R
Texture Pinholes, Microfiber
Key point Shockproof, Reflective

VLT-2023HD2-R
Texture Pinholes, Microfiber
Key point Velvet, Shockproof, Reflective

VLT-5079HD2-R
Texture Pinholes, Microfiber
Key point Super Anti-slip, Shockproof, Reflective

VLT-5079HD2
Texture Diamond Pattern
Key point Two-Tone, Super Anti-slippery

VLT-2087
Texture 3D Carbon Looking
Key point Microfiber

VLT-5094 NEW
Texture PU, Any artwork, UV Technology
Key Point Nano Finishing

VLT-5102 NEW
Texture Diamond pattern
Key Point Super Anti-slippery,Stretchable, Shockproof

VLT-7109 NEW
Texture PU
Key Point Colorful, Shockproof

VLT-5049
Texture Anti-slip, Elastic, Diamond Pattern
Key Point Shockproof, Vex Gel

VLT-3089HD2
Texture Diamond Pattern
Key point Two-Tone, Super Anti-slippery

VLT-6093 VLT-6097 VLT-6098
Texture Diamond Pattern. Snake Pattern.Wavy Pattern
Key Point Silicone, Shockproof

VLT-5072
Texture Diamond Pattern or Customized
Key point Gel, Vex Gel, Shockproof, Anti-slippery

曜輗企業有限公司
WINNING ENTERPRISES CO., LTD.
台南市安南區安和路四段36巷208號
No.208, Ln.36, Sec.4, Anhe Road, Tainan, Taiwan
Tel:886-6-3565599 Fax:886-6-3566100
http://www.winning99.com.tw E-mail:winning9@ms71.hinet.net

Grips

EN71, ROHS, PROP65,CPSIA, REACH CERTIFIED

Material:Kraton/Gel

NEW

WI-1171LCM Size:130mm
WI-1171MCM Size:120mm
WI-1171NCM Size:100mm
WI-1171SCM Size: 80mm

WI-1170M

WI-1170H

NEW

WI-1172LC Size:130mm
WI-1172LC Size:100mm

NEW

WI-1173LCM Size:130mm
WI-1173NCM Size:100mm
WI-1173SCM Size: 80mm

WI-1116LB Size:130mm
WI-1116L Size:130mm

WI-1108LB Size:122 mm
WI-1108L Size:122 mm

WI-1104M Size:100mm
WI-1104S Size:85mm
With logo(optional)

WI-1152SB Size:95mm
WI-1152LB Size:125mm
With logo (optional)

WI-1111 Size:130mm & 75mm

WI-1112C 125mm

WI-1164B 135mm&92mm&72mm

WI-1164C 125mm&92mm&72mm

WI-1114 Size:130mm

WI-1152S Size:95mm
WI-1152L Size:125mm
With logo (optional)

WI-1159SB Size:95mm
WI-1159LB Size:128mm

WI-1159S Size:95mm
WI-1159L Size:128mm

WI-1160SB Size:95mm
WI-1160LB Size:135mm
With logo (optional)

WI-1165SB Size:95mm
WI-1165LB Size:135mm

WI-1167SB Size:95mm
WI-1167LB Size:135mm

WI-1167S Size:95mm
WI-1167L Size:135mm

WI-1155 Size:L120mm
M95mm
S75mm

WI-1142S Size:95mm
WI-1142L Size:120mm

NEW WI-1166SSB Size:65mm
WI-1166SB Size:92mm
WI-1166MB Size:102mm
WI-1166LB Size:122mm

NEW WI-1166SS Size:65mm
WI-1166S Size:92mm
WI-1166M Size:102mm
WI-1166L Size:122mm

WI-1168SB Size:102mm
WI-1168LB Size:130mm

WI-1168S Size:102mm
WI-1168L Size:130mm

WI-1169LB Size:130mm

WI-1169L Size:130mm

WI-1114LB Size:130mm

WI-1139LB Size:122mm
WI-1139MB Size:102mm
WI-1139SB Size:92mm

WI-1139L Size:122mm
WI-1139M Size:102mm
WI-1139S Size:92mm

WI-1102L/S Size:L120mm S75mm

WI-1153 Size:130mm

WI-K130 Size:130mm
WI-K100 Size:100mm
WI-K86 Size:86mm
WI-K60 Size:60mm

Special design for Revo shifter

WI-S75 Size:75mm
WI-S102 Size:102mm
WI-S120 Size:120mm

WI-1148 Size:L120mm S100mm B85mm

WI-1146 Size:105mm (12"/16")

WI-1154 Size:115mm (16"/20")

WI-1113 Size: 95mm (12")



WI-1101 Size:105mm (12"/16")

NEW

PU Leather + Foam

WI-1118 Size:135mm

NEW

NBR

WI-1121 Size:125mm

NEW

100% Silicone

WI-1117 Size:130mm

NEW

100% Silicone

WI-1120 Size:125mm

Plastic Barends

WI-1170
Size:60/75/90/105/120/135

Tapes & Barends

Handle Bar Tapes

PU+EVA Tapes

WI 3113

EVA Cork Tape

Size:3cmx1.9m~2m/Roll

WI-3112

WI-3111

EVA Tapes

WI-3109

GEL Tapes

WI-3109B
with logo(optional)

NEW

WI-3200A

WI-3200C
(W/KRATON)

YANG MAO INDUSTRIAL CO., LTD
No.68-5 Lane 496, Sec.1, Chung Shan Rd., Hwa Nei Kaohsiung Hsien, Taiwan.
TEL : 886-7-6932026, 6936396~7 FAX:886-7-6933635
Executive:W.H.hsieh E-mail:yangmao@ms49.hinet.net

For MTB Grip

WR-2660 NEW!
L: 125mm

open end
(with WR-G6 plug)

WR-2661 NEW!
L: 125mm

open end
(with WR-G6 plug)

WR-2013L.S NEW!
L: 150mm
S: 130mm

closed end &
open end(with plug)

WR-2656
L: 125mm

closed end &
open end(with plug)

WR-2657
L:125mm

closed end &
open end(with plug)

WR-2640
L: 130mm

open end
(with WR-G6 plug)

WR-2611 L.M
L:125mm
M:100mm

WR-2642
L: 125mm

open end
(with WR-G2 plug)

WR-2641
L: 130mm

open end
(with WR-G6 plug)

WR-2633L.M.S
L: 125mm
M:110mm
S: 90mm

WR-2635L , S
L: 125mm
S: 93mm

WR-2636L.M. S
L: 120mm
M:100mm
S: 80mm

WR-2637L.S
L: 125mm
S: 90mm

WR-2610
L: 125mm

WR-2618L
L: 120mm

WR-2618-1L
L: 120mm

WR-2638L.S
L: 125mm
S: 90mm

WR-2627L.M.S
L: 125mm
M:110mm
S: 86mm

WR-2630L.M.S
L: 125mm
M:102mm
S: 72mm

WR-2643 L.M.S
L:125mm
M:103mm
S:83mm

WR-2658
L: 125mm

Material: Rubber / Non-toxic PVC

For Track Bike Grip



WR-2651
Size: 130mm x 22.2mm(D)

WR-2655
Size: 190mm x 22.2mm(D)

WR-2653
Size: 130mm x 22.2mm(D)

For BMX Freestyle

WR-2009
Size: 130mm x 22.2mm(D)

WR-2006
Size: 115mm x 22.2mm(D)

WR-2005
Size: 115mm x 22.2mm(D)

WR-1601
Size:95mm x 22.2mm

WR-2001
Size: 115mm x 22.2mm(D)

WR-2010
Size: 145mm x 22.2mm(D)

WR-2011
Size:145mm x 22.2mm(D)

WR-2008
Size: 140mm x 22.2mm(D)

Standards: Closed end & open end (with plug)

For Lady Bike Grip

WR-2603
Size:110mm x 22.2mm
110mm x 25.4mm

WR-2617 WR-2605 WR-2606
Size:110mm x 22.2mm

WR-2615 L.S
L: 110mm, S:85mm

WR-2604A WR-2604B WR-2604C
Size:120mm x 22.2mm / 120mm x 25.4mm

For 12" 14" 16" BMX Grip

WR-1608
100mmx22.2mm

WR-1209
Size:95mm
x 22.2mm

WR-1402
Size:90mm
x 22.2mm

WR-1205
Size:85mm
x19/22.2mm

WR-1207
Size:95mm
x19/22.2mm

Hub Cap

WR-P1

WR-P2

WR-P3

WR-P6

WR-P7

WR-PA

WR-P4

WR-P5

YANG MAO INDUSTRIAL CO., LTD
No.68-5 Lane 496, Sec.1, Chung Shan Rd., Hwa Nei Kaohsiung Hsien, Taiwan.
TEL : 886-7-6932026, 6936396~7 FAX:886-7-6933635
Executive:W.H.hsieh E-mail:yangmao@ms49.hinet.net

Chain Guard

WR-1212B
For 16" Bike
RC: 305mm

WR-1212A
For 14" Bike
RC: 285mm

WR-1212
For 12" Bike
RC: 26mm

WR-1212C
For 18" Bike
RC: 325mm

WR-1003A
For 12" Bike , RC: 206mm

WR-1630
For 16" Bike , RC: 335mm

WR-1224
For 12"~24" BMX Bike ,
RC: 240mm~400mm

WR-1632
For 16" Bike , RC: 305mm

WR-1228
For 12" Bike , RC: 245mm

WR-1626
For 16"~26" Bike
Material:PP/ABS

WR-1428
For 14" Bike , RC: 275mm

Bottles Cages

WR-0001

WR-0002

Water Bottles

WR-1000
Volume: 250cc

WR-1100
Volume: 800cc

Cable Guide

Plasticl Mudguard

WR-1213

WR-1213A

WR-1213B

WR-1820

"For 16"~20"

WR-1215

WR-1215-1

WR-1618

WR-1312

For 12"~14

Plasticl Basicet

WR-1214

WR-1214A

WR-1214B

WR-1214C

Spoke Protector

WR-1035

Diam: 5-1/2,
For: 28T~36H

WR-1005

Diam: 5-1/2,
For: 28T

WR-1006

Diam: 6-1/2,
For: 28T~34T

WR-1007

Diam: 7-1/2,
For: 28T~36T



WR-1045

Diam: 6"
For: 28T~36T 36H

WR-1046

Diam: 6"
For: 28T~36T 36H

WR-1060

Diam: 6", For: 28~36T 32H
Holes hob flang 60

WR-1067

Diam: 6", For: 28~36T 32H
Holes hob flang 68~70



WR-1068

Diam: 6", For: 28~36T 32H
Holes hob flang 68~70

Scooter Plaseic Parts

Grip

WR-1206
Size: 80mm(L) x 19mm(D)

WR-1208
Size: 75mm(L) x 19mm(D)

WR-1210
Size: 75mm(L) x 19mm(D)

Scooter

WR-1300

WR-1016
For 16″

WR-1010
For 10″

WR-1012
For 12″

Plastric Basicet

WR-1216A

Wheel

WR-3006 (6″)

WR-3005 (5″)

WR-3004 (4″)

Fork Protector/Seat Stay Prtector

WR-C2
Diam: 130mm x 9.5mm

Parts

WR-H2
For 1-1/8″(D) x 7/8″

WR-H1
For 7/8″(D)&3/4″(D)

WR-H4
For 1-1/2″(D) x 1″

WR-H3

WR-H5
For 1″(D)

Plug

WR-G1
Diam: 20mm

WR-G2
Diam: 20mm

WR-G3
Diam: 18mm~19mm

WR-G5
Diam: 18mm~19mm

WR-G6
Diam: 20mm

WR-M2
For 5/16″

WR-M1
For M6

A-PLUS®
TEL : 886-7-6932026, 6936396~7 FAX:886-7-6933635
E-mail:yangmao@ms49.hinet.net

ERGONOMIC BICYCLE PARTS

LESS PAIN, MORE JOY

Our products can most accurately be described as "Gecko Skin" for all the contact points of your bicycle. The products are applied by adhesive and provide significantly enhanced grip in wet or dry conditions with or without gloves. The micro-cilia surface actually absorbs shock and reduces stress from high frequency vibrations.

Otion products are available for virtually all road shift and braking systems, saddles and TT and Triathlon aero bars including mechanical and electronic systems from Shimano and SRAM and others.

Road Brake Grip-Shimano Mech

Road Brake Grip-Shimano Mech

Road Brake Grip-Di2

Road Brake Grip-SRAM/Universal

Road Shifter Grip-Shimano Mech

Road Shifter Grip-Universal

Road Shifter Grip-Di2

Road Shifter Grip-SRAM

MTB Brake Lever Grip
Universal

MTB Shifter Grip
Shimano Mech F+R

MTB Shifter Grip
SRAM F+R

Saddle Grip-TT/TRI

Saddle Grip-Road/MTB/CX



Bar Grip-TT/TRI



Frame Skin-Universal

Crank Skin-SRAM Metal



Crank Skin-SRAM/FSA/RF Carbon



Crank Skin-Shimano Metal

No. 29, Lane 60, Gongjiao St., Dali Dist., Taichung City 41250, Taiwan | 41250 台中市大里區公教街60巷29號

nick@otion.cc www.otion.cc Tel: +886-4-2278-7312 Fax: +886-4-2278-7322

ORION

軒馬(結成)企業有限公司 CHUAN MA INC.
#110 , ALLEY15 , CHANSHOULANE , YONGJING TOWNSHIP, CHANGHUA COUNTY 51246, TAIWAN Web site:www.jyechen.com.tw
TEL : 886-4-8248308 FAX : 886-4-8248313 E-mail:housee@ms16.hinet.net

AH-R57
Cold Forged Alloy
B25.4xEXT60/80/90/100/110mm
D28.6xH40mm

AH-R67
Cold Forged Alloy
B25.4xEXT35/60/80/90/100mm
D28.6xH36mm

AH-R87
Cold Forged Alloy
B31.8xEXT60/80/90/100/110mm
D28.6xH40mm

JC-2011
AL-6061 T6
D28.6xH50mm
Bar Bore : 22.2mm

JC-2012
AL-6061 T6
D28.6xH45mm
Bar Bore : 25.4mm

AH-R51
Forged Alloy
B25.4xEXT85mm
D28.6x.H40mm

AH-R63
Forged Alloy
B25.4xEXT60mm
D28.6xH40mm

AH-R85
Forged Alloy
B31.8xEXT45mm
D28.6xH45mm

AH-R86
Forged Alloy
B31.8xEXT50mm
D28.6xH45mm

AH-R81
Forged Alloy
B31.8xEXT85mm
D28.6xH40mm

AH-11D
Forged Alloy
B25.4xEXT100mm
D28.6xH40mm

JC-2013/2014
AL-6061 T6
B22.2/25.4xEXT30mm
D28.6xH50mm

JC-2015
AL-6061 T6
B22.2/25.4xEXT50mm
D28.6xH30mm

JC-2016
AL-6061 T6
B22.2xEXT40mm
D28.6xH30mm

JC-2007
AL-6061 T6
B22.2xEXT50mm
D28.6xH30mm

JC-2019
AL-6061 T6
B25.4xEXT50mm
D28.6xH30mm

JC-2025
AL-6061 T6
B25.4xEXT50mm
D28.6xH30mm

JC-2026
AL-6061 T6
B25.4xEXT30mm
D28.6xH30mm

JC-2028
AL-6061 T6
B22.2xEXT55mm
D28.6xH30mm

JC-2038
AL-6061 T6
B22.2xEXT55mm
D28.6xH30mm

MX-980-OH
AL-6061 T6
B22.2xEXT50mm
D28.6xH30mm

MX-981/983
AL-6061 T6
B22.2xEXT50mm
D28.6xH30mm

ATB-467

ATB-167

JC-45D

JC-45D-1

ATB-1040F

S-1F

S-2F

S-3F

ATB-180

F CN CD

AD-01F /AD-02CN
Adopter for MTB stem

AD-01TR
Stem Riser

AD-011TR
Stem Riser

AD-013TR
Stem Riser

AD-03CN AD-05CN

CA-05



CA-01/CA-03
stem collar

CA-031
Brake lever collar

CS-01/CS-02
Alloy/Carbon Spacer

CHUHN-E INDUSTRIES CO.,LTD.

No., 87, Lane 249, Sec. 1, Yung Shing Rd., Yung Ging, Chang Hwa, Taiwan.

Tel:886-4-8221158 http://www.artbicycle.com

Fax:886-4-8221196 E-mail:chuhne@ms26.hinet.net

Advanced & Reliable Technology

PAT Electric Bike Stem for "BOSCH KIOX"

exclusively adjusted BOSCH KIOX holder

the holder can be adjusted ±10°based on riders' vision

NEW

ABS-E01

Material:
AL-6061-T6

Calbre:
Ø28.6x31.8mm

Extension:
110mm(L90)

Angle:
0° ~ +60°

Handlebars collocation:

ATB-40R

Material : **AL-6061-T6**

Dia/width: 31.8xW640/680mm

Rise : **40**



ATB-55R

Material : **AL-6061-T6**

Dia/width: 31.8xW620/640mm

Rise : **55**

NEW

ABS-M1

Material: **AL-6061-T6**

Calbre: Ø28.6x31.8mm

Extension: 120mm(L90)

Angle: -20° ~ +40°

special hiding cable spacer

NEW

BHS-01

Material:
AL-6061-T6

Calbre:
Ø28.6x31.8mm

Extension:
80/95/110mm

Angle: 10°

Handlebars collocation:

OB-124

Material: **AL-2014-T6**

Dia/width: 31.8x630~700mmx9°

Rise: 20/30/45

Weight: 242g of 31.8xR/30x630mm

OB-125

Material: **AL-2014-T6**

Dia/width: 31.8xW740/780mmx9°

Rise: 25



AIPDE

CHE-320
Material: Melt-Forged Alloy
Dia: 22.2mm
Ext: 90mm
Bar: 25.4mm
Angle: 30°~-20°

Adjustable Stem
(Without Tools)

CHE-350
Material: Melt-Forged Alloy
Dia: 28.6mm Ext: 110mm
Bar: 25.4mm Angle: 30°~-20°

CH-091F
Material: Alloy
Dia: 28.6mm Bar: 25.4mm
Ext: 60mm H: 40mm

CH-081D
Material: Alloy
Dia: 28.6mm Bar: 25.4mm /31.8mm
Ext: 90mm H: 40mm

CH-011
Alloy
Dia: 28.6mm Ext: 45mm
Bar: 31.8mm H: 45mm

CH-091D
Alloy
Dia: 28.6mm Ext: 60mm
Bar: 25.4mm H: 40mm

CH-AS 6123A
3D Alloy
Dia: 28.6mm Ext: 80~120mm
Bar: 25.4mm H: 42mm

CH-081F
Alloy
Dia: 28.6mm Ext: 90mm
Bar: 25.4mm H: 40mm

CH-TK100D
Alloy
Dia: 22.2mm
Bar: 25.4mm
Ext:100*150L, 80*150L
100*180L

SEAT POST CLAMP

CH-SPC931
Material: AL6061T6
Diameter: 34.9mm

CH-SPC937
Material: AL6061T6
Diameter: 31.8mm

ALLOY SPACER
CH-AL750
Dia: 28.8*
H:5/10/15/20mm

CH-PY53B

CH-PY54C

CH-PY55D

VALVE
CH-V70
Length:30~70mm

CHR-80
Alloy
Dia: 22.2
Ext: 60/80/100mm
Bar: 25.4mm
L: 150mm

CH-BE314
Alloy
Dia: 22.2mm*100L

PULLY AL6061T6/ AL7075 T6 CNC 11T w/sealed bearing

CHYI CHUAN CO., LTD.
151,Sec.3,Chung Hsin Rd., Homei Town, Changhua, Taiwan.
Tel: 886-4-7364539 ,7364549 Fax: 886-4-7364545 E-mail:chyichuan@hotmail.com

鼎 新 工 業
Dingxin Industrial Ltd.

LUNGTENG

No. 2, Alley 227, Lane 2, Sec. 2, Futzuen Rd., Yuanlin Jen,
Changhua County 510, Taiwan
Tel: 04-8381851 Fax: 04-8367511 E-mail: ding.xin@msa.hinet.net

Patent List

China pat.	No ZL 2009 2 0006602.2
Taiwan Pat.	No M 362806
Germany Pat.	No 20 2009 002 698.1
Japan Pat.	No 3156856

www.dingxin-ind.com.tw

EN:M14766

DS-FS9-L(Left)
DS-FS8-R(Right)

Material: Alloy6061
Steerer: 25.4mm
Bar Bore: 25.4/31.8mm
Length: 330mm
"Finished: Anodized Silver S.B. Black"
Weight: 750g

EN:M14766

DS-FSA9-L(Left)
DS-FSA8-R(Right)

Material: Alloy6061
Steerer: 28.6mm
Height: 38mm±1mm
Bar Bore: 25.4/31.8mm
Length: 330mm
"Finished: Anodized Silver S.B. Black"
Weight: 650g



EN:M14766

DS-FSAT9-L(Left)
DS-FSAT8-R(Right)

Material: Alloy6061
Steerer: 28.6mm
Height: 38mm±1mm
Bar Bore: 25.4/31.8mm
Length: 310~410mm
"Finished : Anodized Silver S.B. Black"
Weight: 790g



EN:M14766

DS-FS8S-R(Right)

Material: Alloy6061
Steerer: 25.4mm
Bar Bore: 25.4/31.8mm
Length: 380mm
"Finished: Anodized Silver S.B. Black"
Weight: 745g



EN:M14766

DS-FSA8S-R(Right)

Material: Alloy6061
Steerer: 28.6mm
Height: 38mm±1mm
Bar Bore: 25.4/31.8mm
Length: 380mm
"Finished: Anodized Silver S.B. Black"
Weight: 610g

Patent List

China pat.	No ZL 012 33584.3
Taiwan Pat.	No 191152
Germany Pat.	No 202 01 596.3
Japan Pat.	No 3084494



DS-FS1-L(Left)
DS-FS1-R(Right)

Material: Alloy6061
Steerer: 25.4mm
Bar Bore: 25.4mm
Length: 330mm
Finished : Anodized Silver S.B. Black"
Weight: 900g



DS-FSA1-L(Left)
DS-FSA1-R(Right)

Material: Alloy6061
Steerer: 28.6mm
Height: 45mm±1mm
Bar Bore: 25.4mm
Length: 330mm
Finished: Anodized Silver S.B. Black"
Weight: 770g



DS-FSAT1-L(Left)
DS-FSAT1-R(Right)

Material: Alloy6061
Steerer: 28.6mm
Height: 45mm±1mm
Bar Bore: 25.4mm
Length: 300~400mm
Finished: Anodized Silver S.B. Black"
Weight: 920g

DS-FS7-L(Left)

Material: Alloy6061
Steerer: 25.4mm
Bar Bore: 25.4mm
Length: 330mm
Finished: Anodized Silver S.B. Black"
Weight: 980g

DS-FSA7-L(Left)

Material: Alloy6061
Steerer: 28.6mm
Height: 45mm±1mm
Bar Bore: 25.4mm
Length: 330mm
Finished: Anodized Silver S.B. Black"
Weight: 770g

DS-FSAT7-L(Left)

Material: Alloy6061
Steerer: 28.6mm
Height: 45mm±1mm
Bar Bore: 25.4mm
Length: 300/400mm
Finished: Anodized Silver S.B. Black"
Weight: 980g

DS-FS11-22-L(Left)
DS-FS11-25-L(Left)

Material Alloy6061
Steerer 22.2 / 25.4mm
Bar Bore 25.4mm
Length 330mm
Finished Anodized Silver S.B. Black"
Weight 560 / 580g

DS-FS11-22-BL(Left)
DS-FS11-25-BL(Left)

Material Alloy6061
Steerer 22.2 / 25.4mm
Bar Bore 25.4mm
Length 316mm
Finished Anodized Silver S.B. Black"
Weight 560 / 580g

DS-FST11-22-L(Left)
DS-FST11-25-BL(Left)

Material Alloy6061
Steerer 22.2 / 25.4mm
Bar Bore 25.4mm
Length 346-436mm
Finished Anodized Silver S.B. Black"
Weight 730 / 750g

DS-FS11C-22-L(Left)
DS-FS11C-25-L(Left)

Material Alloy6061
Steerer 22.2 / 25.4mm
Bar Bore 25.4mm
Length 330mm
Finished Anodized Silver S.B. Black"
Weight 510 / 535g

DS-FS11C-22-BL(Left)
DS-FS11C-25-BL(Left)

Material Alloy6061
Steerer 22.2 / 25.4mm
Bar Bore 25.4mm
Length 316mm
Finished Anodized Silver S.B. Black"
Weight 510 / 535g

DS-FSAT11C-28-BL(Left)

Material Alloy6061
Steerer 28.6mm
Height: 38mm±1mm
Bar Bore 25.4mm
Length 300-420mm
Finished Anodized Silver S.B. Black"
Weight 685 / 685g

FPD INDUSTRY CORP. 豐德興業股份有限公司
台中市烏日區五光路189巷136號
No. 136, Ln. 189, Wuguang Rd., Wurih Dist., Taichung City 41470, Taiwan
Tel | +886-4-2338-9808 **Fax** | +886-4-2338-2807 **Mail** | fpd@fpd-fasten.com.tw

FASTEN PRODUCTS MFG (XIAMEN) LTD. 漳浦瑋柏自行車有限公司
中國福建省漳州市漳浦縣舊鎮鎮舊鎮工業園
Jiuzhen Industrial Zone, Jiuzhen Town, Zhangpu County, Zhangzhou city, Fujian, China
Tel | +86-596-3921360 **Fax** | +86-596-3921365 **Mail** | fpdinf@fpdfasten.com

Welcome To Visit FPD Website,
All Of Our Pedals Are On Our Website.
www.fpd-fasten.com.tw

FPD-A01/A02

EXTENSION	70/80/90/100/110/120mm
BARBORE	A01:25.4/26mm,A02:31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	45mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-A03/A04

EXTENSION	70/80/90/100/110/120mm
BARBORE	A03:31.8mm,A04:25.4/26mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	41mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B01

EXTENSION	80/90/100/110/120mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	45mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B02

EXTENSION	80/90/100/110mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	41mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B03

EXTENSION	60/70/80/90/100/110/120mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	40mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B04

EXTENSION	70/80/90/100/110/120mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	41mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B05

EXTENSION	70/80/90/100mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	40mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B06

EXTENSION	70/80/90/100/110mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	40mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-B07

EXTENSION	90/100/110mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-6 degree
HEIGHT	35mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-D001

EXTENSION	45/50mm
BARBORE	31.8mm/35mm
STEERER	28.6mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-D002

EXTENSION	50mm
BARBORE	31.8mm
STEERER	28.6mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-M001

EXTENSION	35mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	35mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-M003 NEW

EXTENSION	40mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	40mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-C01

EXTENSION	35/50mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	45mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-C02

EXTENSION	50/55/65/70/80mm
BARBORE	31.8mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	45mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-C03

EXTENSION	48mm
BARBORE	22.2mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	40mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-X001

EXTENSION	50mm
BARBORE	22.2mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	35mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-X002

EXTENSION	50mm
BARBORE	22.2mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	35mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

FPD-X003

EXTENSION	50mm
BARBORE	22.2mm
STEERER	28.6mm
ANGLE	+/-0 degree
HEIGHT	41.2mm
6061-T6 3D FORGED	
EN-R/MI [14781/14767]	

禾勝工業有限公司
HER SHENG INDUSTRY CO., LTD.
No. 49-1, Hawking Rd., Nanhsin Village, Puyan Hsiang, Changhua Hsien 51648, Taiwan
Tel:886-4-8651616 Fax:886-4-8651751 E-mail:h616@ms69.hinet.net
http://www.hershengcycle.com.tw

HS-9101

Material	Forged 6061 T6 Alloy
EXT.	90.100.110mm
Barbore	31.8mm
Diam	28.6mm
Height	42mm
Angle	±7°
N.W	156g(100L)

HS-9102

Material	Forged 6061 T6 Alloy
EXT.	90.100.110mm
Barbore	31.8mm
Diam	28.6mm
Height	42mm
Angle	±7°
N.W	178g(100L)

HS-9103

Material	Forged 6061 T6 Alloy
EXT.	90.100.110mm
Barbore	31.8mm
Diam	28.6mm
Height	41mm
Angle	±8°
N.W	160g(100L)

HS-9104

Material	Forged 6061 T6 Alloy
EXT.	90.100.110mm
Barbore	31.8mm
Diam	28.6mm
Height	40mm
Angle	±7°
N.W	140g(90L)

HS-9105

Material	Forged 6061 T6 Alloy
EXT.	90.100.110mm
Barbore	31.8mm
Diam	28.6mm
Height	42mm
Angle	±8°
N.W	154g(100L)

HS-3B

Material	Alloy、Cr-Mo
Diam	28.8mm
Height	5、10、15、20mm

HS-9002

Material	Alloy
EXT.	90mm
Barbore	25.4、31.8mm
Diam	28.6mm
Height	40mm
Angle	±15°

HS-9003

Material	Alloy
EXT.	60mm
Barbore	25.4mm
Diam	28.6mm
Height	40mm
Angle	±25°

HS-9004

Material	Alloy
EXT.	45mm
Barbore	31.8mm
Diam	28.6mm
Height	45mm
Angle	10°

HS-626H

Material	Crmo
EXT.	80-120mm
Bar bore	25.4、26mm
Diam	25.4、28.6mm
Height	66mm
Angle	±10°

HS-626A

Material	Crmo
EXT.	80-100mm
Bar bore	25.4、26mm
Diam	25.4、28.6mm
Weld	Smooth
Angle	±10°
Hight	42、45mm

HS-630A

Material	Alloy
Process	Full CNC machined Taper cone
EXT.	80、90、100、110、120mm
Bar bore	31.8mm
Diam	28.6mm
Height	38mm
Angle	5°
N.W	138g(100mm)

HS-27A

Material	Alloy
EXT.	60、80mm
Bar bore	25.4mm
Diam	22.2mm
Leigth	150mm
Angle	-20°

HS-604

Material	Alloy
EXT.	80、100mm
Diam	22.2mm
Length	150mm

HS-720

Material	Crmo
EXT.	80-100mm
Bar bore	25.4、26mm
Diam	22.2、25.4mm
Length	160mm
Weld	Smooth

HS-27D

Material	Steel, Crmo
EXT.	80-120mm
Bar bore	25.4、26mm
Diam	22.2mm
Length	150mm
Angle	-5°、-10°、0°
Weld	Smooth

HS-1001

Material	Steel But Clamp Forged
EXT.	70mm
Bar bore	25.4mm
Diam	21.1、22.2mm
Length	160mm

HS-625

Material	Steel
EXT.	60-80-100mm
Bar bore	25.4mm
Diam	21.1、22.2mm
Length	150mm

HS-902

Material	Steel
EXT.	60-80-100mm
Bar bore	25.4mm
Diam	21.1、22.2mm
Length	150mm

HS-1001-1

Material	Steel But Clamp Forging
Bar bore	25.4mm
Diam	21.1、22.2mm
Length	160、200、250mm

HS-413

Material	Forged Alloy
EXT.	60mm
Diam	21.1、22.2mm
Length	140mm

HS-510

Material	Forged Alloy
EXT.	50mm
Diam	21.1、22.2mm
Length	140mm

HS-425

Material	Alloy
Bar bore	22.2mm
EXT.	50mm
Diam	21.1、22.2mm
Length	140mm

HS-618

Material	Forged Alloy
EXT.	40mm
Diam	21.1、22.2mm
Length	140mm

HS-912

Material	Forged Alloy
EXT.	30mm
Diam	21.1、22.2mm
Length	140mm

HS-910

Material	Casted Alloy
EXT.	45mm
Diam	22.2mm
Length	180、210mm

HS-622

Material	Steel
EXT.	30mm
Diam	21.1、22.2mm
Length	160mm

HS-AH-01

Material	Alloy
Diam	28.6X25.4mm 25.4X22.2mm
Length	130-150mm

HS-3C

Material	Alloy
Diam	① 28.6mm→25.4mm ② 25.4mm→22.2mm
Heigth	45、50mm

HS-SP-105

HS-SP-106

Material	Steel,Crmo
Diam	22.2、25.4、27.2mm
Length	370、390、420、450mm

HS-SP-110

Material	Steel,Crmo
Diam	22.2、25.4mm
Length	320、350、380、400、450mm



HS-SP-104

Material	Steel,Crmo
Diam	22.2、25.4、27.2mm
Length	350、370、400、420、450mm

HS-SP-102B

Material	Steel,Crmo
Diam	22.2、25.4、26、27.2、28.6mm
Length	180、200、250、300、350mm

	SORATA PRO	SORATA FURY	SORATA LITE	SORATA COMP
MATERIAL	3D FORGED / AL6061	3D FORGED / AL6061	AL7050	FORGED / AL6061
OFF SET	3 mm	0 mm	0 mm	3 mm
CRADLE	43 x 42	43 x 42	43 x 42	43 x 42
ANGLE	-5°~+18°	-5°~+18°	-5 ~+18	-5°~+18°
DIAMETER	Ø30.9 / 31.6	Ø30.9 / 31.6	Ø27.2	Ø30.9 / 31.6
LENGTH	317 mm / Travel 80 mm 365 mm / Travel 100 mm 420 mm / Travel 125 mm 460 mm / Travel 150 mm	375 mm / Travel 100 mm 430 mm / Travel 125 mm 470 mm / Travel 150 mm	320 mm / Travel 80 mm	405 mm / Travel 100mm 440 mm / Travel 125 mm
WEIGHT	700 g (Ø31.6 x 365)	700 g (Ø31.6 x 375)	455 g	741 g (Ø31.6 x 416)
	MAT BK MAT SV	MAT BK MAT SV	MAT BK MAT SV	MAT BK MAT SV

	FLEXY	SERPENT	TRIDENT LITE	TRIDENT OF
MATERIAL	HIGH MODULUS CARBON FIBER with ARAMID FIBER	3D FORGED / AL6061	AL6066 / CARBON	AL6066 / CARBON
OFF SET	20 mm	24 mm	0 mm	18 mm
CRADLE	43 x 42	43 x 42	43 x 42	43 x 42
ANGLE	-5°~+18°	-5°~+18°	-5°~+18°	-5°~+18°
DIAMETER	Ø27.2	Ø27.2 / Ø31.6	Ø27.2 / Ø30.9 / Ø31.6	Ø27.2 / Ø30.9 / Ø31.6
LENGTH	350 / 400 mm	300 / 350 / 400 mm	300 / 350 / 400 mm	300 / 350 / 400 mm
WEIGHT	205 g (Ø27.2 x 350)	248 g (Ø27.2 x 350)	206 g (Ø31.6 x 400)	290 g (Ø27.2 x 350, AL6066)
	ACF	SHINY BK SHINY SV MAT BK MAT SV ACF	SHINY BK SHINY SV MAT BK MAT SV ACF	SHINY BK SHINY SV MAT BK MAT SV ACF

	ELEGANCE-LT	HARMONY-LT2	HARMONY RT	XOPIC2
MATERIAL	FORGED / AL6061	FORGED / AL6061	FORGED / AL6061	FORGED / AL6061
CRADLE	43 x 30	43 x 32	43 x 30	43 x 35
ANGLE	-5°~+18°	-5°~+18°	-5°~+18°	-5°~+20°
DIAMETER	Ø27.2 / Ø30.9 / Ø31.6	Ø27.2 / Ø30.9 / Ø31.6	Ø27.2 / Ø30.9 / Ø31.6	Ø27.2 / Ø30.9 / Ø31.6 / Ø34.9
LENGTH	305 / 355 mm	305 / 355 mm	305 / 350 mm	300 / 350 / 400 / 450 mm
TRAVEL	40 mm	40 mm	40 mm	40 / 50 mm
WEIGHT	496 g (Ø27.2 x 355)	484 g (Ø27.2 x 300)	482 g (Ø27.2 x 350)	513 g (Ø31.6 x 350)

SHINY BK SHINY SV MAT BK MAT SV Coil SPRING

Scan for full catalog

ANIMARIS

MATERIAL	FORGED / AL6061
OFF SET	23
CRADLE	43 x 31.5
ANGLE	-5°~+18°
DIAMETER	Ø27.2 / 30.9 / 31.6
LENGTH	350 mm
WEIGHT	680 g

MAT BK MAT SV

TDS-RD702A-8FOV/ISO-R

MATERIAL	3D forged alloy
EXT	80 90 100 110 120 130
RISE	-10°
HEIGHT	35
FINISH	Sand blasted an bk or silver

TDS-RD701-8FOV/ISO-R

MATERIAL	3D forged alloy
EXT	80 90 100 110 120 130
RISE	-7°
HEIGHT	41
FINISH	Sand blasted an bk or silver

TDS-RD605-8-35/ISO-M
TDS-RD605-8FOV/ISO-M

MATERIAL	3D forged alloy
EXT	40 50
RISE	-12°
HEIGHT	40
FINISH	Sand blasted an color

TDS-D607-8-35/ISO-M
TDS-RD607-8-35/ISO-R

MATERIAL	3D forged alloy
EXT	45 55 65
RISE	±7°
HEIGHT	40
FINISH	Sand blasted an color

TDS-D622-8FOV/ISO-M/DIN+(M)
TDS-D622-8-35/ISO-M/DIN+(M)

MATERIAL	3D forged alloy
EXT	45 55 65
RISE	±7°
HEIGHT	40
FINISH	Sand blasted an color

TDS-D626-8-35/ISO-M/DIN+(M)

MATERIAL	3D forged alloy
EXT	45 55 65
RISE	±7°
HEIGHT	40
FINISH	Sand blasted an color

TDS-D600A-8FOV/ISO-M

MATERIAL	3D forged alloy
EXT	50 60 70 80 90 100 110 120
RISE	0°
HEIGHT	41
FINISH	Sand blasted an bk or silver

TDS-D601-8FOV/ISO-M
TDS-RD601-8FOV/ISO-R

MATERIAL	3D forged alloy
EXT	40 50 60 70 80
RISE	±3°
HEIGHT	45
FINISH	Sand blasted an bk or silver

TDS-D611-8FOV/ISO-M

MATERIAL	3D Forged alloy /slloy
EXT	40 50 60
RISE	±3°
HEIGHT	45
WEIGHT	100mm(E:40)
FINISH	Sand blasted an bk or slver

STEM SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

TDS-D602-8FOV/ISO-M
TDS-RD602-8FOV/ISO-R

MATERIAL	3D Forged Alloy
EXT	60 70 80 90
RISE	±17°
HEIGHT	42
FINISH	Sand blasted an bk or silver

TDS-D507A-8FOV/ISO-M
TDS-RD507A-8FOV/ISO-R

MATERIAL	3D forged alloy
EXT	60 70 80 90 100 110 120
RISE	±7°
HEIGHT	41
WEIGHT	128G (E:100)
FINISH	Sand blasted an bk or silver

TDS-D479-8FOV/ISO-M
TDS-RD479-8FOV/ISO-R

MATERIAL	3D forged alloy
EXT	60 70 80 90 100
RISE	±7°
HEIGHT	41
FINISH	Sand blasted an bk or silver

TDS-D343B-8/ISO-M
TDS-RD343B-8/ISO-R

MATERIAL	3D forged alloy
SPEC	60 70 80 90 100 110 120
RISE	±7° ±15° ±25°
HEIGHT	42
FINISH	Sand blasted an bk or silver

TDS-D499A-8FOV/ISO-M

MATERIAL	Forged alloy / alloy
EXT	90 100 110
RISE	25°
HEIGHT	50
WEIGHT	0.25kg
FINISH	Sand blasted an bk or silver

TDS-D120A-8/ISO-M
TDS-RD120A-8/ISO-R

MATERIAL	3D forged alloy
EXT	(±10°/ ±25°)60 70 80 90 100 110 120 (±17°)40 50 60 70 80 90 100 110 120
RISE	±10° ±17° ±25°
HEIGHT	41 45(E:40 +17°)
FINISH	Sand blasted an bk or silver

TDS-C301-8FOV/ISO-M

MATERIAL	Die-casting alloy
EXT	60 75 90
RISE	±6°
HEIGHT	41
FINISH	Black / Matt black

TDS-C302-8FOV/ISO-M
TDS-RC302-8FOV/ISO-R

MATERIAL	Die-casting alloy
EXT	75 90 105
RISE	±10°
HEIGHT	41
FINISH	Black / Matt black

TDS-C342-8FOV/ISO-M
TDS-RD342-8FOV/ISO-R

MATERIAL	Die-casting alloy
EXT	45 60
RISE	±3°
HEIGHT	41
FINISH	BED / Sand blasted BED

STEM SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

TDS-D616-8FOV/ISO-P

MATERIAL	3D forged alloy oy
EXT	75 90 105
RISE	0°~90°
HEIGHT	40
FINISH	Sand blasted an bk or silver

MTS-AL-476-5SUS/ ISO-C

MATERIAL	Forge alloy / Sus
EXT	110
RISE	0°~60°
LENGTH	180 230
FINISH	High polished an silver / hp

MTS-AL-476-5/ ISO-C

▸PATENT

MATERIAL	Forged alloy
EXT	110
RISE	0°~60°
LENGTH	150 180
FINISH	High polished an bk or silver



TDS-AL-306-8/ISO-C

MATERIAL	Forged alloy
EXT	110
RISE	0°~60°
LENGTH	37
FINISH	High polished an bk or silver

TDS-D299N-8/FOV/ISO-C

MATERIAL	3D forged alloy
EXT	105 125
RISE	0~60°
HEIGHT	41
FINISH	Sand blasted an bk or silver

MTS-D367N-2/5/FOV/ ISO-C

▸PATENT

MATERIAL	3D forged alloy
EXT	90 110
RISE	0~60°
LENGTH	150 180
FINISH	Sand blasted an bk or silver

TDS-C533-8/ ISO-C

MATERIAL	Die-casting alloy
EXT	110
RISE	0°~90°
HEIGHT	41
FINISH	Silver or BED

TDS-C269-8FOV /ISO-P

MATERIAL	Die-casting alloy
EXT	90 110
RISE	0°~90°
HEIGHT	41
FINISH	BED / High polished silver

TDS-C272-8/ISO-P

MATERIAL	Die-casting alloy
EXT	105 125
RISE	-10°~50°
LENGTH	41
FINISH	BED / High polished silver

MTS-C533-5/ ISO-C

▸PATENT

MATERIAL	Die-casting alloy
EXT	110
RISE	0°~90°
LENGTH	150 180
FINISH	Silver or BED

MTS-C269-5FOV /ISO-P

MATERIAL	Die-casting alloy
EXT	90 110
RISE	0°~90°
LENGTH	180
FINISH	BED / High polished silver

MTS-C272-5/ISO-P

MATERIAL	Die-casting alloy
EXT	90 110
RISE	-10°~50°
LENGTH	150 180
FINISH	BED / High polished silver

STEM SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

TDS-D617-8FOV /EN15194

MATERIAL	3D forged alloy
BAR BORE	ø31.8
EXT	60
RISE	30°
HEIGHT	61
FINISH	Sand blasted an bk or silver

TDS-D625-8FOV /EN15194

MATERIAL	3D forged alloy
BAR BORE	ø31.8
EXT	60
RISE	30°
HEIGHT	60
FINISH	Sand blasted an bk or silver

TDS-C614-5 /ISO-C

MATERIAL	3D forged alloy
BAR BORE	ø31.8
EXT	60
RISE	30°
HEIGHT	60
FINISH	Sand blasted an bk or silver

HS-C398-2/5/ ISO-C

MATERIAL	Die-casting alloy
EXT	90
RISE	35°
LENGTH	150 180
FINISH	BED / High polished silver

HS-C40-2/ISO-C HS-C60-2/ISO-C HS-C80-2/5ISO-C

MATERIAL	Die-casting alloy
EXT	40(C40) / 60(C60) / 80 100(C80)
RISE	30°
LENGTH	150 180
FINISH	BED / High polished silver

HA-C40-2/5/ISO-C HA-C60-2/5/ISO-C HA-C80-2/5/ISO-C

MATERIAL	Die-casting alloy / Steel or sus
EXT	40(C40) / 60(C60) / 80(C80)
RISE	30°
LENGTH	(C40) 150 180 220 (C60 / c80) 150 180
FINISH	BED / BED High polished silver / CP

HA-C39-2/5/ ISO-C

MATERIAL	Die-casting alloy / Steel
EXT	40
RISE	20°
LENGTH	150 180
FINISH	BED / BED High polished silver / CP

FB-AL-139RB-2/5/ISO-C FB-AL-139LB-2/5/ISO-C

MATERIAL	Die-casting alloy / Alloy
EXT	40 60
RISE	30°
LENGTH	350 390 460
UPPER STEM	210 250 320
LOWER	110
FINISH	High polished silver

►PATENT

FB-120LB-2/5/ ISO-C FB-120RB-2/5/ISO-C

MATERIAL	Die-casting slloy / Steel
EXT	40
RISE	30°
LENGTH	350 400 450
UPPER STEM	216 266 316
LOWER	110
FINISH	BED/BED High polished silver / CP

HE-C80D-2/ ISO-C

MATERIAL	Die-casting alloy
EXT	80 100
RISE	-17°
LENGTH	150
FINISH	High polished silver

FB-D308NLB-8/ISO-C ►PATENT FB-D308NRB-8/ISO-C

MATERIAL	3D forged alloy
EXT	0
RISE	6°
UPPER STEM	313–350 / 313–435
LOWER	30
FINISH	Sand blasted an bk or silver

FB-D308NLB-2/5/ISO-C ►PATENT FB-D308NRB-2/5/ISO-C

MATERIAL	3D forged alloy
EXT	0
RISE	0° 10°
UPPER STEM	313–350 / 313–435
LOWER	105
FINISH	Sand blasted an bk or silver

STEM SERIES •

深圳信隆健康产业发展股份有限公司
中国广东省深圳市宝安区松岗街道办碧头社区第三工业区
邮编：518105 E: sales@hlcorp.com
www.hlcorp.com

ASA106

ISO 4210 - R/M approved

3D forged, 7050-T6 aluminum
Ext.: 60/70/80/90/100/110/120/130/140/150mm
Angle: +/-7degree
Diameter: 31.8mm
Steerer: 28.6mm
Height: 40mm
Weight: 116g(100mm)

ASA105
ASA105N

ISO 4210 - R/M approved

3D forged, 7050-T6 aluminum
Ext.: 60/70/80/90/100/110/120/130mm(+/-7degree)
80/90/100/110/120mm(+/-17degree)
Angle: +/-7degree , +/-17degree
Diameter: 31.8mm
Steerer: 28.6mm
Height: 40mm
Weight: 98g(ASA105 80mm)
100g(ASA105N 80mm)

AS007N

ISO 4210 - R/M approved

3D forged, 6061-T6 aluminum
Ext.: 60/70/80/90/100/110/120/130mm(7degree x25.4/26.0mm)
60/70/80/90/100/110/120/130mm(7/17degree x31.8mm)
60/70/80/90/100/110mm(12degree x31.8mm)
Angle: 7/12/17degree
Diameter: 25.4/26.0/31.8mm
Steerer: 25.4/28.6mm
Height: 40mm
Weight: 134g(90mm x 7degree)

AS7AD

ISO 4210 - M approved

3D forged, 6061-T6 aluminum
Ext.: 70/80/90/100/110/120mm
Angle: +/-8degree, +/-12degree, +/-16degree
Diameter: 31.8mm
Steerer: 28.6mm
Height: 44mm
Weight: 142g(90mm)
This stem includes one top cap and two bushings.
Provide Multi-positions for professional riding.

ASDC1

ISO 4210 - M approved

Die cast
Ext.: 60/75/90/105/120mm
Angle: 7degree
Diameter: 31.8mm
Steerer: 28.6mm
Height: 42mm
Weight: 179g(75mm)

AS820

ISO 4210 - M approved
EN15194(E-CITY)

2D forged angle adjustable stem
Ext.: 90/110/130mm(25.4mm)
95/110/125mm(31.8mm)
Angle: 0~60degree
Diameter: 25.4/31.8mm
Steerer: 25.4(shim)/28.6mm
Height: 35mm
Weight: 265g(28.6mm x 95mm)

KALLOY INDUSTRIAL CO., LTD
No.186, Dazhou Rd., Shengang Dist., Taichung City 429, Taiwan (R.O.C.)
Tel:+886 4 25250555 Fax: +886 4 25274838
www.kalloyuno.com

LEADTEC CO., LTD.

27, Fukon Rd., Fushing Ind. Zone,
Changhua County, 506, Taiwan
TEL:+886-4-7691125
FAX:+886-4-7697206
leadtec-sales@umail.hinet.net
www.leadtec.com.tw

LCS-7152
E-BIKE

LCH-6060
ROAD

LCH-686
E-BIKE

LCS-7718
AM/TRAIL

LCS-7195
AM/TRAIL

LCS-7156
ROAD

LCS-7146
SPORT MTB

MJ CYCLE

Technically Beyond Amazing

NO. 51, LANE 303, YUAN LU ROAD SECTION 4,
HSIHU CHEN, CHANGHUA HSIEN, TAIWAN

TEL: (886) 4 8812221 TO 4
FAX: (886) 4 8852685
E-MAIL: SALES@MJCYCLE.COM

VARIABLE ANGLE ADJUSTMENT

EXCLUSIVE PATENTED MJ CYCLE DESIGN ALLOWS QUICK, EASY AND PRECISE STEM ANGLE ADJUSTMENT WITH JUST A HEX KEY



DRAGON

MATERIAL	Forged 7050 T6 alloy
BAR BORE	25.4 / 31.8 mm
EXTENSION	90 / 110 mm (Bar Bore: 25.4), 90 / 105 (Bar Bore: 31.8)
STEERER	28.6 mm
ANGLE	28.6 mm
HEIGHT	38 mm

ADJUSTABLE ANGLE
+ 60˚ / - 48˚

FAMA

MATERIAL	3-D forged 7050 T73 alloy
BAR BORE	31.8 mm
EXTENSION	60 - 120 mm
STEERER	28.6 mm
ANGLE	+/- 7˚
HEIGHT	40 mm
WEIGHT	116 grams (E: 110 mm)

TURRET 6

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	60 - 120 mm
STEERER	28.6 mm
ANGLE	+/- 6˚
HEIGHT	40 mm
WEIGHT	132 grams (E: 110 mm)

TURRET 10

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	70 - 120 mm
STEERER	28.6 mm
ANGLE	+/- 10˚
HEIGHT	40 mm
WEIGHT	138 grams (E: 110 mm)

TURRET 17

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	70 - 120 mm
STEERER	28.6 mm
ANGLE	+/- 17˚
HEIGHT	40 mm
WEIGHT	134 grams (E: 110 mm)

ALPHA

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	70 - 100 mm
STEERER	28.6 mm
ANGLE	- 20˚
HEIGHT	30 mm
WEIGHT	138 grams (E: 110 mm)

SPRY

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	60 - 130 mm
STEERER	28.6 mm
ANGLE	+/- 6˚
HEIGHT	40 mm
WEIGHT	129 grams (E: 110 mm)

SPRY-09

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	60 - 130 mm
STEERER	28.6 mm
ANGLE	+/- 6˚
HEIGHT	40 mm
WEIGHT	127 grams (E: 110 mm)

SPRY-09H

MATERIAL	3-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	60 - 130 mm
STEERER	28.6 mm
ANGLE	+/- 6˚
HEIGHT	40 mm
WEIGHT	127 grams (E: 110 mm)

AIR-BOMB

MATERIAL	3-D forged 6061 T6 alloy, full CNC-machined
BAR BORE	31.8 / 35 mm
EXTENSION	45 / 60 / 70 / 85 /100 mm
STEERER	28.6 mm
ANGLE	+/- 6˚
HEIGHT	35 mm
WEIGHT	104 grams (E: 45 mm), 110 grams (E:60 mm)

AIR-BOMB-01

MATERIAL	3-D forged 6061 T6 alloy, full CNC-machined
BAR BORE	31.8 / 35 mm
EXTENSION	35 / 45 / 55/ 70 mm
STEERER	28.6 mm
ANGLE	+/- 6˚
HEIGHT	35 mm
WEIGHT	104 grams (E: 45 mm), 110 grams (E:60 mm)

VENOM

MATERIAL	2-D forged 6061 T6 alloy
BAR BORE	31.8 mm
EXTENSION	50 / 65 mm
STEERER	28.6 mm
ANGLE	+/- 5˚
HEIGHT	40 mm

TB-095

MATERIAL 3-D forged 6061 alloy
BAR BORE 31.8 / 35 mm
EXTENSION 35 / 45 / 55 / 65 mm
STEERER 28.6 mm
ANGLE 5˚

TB-096-20

MATERIAL 3-D forged 6061 alloy
BAR BORE 31.8 mm
EXTENSION 90 / 110 mm
STEERER 28.6 mm
ANGLE 20˚

TB-090

MATERIAL 3-D forged 6061 T6 alloy
BAR BORE 31.8 / 35 mm
EXTENSION 31.8 mm - E: 35/45/55/65 mm
35 mm - E: 40/50/60/70 mm
STEERER 28.6 mm
ANGLE 0˚

TB-094

MATERIAL Forged 6061 alloy
BAR BORE: 31.8 / 35 : 35 mm
EXTENSION
STEERER 28.6 mm
ANGLE 0˚

FROST

MATERIAL Fully CNC-machined 6061 T6 alloy
BAR BORE 31.8 / 35 mm
EXTENSION 35 / 45 mm
STEERER 28.6 mm
ANGLE 0˚

TB-096-45

MATERIAL 3-D forged 6061 alloy
BAR BORE: 31.8 mm
EXTENSION 90 / 110 mm
STEERER 28.6 mm
ANGLE 45˚

HOLDER Series

APPLICABLE TO: TB-095 /TB-096 series

Cobi Air

Supernova

Go Pro

TB-092

MATERIAL CNC-machined 6061 alloy
BAR BORE 31.8 / 35
EXTENSION 35 / 45 mm
STEERER 28.6 mm

MJ-TL01

MATERIAL 3-D forged 7050 T6 alloy
BAR BORE 31.8 mm
EXTENSION 130 / 152 mm
STEERER 28.6 mm
ANGLE 30˚

CNC-MACHINING TECHNOLOGY

MJ CYCLE'S IN-HOUSE CNC MACHINES SHOW WHY MJ CYCLE PRODUCTS ARE KNOWN FOR PRECISION AND QUALITY

CERTIFIED ISO 9001 - 2015

When it comes to uncompromising precision and quality, nothing comes close to CNC-machined products. Through our ICE Corporaation, we have been making CNC-machined products for years and are always upgrading our machines, technology and manpower.

HP-08NC

MATERIAL CNC-machined T6 alloy top cap with star washer
DIAMETER 25.4 mm

HP-07

MATERIAL CNC-machined 6061 T6 alloy cap with CrMo screws and star nut center
DIAMETER 22.2 / 25.4 mm

HP-22, HP-22CAL

MATERIAL Full CNC-machined T6 alloy (carbon fiber cap for HP-22CAL)
DIAMETER 1 inch for 19 - 23, 1.1/8 inch for 22 - 26
APPLICATION For carbon fiber forks

HP-07 PLUS

MATERIAL CNC-machined 6061 T6 alloy cap with extra strong cold-forged alloy screw and star nut center
DIAMETER 22.2 / 25.4 mm

QBEST CYCLE INDUSTRIAL.,CO., LTD.

NO. 177-15, SEC.1, YUANLU RD.,PU-YAN HSIANG, CHANGHUA, TAIWAN
TEL: 886-4-8611651~2 FAX: 886-4-8828797
E-Mail: qbest.cycle@msa.hinet.net

3D Forged With CNC Machined
Angle:+/- 8°
Height:40mm

QBS-516NC (Φ25.4/ Φ26.0)
Extension: 70,80,90,100,110,120,130mm

QBS-517NC (Φ31.8)
Extension: 80,90,100,110,120,130mm

QBS-615
6061 Forged Stem
Bar Bore: Φ31.8mm, Φ35mm
Extension:35mm,45mm
Height: 40mm

QBS-706NC
6061 CNC Stem
Bar Bore: 22.2mm
Extension: 50mm
Height: 30mm

QBC-855
Full CNC Alloy seat clamp
Diameter: Φ31.8, Φ34.9mm

QBC-801
Forged Clamp With Quick Release, CNC Groove
Diameter: Φ28.6, Φ29.8, Φ31.8, Φ34.9, Φ36.1mm

QBC-803
Forged Clamp, CNC Groove
Diameter: Φ28.6, Φ29.8, Φ31.8 , Φ34.9, Φ36.1mm

QBC-822
Full CNC Seat Clamp
Diameter: Φ31.8 , Φ34.9mm

QBC-808
Forged Clamp
Diameter: Φ31.8, Φ34.9mm

QBC-831
Forged Clamp w/stainless bolt and nut
Diameter: Φ29.8, Φ31.8, Φ34.9mm

QBC-823
Full CNC Seat Clamp
Diameter: Φ29.8mm, Φ31.8mm, Φ34.9mm

QBC-809
Forged clamp
Diameter: Φ29.8, Φ31.8, Φ34.9mm

BW

QBC-852
Forged Alloy Clamp w/Quick Release
Diameter: Φ29.8, Φ31.8, Φ34.9mm

QBC-826
Full CNC Seat Clamp
Diameter:
Φ31.8, Φ34.9mm

QBC-818AN
Alloy nut

QBC-818SN
Steel nut

Forged Alloy Clamp
Diameter: Φ29.8, Φ31.8, Φ34.9, Φ36.0mm

QBC-816BW
Alloy Clamp w/Quick Release
With brass washer and alloy nut
Diameter: Φ31.8, Φ34.9mm

QBC-811
Alloy Clamp
w/Quick Release
Diameter:
Φ31.8, Φ34.9mm

QBC-853
Full CNC Alloy seat clamp
All around the chamfer
Diameter: Φ31.8, Φ34.9mm

QBC-820
Forged Alloy Clamp w/Quick Release
Diameter: Φ29.8, Φ31.8, Φ34.9mm

QBC-812
FD Alloy Clamp
Diameter: Φ28.6, Φ31.8, Φ34.9mm

QBC-814
FD Forged Clamp
Diameter: Φ28.6, Φ34.9mm

QBEST CYCLE INDUSTRIAL.,CO., LTD.
NO. 177-15, SEC.1, YUANLU RD.,PU-YAN HSIANG, CHANGHUA, TAIWAN
TEL: 886-4-8611651~2 FAX: 886-4-8828797
E-Mail: qbest.cycle@msa.hinet.net

QBA-UMHB02
(with GoPro bracket)
QBA-UMHB01
Handlebar mount for universal cycling computer (Garmin or Bryton)
For use with original plastic insert kit only.
Φ31.8,Φ35.0mm clamp

QBA-UMS03
(with GoPro and head light bracket)
QBA-UMS02
(with GoPro bracket)
QBA-UMS01
Stem mount for universal cycling computer (Garmin or Bryton)
For use with original plastic insert kit only.

QBA-UMS07
(with GoPro and head light bracket)
QBA-UMS06
(with GoPro bracket)
QBA-UMS05
Integral stem mount for universal cycling computer (Garmin or Bryton)
For use with original plastic insert kit only.

QBA-GMS01
Stem Mount for Garmin
QBA-GMS02
Stem Mount for Garmin and GoPro

QBA-GMS03
Stem Mount for Garmin and GoPro and Head Light
QBA-GMS04
Stem Mount for Garmin and GoPro
QBA-GMS05
Stem Mount for Garmin

QBA-GMS10
Stem mount for Garmin and GoPro
QBA-GMS11
Stem mount for Garmin

QBA-GMHB03

QBA-GMHB03 Handle Bar Mount for Garmin and Head Light
Φ31.8mm, Φ35.0mm Clamp
QBA-GMHB04 Handle Bar Mount for Garmin and GoPro
Φ31.8mm, Φ35.0mm Clamp
QBA-GMHB05 Handle Bar Mount for Garmin
Φ31.8mm, Φ35.0mm Clamp

QBA-GMS06
Stem Mount for Garmin and GoPro
QBA-GMS07
Stem Mount for Garmin

QBA-GMHB06
Handle Bar Mount for Garmin
Φ31.8mm, Φ35.0mm Clamp

QBA-GMHB01
Handle Bar Mount for Garmin and GoPro
Φ31.8 mm, Φ35.0mm Clamp
QBA-GMHB02
Handle Bar Mount for Garmin
Φ31.8mm, Φ35.0mm Clamp

QBA-GMS09B
Stem mount for Bryton computer and GoPro camera.
QBA-GMS08B
Stem mount for Bryton computer.

QBA-GMS12
Stem mount for Garmin and GoPro, with hook for Shimano SM-EW90
QBA-GMS13
Stem mount for Garmin, with hook for Shimano SM-EW90
When assembling SM-EW90 on a hook ,
The gap(c-c) between 2 screw on the stem needs to be greater than 22mm.

QBA-GMS-15
Garmin mount for combine GoPro bracket.

QBA-GMS15+
QBA-GP03

QBEST CYCLE INDUSTRIAL.,CO., LTD.

NO. 177-15, SEC.1, YUANLU RD.,PU-YAN HSIANG, CHANGHUA, TAIWAN
TEL: 886-4-8611651~2 FAX: 886-4-8828797
E-Mail: qbest.cycle@msa.hinet.net

QBA-GP01
Saddle Rail Mount for GoPro

QBA-GP02
Gopro Mount
Φ31.8/Φ35.0mm

QBA-GP03
Stem mount for GoPro camera or head light.

QBA-979
Multi-function saddle rail mount for GoPro camera, CO2 cartridges and inflators.
The additional installation by rear light or bottle cage bracket(QBA-978BCB) is available.

QBA-978BCB
Bottle cage bracket for GoPro camera mount.

QBA-SW01
Handlebar mount for cycling computer or head light.
Clamp Diameter: Φ31.8mm
Tube Diameter:Φ25.4mm

QBA-SPMS01
(For stem)
QBA-SPMHB01
(For handlebar Φ31.8)
Stem or handlebar mount for smart phone.
The mount is adjustable for smart phone 4" to 5.5".

QBA-980
Seat post mount for CO2 cartridges and inflators.
Clamp Diameter: Φ27.2/Φ30.9/Φ31.6

QBA-981
CO2 cartridges and inflators mount.
Clamp Diameter: Φ31.8/34.9mm

QBA-978BCB+QBA-GP03

QBEST CYCLE INDUSTRIAL.,CO., LTD.
NO. 177-15, SEC.1, YUANLU RD.,PU-YAN HSIANG, CHANGHUA, TAIWAN
TEL: 886-4-8611651~2 FAX: 886-4-8828797
E-Mail: qbest.cycle@msa.hinet.net

QBA-983
Spacer mount for power bank
Spacer Dia: Φ28.8mm

QBA-985
Stem mount for Triathlon Bicycle Water Bottle holder

QBA-986
Spacer mount with hook for Shimano
SM-EW90 The angle and extension are adjustable

QBBE-903
Oval Type Alloy W/plastic cap
Forged Head Clamp
Weight:135g

QBA-987
Bottle cage bracket with T25 torx screw.
The clamp can be turn to 90 degrees available.
Clamp Dia: 31.8mm

Alloy Spacer
QBA-955
Dia: Φ28.8mm
Height:3,5,8,10,15,20mm



QBCR-NW 01
Narrow Wide Chain rings
7075T651, 104BCD , 30T,32T,34T,36T

QBCR-NW 02
Narrow Wide Chain rings
7075T651, 96BCD , 32T,34T,36T

QBA-976
Chain fixture for rear dropout.

QBA-976QR
Chain fixture for rear dropout.

QBA-975F
Caliper holder for fork dropout.

QBA-975R
Caliper holder and chain
fixture for rear dropout.

QBA-968
Top Cap w/CNC Expander
for carbon fiber forks 1-1/8"
I.D. 22.2~25.4

QBA-953 CNC
CNC Ultralight Stem Cap with
7075T6 Aluminum bolt(5g)

QBA-967A
Alloy Φ28.6,
Φ31.8,
Φ34.9mm

QBA-967B
Alloy Φ28.6,
Φ31.8,
Φ34.9mm

QBA-WG 01
Clamp Φ31.8, Φ34.9mm

QBA-962
Handlebar shim CNC Alloy
Diameter:
Φ31.8/Φ26.0mm
Φ31.8/Φ25.4mm
L: 51mm

QBA-977SR
Head light mount for front
wheel QR only.

QBA-982
Cable hanger.

QBA-972L
Rubber ring for over
size seat clamp
QBA-972S
Rubber ring for normal
size seat clamp

朝富工業有限公司
Tsao Fu Industrial Co., Ltd.
No.135, Alley 39, Lane 576, Sec.4, Chang Shui Rd., Hu Dung Li, Shi Hwu Jenn, Chang Hua Hsien, Taiwan.
Tel:886-4-8817247 · 8817274 Fax:886-4-8817249
E-mail: tsao_fu@yahoo.com.tw
tsaofu@pchome.com.tw

TF-48
Material: Steel, Cr-mo
Diam: 21, 22
Length: 150~220
Ext: 80

TF-FBS-3
Material: Steel, Cr-mo
Length: 150~350

TF-FBS-4
Material: Steel, Cr-mo
Length: 400~600
Raise: 250~550

TF-ATB-90AL
Material: Alloy
Diam: 28.6,25.4,31.8
Ext: 90
Angle: 15°

TF-ATB-90ALSM
Material : ALLOY
Diam : Ø 28.6 , Ø 25.4 , Ø 31.8
Ext : 90
Angle : 15 °

TF-FBS-15
Material: Alloy 6061
Length: 250~400

TF-STEM AL01
Material: Alloy 6061
Length: 150~200

TF-FBS-5
Material: Steel, Cr-mo
Length: 250~450

TF-M-1
Material: Steel, Cr-mo
Diam: 28.6, 25.4
Ext: 60~120
Angle: 115°~140°

TF-M-2
Material: Steel, Cr-mo
Diam: 28.6, 25.4
Ext: 60~120
Angle: 115°~140°

TF-M-3
Material: Steel, Cr-mo
Diam: 28.6, 25.4
Ext: 60~120
Angle: 105°~140°

TF-ATB-60ALSM
Material: ALLOY
Diam: Ø 28.6 , Ø 25.4
Ext: 60
Angle: 25°

TF-ATB-60AL
Material: Alloy
Diam: 28.6, 25.4
Ext: 60
Angle: 25°

TF-100U-2
Material: Steel, Cr-mo
Diam: 21, 22, 25.4
Ext: 60~120
Angle: 105°~140°

TF-100U-2TP
Material: Steel, Cr-mo
Diam: 22, 25.4
Ext: 60~120
Angle: 105°~140°

TF-E30-A
Material: Steel, Cr-mo
Diam: 21, 22, 25.4
Length: 150~280
Ext: 30

TF-45D
Material: Steel, Alloy
Diam: 22x150~210

TF-45A
Material: Steel, Alloy
Diam: 22x150~210

TF-MX-221-R
Material: Steel
Diam: 21, 22, 25.4
Length: 140~200

TF-MX-223
Material: Steel
Diam: 21, 22, 25.4
Length: 140~200

TF-105
Material: Alloy
Diam: 22 x 150
Ext: 100

TF-46
Material: Steel, Cr-mo
Diam: 21, 22
Length: 150~200
Ext: 80

TF-47
Material: Steel, Cr-mo
Diam: 21, 22
Length: 150~200
Ext: 80

TF-177
Material: Alloy
Diam: 22, 25.4
Length: 180
Ext: 105

YUH CHYI INDUSTRY CO.,LTD.

No. 12, Lane 576, Sec. 4, Chang Shui Rd., Hsi Hu Town,
Changhua Hsien 514, Taiwan.
Tel: 886-4-8813167, 8814789 Fax: 886-4-8859039
E-mail:yuhceyi@ms18.hinet.net

ATB-11 Alloy
Ext: 28.6 x 90mm
Bar Bore: 25.4mm, 31.8mm

ATB-12 Alloy
Ext: 28.6 x 50mm
Bar Bore: 31.8mm

ATB-11 Alloy
Ext: 28.6 x 60mm
Bar Bore: 25.4, 31.8mm

YC-26
AL6061 CNC
Ext: 28.6 x 45 mm
Bar Bore:22.2 , 25.4mm

YC-27
AL6061 CNC
Ext: 28.6 x 45 mm
Bar Bore:22.2 , 25.4mm

YC-19 Alloy
Ext: 21.1 x 50 x 140mm
22.2 x 50 x 140mm
Bar Bore: 22.2mm

YC-960 Alloy
Ext: 21.1 x 40 x140mm
22.2 x 40 x140mm
Bar Bore: 22.2mm

YC-17A Alloy 6061
Ext: 21.1 x 45 x 145mm
22.2 x 45 x 145mm
Bar Bore: 22.2mm

YC-450 Alloy
Ext: 21.1 x 40 x 140mm
22.2 x 40 x 140mm
Bar Bore: 22.2mm

YC-21 Alloy 6061
Ext: 28.6 x 55mm
Bar Bore: 22.2mm

YC-16 Alloy 6061
Ext: 28.6 x 50mm
Bar Bore: 22.2mm

YC-23A Alloy 6061
Ext: 21.1 x 50 x 145mm
22.2 x 50 x 145mm
Bar Bore: 22.2mm

YC-18 Alloy 6061
Ext: 21.1 x 50 x 145mm
22.2 x 50 x 145mm
Bar Bore: 22.2mm

YC-580 Alloy
Ext: 21.1 x 40 x 150mm
22.2 x 40 x 150mm
Bar Bore: 22.2mm

YC-177 Alloy
Ext: 22.2 x 100mm
25.4 x 100mm
Bar Bore: 25.4mm

YC-168 Alloy
Ext: 21.1 x 70mm
22.2 x 100 x150mm
25.4 x 120mm
Bar Bore: 25.4mm

YC-105
Alloy
Ext: 22.2 x 100 x 150mm
Bar Bore: 25.4mm

YC-80 Alloy
Ext: 22.2 x 80 x 145mm
Bar Bore: 25.4mm

YC-60 Alloy
Ext: 22.2 x 60 x 145mm
Bar Bore: 25.4mm

YC-45A Alloy
Ext: 22.2 x 40 x 150~
210mmmm
Bar Bore: 25.4mm



YC-45B Alloy
Ext: 25.4 x 40 x150~210mm
Bar Bore: 25.4mm

YC-1003 Alloy
YC-1004 CNC

YC-B1, B3, B4
25.4 x 200~350mm, 27.2 x 200~350mm,
28.6 x 200~350mm

byschulz

INNOVATIVE BIKE COMPONENTS

TAIPEI CYCLE
Booth R0230 / Hall 2

G.2 PARALLEL SUSPENSION SEATPOST

Parallelogram suspension seatpost

- Very high riding comfort
- Supports up to 150 Kg rider-weight
- Travel: ST 30mm / LT 50mm
- High-performance plain polymer bearings (IGUS)
- Simple spring and saddle change
- Length G.2 ST : 350/400/450mm
- Length G.2 LT : 380/480/670mm

3D FORGE AL-6061-T6 AL-6066-T6

Ø 26.4 mm, 26.8 mm, 27.2 mm, 30.6 mm, 30.9 mm, 31.6 mm, 33.9 mm, 34.9 mm

EBIKE READY !

D.2 DROPPER PARALLEL SUSPENSION SEATPOST

Dropper parallelogram suspension seatpost

- Ideal combination of the G.2 parallel suspension seat post with adjustable lowering of the saddle
- Precise linear guide with IGUS bearings
- Maintenance-free, high quality gas pressure spring
- Supports up to 130 Kg rider-weight
- Damped end stops

EUROBIKE GOLD WINNER AWARD 2018

Handlebars

Stem Twist SDS

3D FORGE AL-6061-T6

Stem Alpha SDS Super Strong

3D FORGE AL-6061-T6

Ø 31.8mm 35mm

Stem Alpha Pro SDS Super Strong

3D FORGE AL-6061-T6

AL-6061-T6 AL-6066-T6

Classic

Twist

3D FORGE AL-6061-T6 AL-6066-T6

Twist Pro SDS

speedlifter

Tool-free handlebar height adjustment, twist function, and angle-adjustable stems with SDS, for 1 1/8" and 1 1/4" A-Head-Systems

Twist Function

www.byschulz.com

陞聯國際股份有限公司

LINUS CYCLE WORK INC.

7f-9, No. 262, Sec. 2, Ho Nan Rd.
Taichung City 40744
Taiwan

OEM AGENT ASIA

Phone : +886 (4) 245 299 09
Fax : +886 (4) 245 241 71
sales@linus.com.tw

OEM, DISTRIBUTOR & AFTERMARKET EUROPE

by.schulz GmbH

Bühler Straße 121
66130 Saarbrücken
Germany

Central Office

Phone : +49 (0) 681 59 59 81 18
Fax : +49 (0) 681 59 59 81 19
info@byschulz.com

Speedlifter ® is a registered trademark of by.schulz GmbH, Germany. All rights reserved. Changes in technology or design are subject to change without notice. Errors and misprints excepted.

SPEED LINK

HYDRAULIC LINK SYSTEM

UNIVERSAL FOR MTB, ROAD BIKE & ALL BRAND

TAIPEI CYCLE d&i awards 2018 by iF

VIDEO LINK



WORK SPEED UP

MAINTAIN SIMPLIZED

LIFE SHOULD BE EASIER

ZENO

DRIVEN PERFORMANCE

www.zeno.tw

service@zeno.tw

TEL +886-4-771-6666
FAX +886-4-771-5566
SITE WWW.ALHONGA.COM
MST 5927-7707
ADD 50567 彰化縣鹿港鎮溝墘里溝墘巷299號

ALHONGA

Hydraulic Disc Brake

	HJ-OD07 NEW	HJ-OD04	HJ-OD05
System	Open system Dual piston hydraulic disc brake Non-corrosive mineral oil Weight : Front 300g (caliper+lever) / wheel Rear 320g (caliper+lever) / wheel	Open system Dual piston hydraulic disc brake Non-corrosive mineral oil Weight : Front 340g (caliper+lever) / wheel Rear 359g (caliper+lever) / wheel	Open system Dual piston hydraulic disc brake Non-corrosive mineral oil Weight : Front 322g (caliper+lever) / wheel Rear 340g (caliper+lever) / wheel
Rotor	HJ-DXR1606 Diameter : 160mm (F/R)	HJ-DXR1606 Diameter : 160mm (F/R)	HJ-DXR1606 Diameter : 160mm (F/R)
Caliper	Forged alloy body Automatic caliper positioning Pad : HJ-DS10 (compatible Shimano)	Forged alloy body Automatic caliper positioning Pad : HJ-DS10 (compatible Shimano)	Forged alloy body Automatic caliper positioning Pad : HJ-DS10 (compatible Shimano)
Lever	Melt-forged alloy 2-Fingers design	Forged alloy body 2-Fingers design	Melt-forged alloy body 3-Fingers design

Mechanical Disc Brake

HJ-MD11

MTB TREKKING

System ball bearing system, adapter for "IS" mount
Control cable actuated
Caliper melt-forged aluminum
Pad HJ-DS10 (compatible Shimano)
Rotor stainless steel front/rear : 160mm HJ-DXR1604
Weight 250g/wheel

HJ-MD15

MTB TREKKING

System ball bearing system, adapter for "IS" mount
Control cable actuated
Caliper melt-forged aluminum
Pad HJ-DS38
Rotor stainless steel front/rear : 160mm HJ-DXR1604
Weight 225g/wheel

HJ-MD16 NEW

MTB TREKKING

System Ball bearig system
Control cable actuated
Caliper Melt-forged Alloy / Steel
Pad HJ-DS10 (compatible Shimano)
Rotor stainless steel front/rear : 160mm HJ-DXR1604
Weight 214g/wheel

Brake Lever

HJ-261AG

ROAD

Bracket / Lever Super nylon composite / forged alloy
Clamp diameter 22.2-23.8mm
Weight 248g/pair

HJ-R263A

ROAD

Bracket / Lever Forged alloy for use with caliper or cantilever brakes
Clamp diameter 22.2/23.8/28.6/31.8mm
Weight 104g/pair

HJ-272AQ

ROAD

Bracket / Lever Super nylon composite / Forged alloy
Clamp diameter 22.2-23.8mm
Weight 193g/pair

HJ-R265A

ROAD CYCLE CROSS TRIATHLON

For use with caliper or cantilever brakes
Internal cable position design

Bracket / Lever Melt-forged / Forged alloy
Aero bar ID Ø19.8 / Ø20.8
Weight 162g/pair

Lock device

HJ-N5022ADV
HJ-N5022ADC

4 FINGERS MTB CITY

Bracket / Lever Melt-forged alloy
Compatible brake type Direct-pull brakes
Roller brakes
Compatible shifter Twist & Thumb shifter
Weight 260g/pair

HJ-3030PDV

HJ-3030ADV

3 FINGERS MTB CITY

Bracket / Lever
HJ-3030ADV : Melt-forged alloy 175g/pair
HJ-3030PDV : Nylon composite Melt-forged alloy 170g/pair
Compatible brake type Direct-pull brakes
Compatible shifter Twist & thumb shifter

HJ-3022PDV

HJ-3022ADV

3 FINGERS MTB JUNIOR

Bracket / Lever
HJ-3022ADV : Melt-forged alloy 215g/pair
HJ-3022PDV : Nylon composite Melt-forged alloy 174g/pair
Compatible brake type Direct-pull brakes
Compatible shifter Twist & Thumb shifter

HJ-5022ADV
HJ-5022ADC

4 FINGERS MTB CITY

Bracket / Lever Melt-forged alloy
Compatible brake type Direct-pull brakes
Roller brakes
Compatible shifter Twist & Thumb shifter
Weight 262g/pair

HJ-4120AD

BMX

Bracket / Lever Melt-forged alloy
Compatible brake type Caliper or cantilever brakes
Hinged bracket
Weight 185g/pair

HJ-213ADV

4 FINGERS TREKKING CITY

Bracket / Lever Melt-forged alloy
Compatible brake type Direct-pull brakes
Compatible shifter Twist & Thumb shifter
Weight 220g/pair

HJ-4133PDV

HJ-4133ADV

3 FINGERS MTB JUNIOR

Bracket / Lever
HJ-4133ADV : Melt-forged alloy 180g/pair
HJ-4133PDV : Nylon composite Melt-forged alloy 160g/pair
Compatible brake type Direct-pull brakes
Compatible shifter Twist & Thumb shifter

HJ-3032ADV

3 FINGERS MTB CITY

Bracket / Lever Melt-forged alloy
Compatible brake type Direct-pull brakes
Compatible shifter Twist & Thumb shifter
Weight 208g/pair

HJ-4123PD

HJ-4123AD

BMX

Bracket / Lever
HJ-4123AD : Melt-forged alloy 149g/pair
HJ-4123PD : Nylon composite Melt-forged alloy 142g/pair
Compatible brake type Caliper or cantilever brakes

HJ-3042ADV
HJ-3042ADC

4 FINGERS TREKKING CITY

Bracket / Lever Melt-forged alloy
Compatible brake type Direct-pull brakes
Roller brakes
Compatible shifter Twist & thumb shifter
Weight 252g/pair

HJ-3043ADV
HJ-3043ADC

4 FINGERS TREKKING CITY

Bracket / Lever Melt-forged alloy
Compatible brake type Direct-pull brakes
Roller brakes
Compatible shifter Twist & thumb shifter
Weight 236g/pair

Caliper Brake

HJ-N401AQ3

ROAD

Arms	forged alloy
Power reinforcement with	dual-pivot device
Dimension	39-49mm with quick release
Standard shoes	401.11A (adjustable angle)
Weight	184g/wheel

HJ-421ADQ

ROAD

Arms	melt-forged alloy
Power reinforcement with	dual-pivot device
Dimension	39-49mm with quick release
Standard shoes	405.11 (adjustable angle)
Weight	180g/wheel

HJ-N402AQ3

ROAD

Arms	forged alloy
Power reinforcement with	dual-pivot device
Dimension	43-57mm with quick release
Standard shoes	401.11A (adjustable angle)
Weight	190g/wheel

HJ-422ADQ

ROAD

Arms	melt-forged alloy
Power reinforcement with	dual-pivot device
Dimension	47-59mm with quick release
Standard shoes	405.11 (adjustable angle)
Weight	190g/wheel

HJ-N405AQ

FOLDING CITY

Arms	forged alloy
Power reinforcement with	dual-pivot device
Dimension	54.5-76.5mm with quick release
Standard shoes	405.11(adjustable angle)
Weight	184g/wheel

U-Brake

HJ-928ADU

BMX

Arms	melt-forged alloy
Spring system	spring hanger
Dimension	24-43mm
Standard shoes	601.12 (60mm)
Weight	180g/wheel

HJ-923ADU

BMX

Arms	melt-forged alloy
Spring system	coil type
Dimension	29-45mm
Standard shoes	601.12 (60mm)
Weight	176g/wheel

HJ-926ADU

BMX

Arms	melt-forged alloy
Spring system	coil type
Dimension	29-45mm
Standard shoes	601.12 (60mm)
Weight	180g/wheel

Cantilever Brake

HJ-922AG

MT B ROAD CYCLE CROSS

Arms	forged alloy
Spring system	linear type
Dimension	21-35mm
Standard shoes	601.12 (60mm)
Weight	173g/wheel

HJ-924AD

MT B ROAD CYCLE CROSS

Arms	melt-forged alloy
Spring system	coil type
Dimension	21-35mm
Standard shoes	601.12 (60mm)
Weight	175g/wheel

V-Brake

HJ-623ADX

85 mm FOLDING BMX JUNIOR KID

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	180g/wheel

HJ-7011AD7

95 mm FOLDING BMX JUNIOR KID

Arms	melt-forged alloy
Spring system	linear type
Dimension	18-36mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	180g/wheel

HJ-622AD7

95 mm FOLDING BMX JUNIOR KID

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	180g/wheel

HJ-624AD

102 mm MTB CITY

Arms	melt-forged alloy
Spring system	coil type
Dimension	20-38mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	183g/wheel

HJ-612AD7

103 mm MTB CITY

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	HJ-601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	194g/wheel

HJ-621ADX

103 mm MTB CITY

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	194g/wheel

HJ-732AD

110 mm MTB CITY TREKKING

Arms	melt-forged alloy
Spring system	coil type
Dimension	20-36mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	170g/wheel

HJ-721ADX

110 mm MTB CITY TREKKING

Arms	melt-forged alloy
Spring system	linear type
Dimension	22-39mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	181g/wheel

HJ-725AD7

110 mm MTB CITY TREKKING

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	196g/wheel

HJ-728A for E-Bike

110 mm MTB CITY TREKKING

Arms	forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	600.12T3 (70mm)
Guide pipe	F/90° R/135°
Weight	198g/wheel

HJ-811AD7

110 mm MTB CITY TREKKING

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-38mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	180g/wheel

HJ-812AD7

125 mm BEACH CRUISER

Arms	melt-forged alloy
Spring system	linear type
Dimension	20-40mm
Standard shoes	601.12 (60mm)
Guide pipe	F/90° R/135°
Weight	198g/wheel

E-BIKE

NEW

MECHANICAL DUAL PISTON DISC BRAKE

· FORGED ALUMINUM ALLOY · CABLE-ACTIVATED · 100% MADE IN TAIWAN

TRITON

- Model: BRK-001 Cooling Pad
  BRK-002 Normal Pad
- Material: Forged Aluminum Alloy
- Weight: 185g/per caliper
- Finished: Optional (Bright Black, Matt Black)
- Caliper lever color: Optional
  (Red, Sliver, Black, Blue...)

CALLISTO

☑Lightweight ☑Thickness 35.7mm

- Model: BRK-003 Cooling Pad
  BRK-004 Normal Pad
- Material: Forged Aluminum Alloy
- Weight: 159g/per caliper
- Finished: Optional (Bright Black, Matt Black)
- Caliper lever color:
  Optional (Red, Sliver, Black, Blue...)

"Mirroring Version Available"

BEAG

- Model: BRK-007 Normal Pad
- Material: Forged Aluminum Alloy
- Weight: 149g/per caliper
- Finished: Optional (Bright Black, Matt Black)
- Caliper lever color: Optional
  (Red, Sliver, Black, Blue...)

PAD-001

PAD-002

PARTS

安益利工業有限公司
Anyili INDUSTRY CO., LTD.
No.46, Tianyang Ln., Lukang Township, Changhua County 505, Taiwan
TEL：+886-4-7771179
FAX：+886-4-7771821
bijumbo.bike@gmail.com
https://bijumbo.weebly.com/

ARTEK





ARTEK

APSE

BRAKES SYSTEM

www.apse.com.tw

台灣 Taiwan

艾栢士企業股份有限公司
APSE ENTERPRISE CO., LTD

彰化縣秀水鄉彰馬街 54 號

54. Chang-Ma St. Hsiu-Shui Hsiang.
Chuang-Hua Country, Taiwan.

Tel 886 - 4 - 7612127
Fax 886 - 4 - 7613428
Mail apse.artek@msa.hinet.net

上海 Shanghai

上海艾柏士機械有限公司
SHANGHAI APSE MACHINERY CO., LTD.

上海市青浦區朱家角鎮酒龍路128號

128, Jiu-LZng Rd, Zhu-Jia-Jiao,
Qing-Pu,Shanghai, China.

Tel 86 - 21-59230257 / 59230258 / 59230259
Fax 86 - 21-59249238 / 59249201
Mail shapse@apse.com.tw

BENGAL DISC BRAKE
www.bengalperformance.com.tw
NO.141-2,Sec.3,Chung Shan Rd.,
Changhua City 500,Taiwan
TEL:+886.4.720.3979 FAX:+886.4.720.3978
sales@bengalperformance.com.tw

ARES 5

Weight : Master cylinder : 90g
Caliper :120g
Finish : Anodized
Fluid : Mineral oil

ARES 7.5

Weight : Master cylinder : 100g
Caliper :120g
Finish : Anodized
Fluid : Mineral oil



ARES 3

Weight : Master cylinder : 102g
Caliper :120g
Finish : Black
Fluid : Mineral oil



ARES 7+

Weight : Master cylinder : 100g
Caliper :120g
Finish : Anodized
Fluid : Mineral oil

ARES 3X

Weight : Master cylinder : 102g
Caliper :131g
Finish : Black
Fluid : Mineral oil

ARES 4X

Weight : Master cylinder : 88g
Caliper :131g
Finish : Anodized
Fluid : Mineral oil

Bell (Optional)



The OD of insert joint and the tubing are the same

EZ PLUG IN (Optional)

PATENT NO : M518750 / ZL201520796991.9

Mechanical disc brake for front & rear
Non-asbestos semi metallic pads
Action ball bearing system

MB700 / MB700T

For Cyclocross

MB845A

MB845B

Special design for the right side mount

MB600

MB500

MB300 / MB300T

MB300, is a mechanical disc brake designed by veering away from traditional techniques and discovering a new dual-sided patented structured design.



Dual-sided Single-sided

PATENT NO : M533615/ US 9771125/ ZL2016205986261/ Nr.20 2016 104 048

ARES PRO

Weight : Master cylinder : 90g
Caliper :120g
Finish : Anodized
Fluid : Mineral oil

Two-piece

Tool free reach adjustment

Complete set in one box

Mechanical disc brake
MB700

BK RB RD GD WH

Complete set in one box

Clamshell for rotor &6 rotor screws

BR301
Blister card for
Center lock adaptor

BR302
Blister card for
Center lock adaptor

ROTOR

Available: RD BK RB GN

RD

Available: RD BK GD RB GN

BK

BL

GD

BR302

ROTOR

Wave system rotor
100% inspect for trueness
High temperature tested

Wave 12(LCB) system rotor
OD-120 /140 /160 /180 /203

Wave 6(CC) system rotor
OD-120 /140 /160 /180 /203

Wave 12(L) system rotor
OD-120/140/160/180/203

Wave 6(C) system rotor
OD-120 /140 /160 /180 /203

Pads

Sport ○ Semi-metallic

Advanced ◒ Semi-metallic

Pro ● Golden Sintered

Part No.	Picture	Material
PA01SA01		○ ◒
PA02SA02		○ ◒
PA03SA03		○ ◒
PA05SA05		○ ◒ ●
PA06SA06		●
PA07SA07		○ ◒
PH01SH01		○ ◒ ●
PH02		○ ◒ ●
PH05SH05		○ ◒
PH06SH06		○ ◒ ●
PH07SH07		○ ◒

Part No.	Picture	Material
PH08		○ ◒
PH09SH09		●
PP01		○ ◒
PP02		○ ◒
PM03		○ ◒
PM05SM05		○
PM06		○ ◒
PM07		○
PM08		○ ◒ ●
PM09		○ ◒
PM10		○ ◒

Part No.	Picture	Material
PF02SF02		○
PF03SF03		○ ◒ ●
PT01		○ ◒
PT02		○ ◒
PS01SS01		○
PS02SS02		○ ◒ ●
PS03SS03		○
PS05SS05		○ ◒ ●
PS06SS06		○ ◒ ●
PS07SS07		○ ◒ ●
PS08SS08		○ ◒

Blister card for pads

20 Wheel sets/box

Blister card for inner wire

Aluminum link cable kit

Housing&Inner wires

Derailleur / Brake inner wire

Basic inner wire:GAR(Galvanized steel)
Slick inner wire:GAS(Slick galvanized)
Coated inner wire:GAC(Slick and slight coated galvanized)
Basic inner wire:STR(Stainless steel)
Slick inner wire:STS(Slick stainless)
Coated inner wire:STC(Slick and slight coated stainless)

Hose

Colored hydraulic hoses are available for ø5.0mm & ø5.4mm

Blister card for 3m hose

Box for 30m & 50m hose/cable

Box for 100pcs inner wire

Adaptors

All series Bengal disc brake

Fork / R		IS-51		PM-74		IS-51 (20mm)	IS-51 (mirror)	FM-70	FM-34	FM-70	FM-34
	Caliper	post mount		post mount		post mount		flat mount		post mount	
	rotor OD	front	rear	front	rear	front	front/rear	front	rear	front	rear
5"	140							F1	DM	F5	F7
	160							F1	F2	F6	
6"	140	U0	U1								
	160	U1	U2	DM	DM		U1B				
	180	U3	U4	U3M/PM7	U3M/PM7	U3D	U3B				
	203	U5	U6	U5M	U5M	U5D	U5B				
7"	180			DM	DM						
	200			PM7	PM7						
	203			PM8	PM8						

DM=Direct Mount U5RB/Rockshox Boxxer IS mount

PM8

PM7



Post mount adaptor set for rotor upgrade

Blister card for adaptor

Cable Tip

Cable Donut

Housing End Cap

Bottle for hose part

Tool

Hose parts

H54N01		H50S10	
H54N04		H50S11	
HN05H		H54S11	
H50N06		H54P01	
HN15A		H54P01M	
H54S01		H54P02M	
H54S02		H50P01	
H50S04		H50P02M	
H50S06		H50P02	
H50S07		H50N15	
H50S08		H50N16	
H50S09			

B020A Tool box

Hydraulic hose part



B010T

Needle driver for ø5.0 & ø5.4 hose

Blister card for hose part

Blister card for pad spacer

Clamshell for Bleeder Kit

B020T

Hydraulic hose cutter

DIA-COMPE 70th 1949-2019

DIA-COMPE TAIWAN CO., LTD.
No.62,35th RD, Taichung Industrial Park.
Taichung, Taiwan R.O.C
TEL:886-4-2359-1117 FAX:886-4-2359-3188
E-MAIL:diatech@ms15.hinet.net
www.diacompe.com.tw

ENE CICLO

ENE WING SHIFTER

- Drop Bar Shift Lever
- Clamp Φ22.2-24mm
- Multi speed function up to 11S
- Shimano/Compagnolo compatible
- Silver finish
- Weight : 164g/pair

ENE THUMB SHIFTER

- Clamp : Aluminum CNC, Silver or Black anodized.
  Φ26.0mm standard diameter
  Φ23.8mm or Φ22.2mm with shims
- Weight : 116g/pair complete
- 8, 9, 10 Speed Compatible
- Cable Adjuster

ENE STEM MOUNT SHIFTER

- Shifter on stem column
- Clamp : Φ22.2mm,Aluminum CNC,silver anodized
- 8.9.10 speed compatible
- weight : 110g/pc

ENE DOWN TUBE SHIFTER

- ENE Shifter with Clamp Ø 28.6mm
- Down tube use
- 8.9.10 Speed compatible
- Silver anodized clamp
- Weight: 94g/pc

DIA-COMPE 70th 1949-2019

DIA-COMPE TAIWAN CO., LTD.
No.62,35th RD, Taichung Industrial Park.
Taichung, Taiwan R.O.C
TEL:886-4-2359-1117 FAX:886-4-2359-3188
E-MAIL:diatech@ms15.hinet.net
www.diacompe.com.tw

ENE 11S SHIFTER

- 11 speed compatible
- Down Tube use
- Weight : 100g/pair

ENE W-SHIFT LEVER

- 8, 9, 10 Speed Compatible
- Down Tube use
- Weight : 64g/pair

ENE BAR END CONTROL

- Power Ratchet Shifting Lever
- Silver clear finish
- Weight : 162g/pair

NEW

ENE BAR TAPE CLAMP

- Aluminum CNC Clamp
- Silver or Black anodized
- ID:22-24mm
- Weight:32g/pair

NEW

DC610-N

- Cold forged Aluminum arms
- Brake Shoes : 101-Pad
- Dimension 47-61mm
- Silver anodized
- 190g/wheel
- 1242 Straddle Cable Guide
- 1270-110 Straddle Cable

DC980EX

- Cold forged aluminum arms
- Silver or Black anodized
- Dual spring tension adjustment
- 980EX-pad
- 1274-380 Straddle cable
- 1242 Straddle Cable Guide
- Weight:165g/wheel

NEW

DC980

- Cold forged aluminum arms
- Silver or Black anodized
- Dual spring tension adjustment
- 980-pad
- 1274-380 Straddle Cable
- 1242 Straddle Cable Guide
- Weight:140g/wheel

NEW

PR-C213N *Road Caliper*

- **CATEGORY**
  Road caliper
  Superior modulation system
- **MATERIAL**
  Forged alloy
- **DIMENSION**
  41-51mm
  Fit tire width 23C-28C
- **PADS**
  Adjustable angle pads
  BX495A
- **FEATURES**
  With symmetric pivot
  Ball bearing to increase the modulation
  Light weight
- **PERFORMANCE**
  Great braking efficiency and control.

NEW **PR-C213N**
WEIGHT
163g

PR-C213D
WEIGHT
164g

PR-C213
WEIGHT
177g

BOXER *Hydraulic Rim Brake*

Perfect for Electric & Trekking bike

- **SYSTEM**
  Closed system, Dual piston
  Radial master cylinder hydraulic rim brake
  Easy installation, adjustment and maintenance
- **CALIPER**
  Forged aluminum body
  Automatic caliper positioning via right and left adapters
  Parallel design provide better braking performance
  Color : Black
- **LEVER**
  Forged aluminum bracket & lever
  Reach adjustment
  Two pieces bracket designed
  3 finger blade
  Color : Black
- **PADS**
  High performance rubber compound
  Easy replacement
- **FLUID**
  Non-corrosive mineral oil
- **WEIGHT**
  Front wheel – 377g
  Rear wheel – 385g

boxer *Your safety buddy!*

VICTOR

- **CATEGORY**
  MTB
- **MATERIAL**
  Brake lever / Melt-forged alloy
  Caliper / Forged alloy
- **SYSTEM**
  Dual-piston
  Open system hydraulic disc brake
- **PADS**
  DP-HS10
  Compatible with Shimano
- **ROTOR**
  Diameter : ø160mm
  Options : ø180mm / ø203mm
- **FLUID**
  Non-corrosive mineral oil
- **WEIGHT**
  F / 300g (Excludes rotor)
  R / 320g (Excludes rotor)

TWINER *Mechanical Disc Brake*

- **DUAL-PISTON**
  TWINER-M for MTB
  TWINER-R for Road
- **PADS**
  DP-HS10 (compatiable Shimano®)
  Easy for installation and replacement
- **FEATURE**
  Dual-piston actuation to prevent from deformation of the rotor.
  Tool free adjustment for pads wearing.

Tool free adjustment

Easy for pads installation

TWINER

PR-C214 *Road Caliper*

- **CATEGORY**
  Road caliper
- **MATERIAL**
  Forged alloy
- **DIMENSION**
  41-51mm
  Fit tire width 23C-28C
- **PADS**
  Adjustable angle pads
- **FEATURES**
  With symmetric pivot
  Light weight
- **PERFORMANCE**
  Great braking efficiency and control.

LANCER *Hydraulic Disc Brake*

- **SYSTEM**
  Open system, Dual piston
  Radial master cylinder hydraulic disc brake
  Easy installation, adjustment and maintenance
- **CALIPER**
  Forged aluminum body
  Automatic caliper positioning via front and rear adapters
  Color : Black
- **LEVER**
  Forged aluminum bracket & lever
  Reach adjustment
  Two pieces bracket designed
  2 finger blade
  Color : Black
- **PADS**
  High performance metal ceramic compound
  Easy replacement
- **ROTOR**
  Diameter : ø160mm
  Options : ø180mm / ø203mm
- **FLUID**
  Non-corrosive mineral oil
- **WEIGHT**
  Front wheel – 300g (Excludes rotor)
  Rear wheel – 320g (Excludes rotor)

LANCER

MTB HYDRAULIC DISC BRAKES

Thicker rotor, Sintered Pad
Be powerful & Durable on E–MTB!

HD - M750

SYSTEM
Open system, 4 piston
High power and controllable braking
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 281/ Rear wheel - 301
(Exclude rotor, adapter & mounting bolts)

CALIPER
4 Piston, Forged Aluminum, body
2.3mm thickness rotor (TR180-17)
Wide Pad clearance , easy installation & maintenance from top
Finish : Black

LEVER
Forge aluminum lever / Cast aluminum bracket
I-Spec II®& Matchmaker®compatible
Reach adjustment
Two pieces hinged bracket
2 finger blade
Finish : Black

HD - M745

SYSTEM
High power and controllable braking
Open system, 4 piston
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 251 grams / Rear wheel - 271 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
4 piston forged aluminum body
Easy pads replace from top
Finish : Black

LEVER
Forge aluminum lever / Cast aluminum bracket
I-Spec II®& Matchmaker®compatible
Reach adjustment
Two pieces hinged bracket
2 finger blade
Finish : Black

HD - M735

SYSTEM
High power and controllable braking
Open system, F4 X R2 piston
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 251 grams / Rear wheel - 265 grams
(Excludes rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Front - 4 piston, Rear - 2 piston
Easy pads replacement from top
Finish : Black

LEVER
Forge aluminum lever / Cast aluminum bracket
I-Spec II®& Matchmaker®compatible
Reach adjustment
Two pieces hinged bracket
2 finger blade
Finish : Silver or Black

HD - M520

SYSTEM
Open system, Dual piston
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 300 grams / Rear wheel - 320 grams
(Exclude rotor, adapter & mounting bolts)
Available : HD-M521-For short reach

CALIPER
Forged aluminum body
Free angle of hose connector for varied frames
Easy pads replacement from top
Finish : Black

LEVER
Cast aluminum lever & bracket
HD-M520 : Reach 86 - 90 mm
HD-M521 : Reach 81 - 85 mm
Two pieces hinged bracket
Compatible with I-Spec
2 finger blade
Finish : Black

HD - M275/M276

SYSTEM
Open system, Dual piston
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 287 grams /
Rear wheel - 307 grams
(Excludes rotor, adapter & mounting bolts)
Also available :
HD-M276: For short reach

CALIPER
Forged aluminum body
Finish : Black

LEVER
Aluminum lever & Cast aluminum bracket
HD-M275 : Reach 86 - 90 mm
HD-M276 : Reach 81 - 85 mm
One piece bracket
2 finger blade
Finish : Black

HD - M282

SYSTEM
Open system, Dual piston
Easy installation, adjustment and maintenance
For use with thumb or twist shifters

WEIGHT
Front wheel - 286 grams / Rear wheel - 306 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Finish : Black

LEVER
Aluminum lever / Cast aluminum bracket
Reach adjustment
One piece bracket
4 finger blade
Finish : Black

TEKTRO
TEKTRO TECHNOLOGY CORPORATION

DISC RECREATION

HD - T520

SYSTEM
Open system, Dual piston
For Sports and Utility Bikes (SUB)
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 297 grams /
Rear wheel - 317 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Free angle of hose connector for varied frame
Easy pads replace from top
Finish : Black

LEVER
Cast aluminum lever & bracket
Reach adjustment
One piece bracket
3.5 finger blade
Finish : Black



Wide Pad Clearance & Easy Installation!

0.35-0.5mm / each side

HD - T385

SYSTEM
Open system, Dual piston
For Sports and Utility Bikes (SUB)
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 287 grams / Rear wheel - 307 grams
(Excludes rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Wide Pad clearance , easy installation & maintenance.
Finish : Black

LEVER
Aluminum lever / Cast aluminum bracket
Reach adjustment
One piece bracket
3 finger blade
Finish : Black



Wide Pad Clearance & Easy Installation!

0.35-0.5mm / each side

HD - T386

Ergonomic

SYSTEM
Open system, Dual piston
For Sports and Utility Bikes (SUB)
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 305 grams / Rear wheel - 320 grams
(Excludes rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Wide Pad clearance , easy installation & maintenance.
Finish : Black

LEVER
Aluminum lever / Cast aluminum bracket
Reach adjustment
One piece bracket
3 finger blade
Finish : Black

HD - T275

SYSTEM
Open system, Dual piston
For Sports and Utility Bikes (SUB)
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 287 grams / Rear wheel - 307 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Finish : Black

LEVER
Aluminum lever / Cast aluminum bracket
Reach adjustment
One piece bracket
3 finger blade
Finish : Black

HD - R310

SYSTEM
Open system, Dual piston
Flat mount, Low profile
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 291 grams / Rear wheel - 311 grams
(Excludes rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Flat mount caliper
Finish : Black

LEVER
Aluminum lever / Cast aluminum bracket
Reach adjustment
One piece bracket
3 finger blade
Finish : Silver / Black

FLAT MOUNT
ROAD – URBAN – LIFESTYLE

HD - R280

NEW

SYSTEM
Open system, dual piston
Flat mount, low profile
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 280grams / Rear wheel - 300grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Flat Mount
Finish : Black

LEVER
Aluminum lever & cast aluminum bracket
Reach adjustment
One piece bracket
3 finger blade
Finish : Silver / Black

FLAT MOUNT
ROAD – URBAN – LIFESTYLE

TEKTRO
TEKTRO TECHNOLOGY CORPORATION

E-BIKE COLLECTION

Thicker rotor, sintered pad & Ball–end lever
Be Powerful & Durable for 45km/hr E–bike.

HD - E730

SYSTEM
Open system, 4 piston
Sensor control designed
High performance, designed for 45km/hr E-bikes
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 367grams / Rear wheel – 367grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
4 Piston, Forged Aluminum body , **with 2.3mm thickness rotor**
Wide pad clearance , easy installation & maintenance from top
Finish : Black

LEVER
Forged aluminum lever / Cast aluminum bracket
Two pieces bracket
4 finger blade with ball end
Integrated horn switch
Finish : Black



HD - E725

SYSTEM
High power and controllable braking
Open system, 4 piston
Sensor control designed
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 261 grams /
Rear wheel - 281 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
4 piston, forged aluminum body
Easy pads replace from top
Finish : Black

LEVER
Forge lever / Cast aluminum bracket
I-Spec II® & Matchmaker® compatible
Reach adjustment
Two pieces hinged bracket
2 finger blade
Finish : Black

HD - E525

SYSTEM
Open system, Dual piston
Sensor control designed
Designed for recumbent or 3-wheel bicycles
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 298 grams / Rear wheel - 317 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Free angle of hose connector for varied frames
Easy pads replacement from top
Finish : Black

LEVER
Forged aluminum lever / Cast aluminum bracket
Adjustable angle reservoir tank
Lock Device Mechanism
Two pieces bracket
2.5 finger blade
Integrated horn switch
Finish : Black

HD - E351

SYSTEM
Open system
Sensor control designed
Easy installation, adjustment and maintenance

WEIGHT
Front wheel – 302grams / Rear wheel – 322grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Wide pad clearance, easy installation & maintenance
Finish : Black

LEVER
Cast aluminum lever & bracket
Reach adjustment
Two pieces bracket
3 finger blade
Integrated horn switch
Finish : Black

Wide Pad Clearance & Easy Installation!



0.35-0.5mm / each side

HD - E350

SYSTEM
Open system
Sensor control designed
Easy installation, adjustment and maintenance

WEIGHT
Front wheel - 302 grams /
Rear wheel - 322 grams
(Exclude rotor, adapter & mounting bolts)

CALIPER
Forged aluminum body
Easy pads replacement
Finish : Black

LEVER
Cast aluminum lever & bracket
Reach adjustment
Two pieces bracket
3 finger blade
Integrated horn switch
Finish : Black

MD-U510

SYSTEM
Cable actuated mechanical disc brake
Flat Mount system
Actuated with linear pull brake levers

WEIGHT
156 grams / wheel
(Exclude rotor, adapter & mounting bolts)

CALIPER
Flat Mount and Low profile
Pad adjustment
Automatic pad angle adjustment via floadting plates
Finish : Black

FLAT MOUNT
LINEAR PULL BRAKE LEVER RATIO
COMMUTER–URBAN–LIFESTYLE

MD-C510

SYSTEM
Cable actuated mechanical disc brake
Road drop bar lever ratio

WEIGHT
156 grams / wheel
(Exclude rotor, adapter & mounting bolts)

CALIPER
Flat mount
Pads adjustment
Automatic pad angle adjustment via floating plates
Finish : Black

FLAT MOUNT
ROAD DROP BAR LEVER RATIO
ROAD – URBAN – LIFESTYLE

TEKTRO
TEKTRO TECHNOLOGY CORPORATION

MD-C550

SYSTEM
Dual Piston cable actuated mechanical disc brake
Road drop bar lever ratio
Flat Mount system

WEIGHT
155 grams / wheel
(Exclude rotor,adapter & mounting bolts)

CALIPER
Flat Mount , Aluminum caliper
Independent Pad adjustment
Finish : black

FLAT MOUNT
ROAD–URBAN–LIFESYTLE

MD-U310F

SYSTEM
Cable actuated mechanical disc brake
Linear Pull ratio
Flat Mount 160mm rotor for Front

WEIGHT
200 grams / wheel
(Exclude rotor,adapter & mounting bolts)

CALIPER
Flat Mount, Aluminum caliper
Pad adjustment
Finish : black

FLAT MOUNT
COMMUTER–URBAN–LIFESTYLE

MD-U310R

SYSTEM
Cable actuated mechanical disc brake
Linear Pull ratio
Flat Mount 160mm rotor for Rear

WEIGHT
192 grams / wheel
(Exclude rotor,adapter & mounting bolts)

CALIPER
Flat Mount, Aluminum caliper
Pad adjustment
Finish : black

FLAT MOUNT
COMMUTER–URBAN–LIFESTYLE

TEKTRO

T551

Aerodynamic for Road or TT bikes
Lightweight direct mount designed
For rear wheel
Forged aluminum arms
P475 adjustable angle cartridge pads
Dimension : 26 - 39mm

Standard finish : Silver or black anodized
Weight : 143 grams / wheel
*Tire : 25c - 27c

DIRECT MOUNT

T552

MD-C310F

SYSTEM
Cable actuated mechanical disc brake
Road drop bar lever ratio
Flat Mount 160mm rotor for front

WEIGHT
197 grams / wheel
(Exclude rotor,adapter & mounting bolts)

CALIPER
Flat Mount, Aluminum caliper
Pad adjustment
Finish : black

FLAT MOUNT
ROAD – URBAN – LIFESTYLE

MD-C310R

SYSTEM
Cable actuated mechanical disc brake
Road drop bar lever ratio
Flat Mount 160mm rotor for Rear

WEIGHT
189 grams / wheel
(Exclude rotor,adapter & mounting bolts)

CALIPER
Light wave type (TR160-22)
Diameter : Ø160mm
Weight : 100 grams

FLAT MOUNT
ROAD – URBAN – LIFESTYLE

Zalun
捷 倫

ZALUN INDUSTRIAL CO., LTD.
27, Alley 121, Lane 175, Koushen Rd.,Changhua, Taiwan
Tel: 886-4-7385018/886-4-7385019 Fax: 886-4-7385020
Executive: Shen-yuan Lin E-mail: zalun@ms49.hinet.net

ZA-807ADV
Caasted alloy v-brake arms Arm length: 108mm

ZA-804ADV
Caasted alloy v-brake arms Arm length: 108mm

ZA-801ADV
Caasted alloy v-brake arms Arm length: 98 or102mm

ZA-805PV
Resin with steel insertion v-brake arms Arm length: 108mm

ZA-806PV
Resin with steel insertion v-brake arms Arm length: 108 mm

ZA-807PV
Resin with steel insertion v-brake arms Arm length: 102mm

ZA-806SV
Steel v-brake arms Arm length: 108mm

ZA-1001AD
Casted alloy side pull brake arms.

ZA-989P
Resin with steel insertion cantilever brake arms.

ZA-987S
Steel cantilever brake arms.

ZA-991AD
Casted alloy cantilever brake arms.

ZA-500A
Forged light alloy side pull brake arms.

ZA-1000A
Forged light alloy side pull brake arms.

ZA-650A
Forged light alloy center pull brake arms.

ZA-182AD
Casted alloy bracket and lever. 2 Flinger

ZA-178AD
Casted alloy bracket and lever. 3 Flinger

ZA-175AD
Casted alloy bracket and lever. 3 Flinger

ZA-177AD
Casted alloy bracket and lever. 3 Flinger

ZA-168AD
Casted alloy bracket and lever. 2 Flinger

T283SA
Nylon composite bracket with resin steel insert lever. 3 Flinger

ZA-177PA
Resin bracket and casted alloy lever. 3 Flinger

ZA-168PA
Casted alloy bracket and lever. 2 Flinger

ZA-171P
Nylon composite bracket with resin steel insert lever. 3 Flinger

ZA-177P
Nylon composite bracket with resin steel insert lever. 3 Flinger

ZA-197P
Nylon composite bracket with resin steel insert lever. 2 Flinger.

ZA-165A
Forged light alloy hooded lever with safety lever.

ZA-176P
Nylon composite bracket with resin steel insert lever. 2 Flinger.

ZA-125SP
Steel bracket with resin steel lever for 20" or lady bike

ZA-126SP
Steel bracket with resin steel lever for 20" or lady bike

ZA-120SP
Steel bracket with resin steel insert for kid bike.

ZA-139A
Forged light alloy lever.

ZA-141P
Nylon composite bracket with nylon lever for middle or kid bike.

ZA-144A
Forged light alloy hooded lever.

ZA-32
Length:72mm
Type: V-type brake

ZASP- 66 Diam.:4mm / 5mm
ZASP- 72 Diam.:4mm / 5mm
ZASP- 64 Diam.:5mm
ZASP- 65 Diam.:5mm


ZASP- 70 Diam.:5mm
ZASP- 69 Diam.:5mm
ZASP- 68 Diam.:5mm
ZASP- 73 Diam.:5mm

Certified USA CPSC-CH-C1001-09.2 / EU EN 14372

ZA-46
Length:72mm
Type: V-type brake


ZA2P- 23 Diam.:5mm
ZA2P- 22 Diam.:5mm
ZA2P- 21 Diam.:5mm
ZA2P- 27 Diam.:5mm


ZA2P- 37 Diam.:5mm
ZA2P- 40 Diam.:5mm
ZA2P- 25 Diam.:5mm
ZA2P- 26 Diam.:5mm

YOU MING METAL INDUSTRIAL CO., LTD [TAIWAN]
No.36 , Ln. 2, Sec. 4, Yuanlu Rd., Xihu Township,Changhua County 514, Taiwan
TEL:+886-4-8828299 FAX:+886-4-8829199
JOCUND INDUSTRIAL CO.,LTD. [CHINA]
South Cosmos industrial Estate, Huachang Road,Dalang Town Longhua, ShenZhen 518109, China
TEL:86-755-88828118 28175120 FAX:86-755-28175112

www.starry-brake-system.com

Mechanical Disc Brake

» RDM2.0

» RDM4.0

» RDM6.0

» ROR-6.0
FOR
ROAD BICYCLE

» ROR8.0

» RDM8.0

» 845DA

845DB «

V-Brake

85 m/m

» RX-955AG/AGH/AGC

» RX-831DK/DG

95 m/m

» RX-823DK/DG

103 m/m

» RA-995DK/DG

110 m/m

» RA-991DK/DG

» RA-996DK/DG

» RA-960DK/DG

» RX-955AG/AGH/AGC

116 m/m

» RA-L977DK/DG

128 m/m

» RA-L980DK/DG

Dual Pivot Caliper Brake

» AS2.3A

» AS2.4A

» AS2.2D/DL

» AS2.4D

» AS2.5D/DL

» AS2.6D

» 813D

Caliper Brake

» AS4.1D

» AS3.2A

» RX-900D

» RX-983D

» 1000SE/1000A
» 1000AQ

» 890A
» 1020SE/1020A
» 1080A

E-bike

» E16D » E16DT » E17DT/DTB » E18D/DT » E18DS » E19D » E20D » E22DL

E-bike

» E376DT » E377D

U-Brake

» RX-940A » RX-941A » RX-934D » RX-935D » RX-939D

Brake Lever

» RA-314D/C/P » RA-346D/C/P » RA-346DA » L-64D » L-68DT

» L-71D » RA-369DT » RA-201D » RA-320D/DG/C » RA-321D/DG/C

» RA-322D/DG/C » RA-331D/DG » RA-332D » RA-333D » RA-371DT

» RA-328HA » RA-329HD » 135A » 50A » 60A » 165A » 165AX » 144A 144AX

» RA-210A

» RA-211A

» RA-209A

» RA-209A-1A

STARRY | Z.STAR

YOU MING METAL INDUSTRIAL CO., LTD | JOCUND INDUSTRIAL CO.,LTD.

Brake Lever

» MTS

» MTX

» RX-404D

» RX-405D

» RX-406DH

» RX-407DH

» RX-2.7DH

» RX-212D.C.P

» RX-E212D.C

» RX-222P

» RX-257D.C.P

» GYRO

Canti Brake

» 857NDS

» 858D

Brake

» 750A

» 750GAN

Center-Lock Adaptor

» SL - 01

» SL - 02

Components

» 1255S Ø25.4mm

» 1255S Ø25.4mm

» 941A

» 1542A

» 1542S

» 983.13 / 53mm ADJUSTING ANGLE PADS

» 877.17 / 60mm CLEARS COLOR PADS

» BST-A01P / 72mm CARTRIDGE ADJUSTING ANGLE PADS

TOP BRAKE

BICYCLE DISC BRAKE PAD MANUFACTURER

Nothing More than Safety

Long Downhill with Premium Brake Pad

Disc Brake Pad

Material Feature

GOLD

E-Bike compounds

- ✔High Quality
- ✔Durable
- ✔Good Stopping Power
- ✔High Heat Resistant

RED

Ceramic compounds



PURPLE

Copper free

Top 10 BikeBrake Pad

Heat Solution

Booth No. : S1202

ADUI Brake Industry Inc.
亞得利股份有限公司
NO. 16, Lane 34, Singren Rd., Danshui Dist.,
New Taipei City 251, Taiwan
Tel: +886-2-8631-1906 Fax: +886-2-8631-1904
E-mail: yjb@yjb.com.tw
Website: www.top-brake.com

MAKE YOU BETTER

for complete information please check our website at
WWW.UNEXCABLES.COM

THERMO DISSIPATOR™

Dual compounds pads for all well-known disc brake systems

ORGANIC DISC BRAKE PADS

CARBON BRACKET HOT

100% carbon, lightweight.

UN-BC1 UN-BC2 UN-BC3

CENTER LOCK ADAPTOR & LOCK RING

UN-CLA01

ULTRA CABLE SET HOT

>Kevlar® reinforced housing
>Strengthened by stainless steel braiding
>Stainless steel ultra-glide P.T.F.E. coated
>Double jacketed for all-weatherproof
>Polymer liner for frictionless function

GRIPPERS

Hydranlic hoses and housing holder.
Fits up to 6mm hose.

UN-10 UN-26 UN-51 UN-52

HYPER CABLE SET

>Strengthened by stainless steel braiding
> Stainless steel dyno-glide P.T.F.E. coated
>Double jacketed for all-weather proofing
>Polymer liner for frictionless function

ARROW COLOR DISC

WHITE RED BLUE BLACK

HYDRAULIC HOSE KIT HOT

Ultra hose

5mm Suitable for, Magura, Shimano, Avid, Formula

Inline Adjuster HOT

> Adjustment for derailleur to improve the accuracy
> Suitable for the housing between 4mm to 5mm

HOUSING SHIELD

UN-HPR11-BL/BK/RD/WH 4mm
UN-HPR12-BL/BK/RD/WH 5mm

VALVE CAP

UN-VC01
UN-VC02

←30Mts Volume Box

CABLE JACKETS ULTRA / HYPER

←100pcs Volume Box

INNER CABLE

Performance cable

ASHIMA

Without Limit

TAIPEI CYCLE

P1105, 1st Floor, Hall 2

New Disc Rotors

ARO-19



180mm



160mm



140mm

ARO-18



180mm



160mm

140mm

ASHIMA LTD.

Add No. 176 Bao Bu Road, Bao Bu Li Changhua 50089 Taiwan

Tel:886-4-7260496 Fax:886-4-7260638

E-mail:ashima.twn@msa.hinet.net

www.ashima.com.tw

BARADINE

ALL ABOUT BRAKES

TAIPEI CYCLE

P1214,1st Floor, Hall 2

MTB-959V

453D

MTB-959VC

MTB-959VCR

MTB-960V

MTB-955VC

MTB-955VCR

950E

Baradine Rubber Industrial Co., Ltd.
50064 No. 377, Punei St.,
Yenho Li,Changhua,Taiwan
Tel : 886-4-7112650 Fax : 886-4-7111907
E-mail : baradine@ms25.hinet.net

THE LEGION
LEGION
KINGMAKERS
Fighting For YOUR Dreams
The Legion Engineering Corporation
TEL: +886-4-7385959 FAX: +886-4-7383159
Website: www.thelegion.com.tw
E-mail: info@thelegion.com.tw
THE UNTOUCHABLE
LEGION

CARBON BRAKE SHOES

Compatible with SHIMANO® system

R-502
for ultimate performance

> Direct reaction both in wet and dry condition.
> 30% more braking power.

R-502

· Designed for professional use
· Excellent braking power in all weather

R-502

·Designed for professional use
·Long life-spin
·Thinner pads for 24~28mm wide carbon rim

R-502

·Designed for daily use
·Thinner pads for 24~28mm wide carbon rim

E-BIKE BRAKE SHOES

M-950

·Length: 50mm
·Compatible with MAGURA hydraulic brake

M-971V

·Length: 75mm
·For E-bikes and heavy loaded bikes

M-972V

·Length: 80mm
·For E-bikes and heavy loaded bikes

DISC PADS

SHIMANO

BP-09
SHIMANO DEORE XT BR-M755, ORMECA SYSTEM 8, SRAM 9.0, HOPE MONO M4, PROMAN LUCID P4

BP-10
SHIMANO DEORE M575, TEKTRO ALIRIGA PRO, AQUILA, GIANT ROOT

BP-15
SHIMANO DEORE, NAXAVE BR-M555, C901 HYDRAULIC

BP-17
SHIMANO BR-T605, M545, R505, ALFINE BR-S501, S500, XTR BR-M975, M966, M965, SAINT BR-M800, HONE BR-M601, DEORE XT BR-M776, M775, M765, LX BR-T665, M585, BR-M596, M595, M535, SLX BR-M665

BP-43
SHIMANO SAINT 2008 M810, ZEE BR-M640, BR-M820, TRP QUADIEM

BP-52
SHIMANO BR-CX77, RS-785, R785, R517, R317, XTR BR-M9000, M9020, M987, M985, DEORE BR-M615, XT BR-M8000, M785, SLX BR-M7000, M675, M666, ALFINE BR-S700

BP-64
SHIMANO ULTEGRA BR-R5805, RS505, RS-405, RS-305, DURA-ACE BR-R9170, METREA BR-U5000

AVID

BP-11
AVID JUICY 687, JUICY ULTIMATE, PROMAX DSK-950

BP-38
AVID BB5, BB3 MECHANICAL, PROMAX DSK-710

BP-44
AVID DB, AVID ELIXIR, SRAM XX, XX WORLD CUP, SRAM XO SERIES

BP-53
AVID CODE 2011

BP-57
AVID XO TRAIL, SRAM GUIDE ULTIMATE, RSC, R, RS

GIANT

BP-21
GIANT MPH2001~2003, MPH-1, MPH 2001, MPH-3 2002

BP-51
GIANT MPH1 CALLIPERS

BP-27
SUNTOUR DB XCC-MC

HAYES

BP-01
HAYES HFX-MAG AND HFX 9-SERIES, PROMAX HYDRAULIC

BP-26
HAYES SOLE HYDRAULIC, MX2, MX3, MX4, GX AND SOLE MECHANICAL

BP-40
HAYES STROKER RYDE, DYNO

BP-41
HAYES STROKER TRIAL

BP-49
HAYES PRIME, PRO, EXPERT, COMP, SPORT

CLARK'S

BP-62
CLARKS CMB-8, CMD-11 MECHANICAL, CMD-16

BP-66
CLARKS CMD5, CMD7, CMD12

MAGURA

BP-04
MAGURA LOUISE 1999-2001, CLARA2000, PROMAX DCB10

BP-12
MAGURA JULIE CALIPER 2001-2008

BP-14
MAGURA CLARA 2001~2002, LOUISE 2002~2008, LOUISE FR

BP-19
MAGURA MARTA, MARTA SL TILL 2008

BP-36
MAGURA LOUISE 2007, LOUISE BAT, LOUISE CARBON 2008, JULIE HP2009, MARTA 2009

BP-55
MAGURA MT2, 4, 6, 8

BP-60
MAGURA MT5, 7

BP-65
MAGURA MT5

TEKTRO

BP-08
TEKTRO ID HYDRAULIC, MECHANICAL

BP-46
TEKTRO IDIX

BP-56
TEKTRO LYRAL

BP-61
TEKTRO DORADO

PROMAX

BP-30
PROMAX DSK-400 601J & XNINE

CAMPAGNOLO

BP-67
CAMPAGNOLO CALIPER

HOPE

BP-20
HOPE MINI

BP-22
HOPE 2002 M4 AND DH4

BP-29
HOPE 2004 MONO MINI, 2007 MONO MINI

BP-35
HOPE 2010 V2

BP-39
HOPE MONO TRIAL, 2012 TRIAL ZONE

BP-48
HOPE TECH X2, MINI X2, TECH V2, 2009 X2

BP-58
HOPE 2007 MONO M4, 2013 2014 MONO V4

BP-59
HOPE 2014 E4

BP-31
FORMULA ORO

BP-42
FORMULA MEGA ONE, R1, RX, RO

BP-50
FORMULA ACTIVA, MD1 MECHANICAL CALLIPERS

SRAM

BP-54
SRAM RED 22 B1, FORCE 22, FORCE 1, CX1, RIVAL 22, RIVAL 1, 700 B1 HRD, HRR

BP-63
SRAM DB

ZOOM

BP-23
ZOOM

ORGANIC
Organic compound for daily use, better braking power in dry condition

E-BIKE
E-bike compound for excellent instant braking power control and long life time

SINTERED
Sintered compound for excellent heat-resistance and abrasion resistance, good performance under long braking power, especially in wet condition

TRANQUILA
Tranquila compound for soft braking power and noise free

Grooved
Grooved backplate for better heat-dissipation

BRAKCO
BRAKCO INDUSTRY CO.,LTD
Tel:886-4-7794916 Fax:886-4-7794917
www.brakco.com
e-mail:brakco@brakco.com.tw

SPORT ROTOR

FR-01SA

> Wear-out indicator
> Chamferred edge for safety reason
> 7075 alloy carrier
> SUS-410 braking band
> BK R B BG G

Size Option	Grams
140mm	109g
160mm	133g
180mm	153g
203mm	191g

※ *Not contain any 90 degree for racing bike.*

ADAPTOR

ADAPTOR FOR FLATMOUNT FORK AND FRAME

AP-13
For FM fork and 140mm ROTOR

AP-14
For FM fork and 160mm ROTOR

AP-15
For FM frame and 160mm ROTOR

AP-16
For FM frame and 140mm ROTOR

AP-17
For FM fork and 140/160mm ROTOR

AP-18
For FM frame and 140/160mm ROTOR

CMA SERIES

CMA-2
AP-02

CMA-3
AP-03

CMA-4
AP-04

CMA-5
AP-05

CMA-6
AP-06

CMA-7
AP-07

CMA-8
AP-08

ROTOR SHIELDS 5052 Alloy

HBP-61
Rotor shield fits flatmount fork:
140/160mm rotor

HBP-68
Rotor shield fits postmount fork:
160/180mm rotor

HBP-62
Rotor shield fits flatmount frame:
140/160mm rotor

HBP-69
Rotor shield fits IS frame:
160/180mm rotor

HYDRAULIC BRAKE PARTS

NEEDLES AND OLIVERS

HBP-06
AVID needle

HBP-07
SHIMANO
BH-59 needle

HBP-08
HAYES needle

HBP-17
FORMULA needle

HBP-18
MAGURA needle

HBP-67
TEKTRO needle

HBP-72
SRAM threaded
needle

HBP-75
SHIMANO
BH-90 needle

HBP-09
SHIMANO oliver

HBP-10
HAYES oliver

HBP-14
AVID oliver

HBP-15
FORMULA oliver

HBP-16
MAGURA oliver

HBP-66
TEKTRO oliver

HBP-73
SRAM threaded
oliver

CALIPER FIXING PARTS

HBP-50
35mm fixing pin

HBP-51
45mm fixing pin

HBP-60
50mm fixing pin

HBP-56
Clips for M4 /
M5 fixing bolts

HBP-77
Clips for M4 x 25
fixing bolts

HBP-49
M4 x 22.5 nylok
socket set screw

HBP-52
M4 x 22
fixing bolts

HBP-53
M4 x 27
fixing bolts

HBP-54
M4 x 36
fixing bolts

HBP-55
M5 x 25
fixing bolts

HBP-74
M4 x 25
fixing bolts

HBP-78
M4 x 27
fixing bolts

COMBINATION BOX

OR-01
Hydraulic brake rubber seals

BRAKCO
BRAKCO INDUSTRY CO.,LTD
Tel:886-4-7794916 Fax:886-4-7794917
www.brakco.com
e-mail:brakco@brakco.com.tw

Ride swiftly , Brake with confidence

Mr. A

盛記開發事業有限公司

Mr. A CORPORATION

No. 172-3, Zengfu Ln., Xiushui Township,
Changhua County 504, Taiwan
TEL :+886-4-768 7203 FAX :+886-4-768 7206
sales@mra.com.tw / sunkiss.bike@gmail.com

M108A : For 24~27" Wheels
M108B : For 24~20" Wheels

- Unique Linear Pull
- Top Silent Performance
- Massive Shock Reduction
- ABS Buffering
- Tail Trimmer Removes Rain Water
- Top Performance in All Conditions

P108A/B

M108A/B

www.mra.com.tw

ABS ROTOR

- 140/160/180/203mm
- DIY / Un-powered / Plug and Use

Web : http://www.zeitbike.com.tw
E-mail : zeit_josie@seed.net.tw
SKYPE : zeit.bicycle
TEL : 886-4-7882956
FAX : 886-4-7880847
No. 9, Alley 350 Jhanghua Rd., Huatan Township
Changhua County 503 Taiwan

2010 EN 14766

ZEIT

BRAKE & DISK PADS

ZEIT BICYCLE INDUSTRIAL CO., LTD.

Semi

Semi-Metallic
- Asbestos free / Steel backing plates
- High fricition coefficient
- Excellent braking performance for both wet & dry condition
- Long lasting pads life compare to organic pad

AL

Semi-Metallic
- Asbestos free / Aluminum backing plates
- 50% lighter weight
- Conduct the heat faster than steel
- Excellent braking performance for both wet & dry condition
- Good pad wear

S

Sintered-Metallic
- Excellent braking performance in high speed & temperature
- Long lasting pad wear

ROAD

V-TYPE

DK-11 MAGURA HS55 LOUISE

DK-12 MAGURA GUSTAV M~2004

DK-13 MAGURA JULIE

DK-14 MAGURA CLARA 2001 LOUISE 2002

DK-15 MAGURA MARTA MARTA SL

DK-16 MAGURA LOUISE 2007

DK-17 MAGURA MT 2/4/6/8

DK-18 MAGURA MT 5

DK-19 MAGURA MT 7

DK-21 SHIMANO DEORE XT 2003

DK-22 SHIMANO DEORE M555 / C-901

DK-23 SHIMANO DEORE M515 / M525 / M475 / C501 / C601

DK-24 SHIMANO XTR / SAINT / BR-M965 / BR-M585 / M966 / M800 / M765

DK-25 SHIMANO NEW SAINT BR-M810

DK-26 SHIMANO NEW XTR

DK-27 SHIMANO FLAT MOUNT BR-RS505 RS-805

DK-30-V4 HOPE V4

DK-30-E4 HOPE E4

DK-31 HOPE MINI

DK-32 HOPE M4

DK-33 HOPE 4 PISTON

DK-34 HOPE 2 PISTION

DK-35 HOPE 6 POT MONO

DK-36 HOPE MONO MINI

DK-37 HOPE MOTO V2

DK-38 HOPE MONO TRAIL

DK-39 HOPE TECH X2

DK-41 HAYES HFX1 & HFX9

DK-42 HAYES MX2 & MX3

DK-43 HAYES EL CAMINO

DK-44 HAYES STROKER RYDE

DK-45 HAYES STROKER TRIAL

DK-46 HAYES ACE

DK-47 HAYES PRIME

DK-48 HAYES DOMINION A4

DK-51 FORMULA B4

DK-52 FORMULA ORO

DK-53 FORMULA MEGA & THE ONE

DK-54 FORMULA CURA 4

AVID JUICY 3 & 5 & 7 & BB7

DK-62 AVID BB5

DK-63 AVID CODE

DK-65 AVID ELIXIR

DK-66 AVID CODE R

DK-67 AVID CODE R

DK-68 AVID ROAD RED 22 / S-700

DK-69 AVID DB1 / DB3 / DB5

DK-71 GIANT 2001

DK-81 TEKTRO IOX

DK-85 TEKTRO AURIGA PRO SUNTOUR MECHANICAL

DK-90 TEKTRO LYRA

DK-91 TEKTRO DORADO E-BIKE

DK-84 CANNONDALE CODA

DK-87 PROMAX DSK-400 DSK-601J & XNINE

DK-88 DIATECH ANCHOR / AMOR

DK-89 ALHONGA SNG MECHANICAL ZOOM

Z-449
55MM
SHIMANO DURA ACE
ROAD CALIPER
BLACK FINISH / CARTRIDGE

Z-419LA
55MM
SHIMANO DURA ACE
ROAD CALIPER
CNC MACHINED / ANGLE ADJUSTABLE

Z-438-CS2
55MM
SHIMANO DURA ACE
ROAD CALIPER
FULL CNC MACHINED / ANGLE ADJUSTABLE

Z-438-CS6
55MM
SHIMANO DURA ACE
ROAD CALIPER
FULL CNC MACHINED / ANGLE ADJUSTABLE / WITH CARBON PADS

Z-426CS
55MM
SHIMANO DURA ACE
INSERT PADS ONLY / CARBON RIM USE

Z-450LA
55MM
CAMPAGNOLO 10 SPEED
ROAD CALIPER
CNC MACHINED / ANGLE ADJUSTABLE

Z-467
55MM
CAMPAGNOLO
SUPER RECORD 11 SPEED
INSERT PADS ONLY / BLACK

Z-457
55MM
CAMPAGNOLO
SUPER RECORD 11 SPEED
ROAD CALIPER
BLACK FINISH / CARTRIDGE

Z-400LA-PK
55MM
SHIMANO DURA ACE
ROAD CALIPER
FULL CNC MACHINED / ANGLE ADJUSTABLE

Z-610
72MM
SHIMANO XTR / XT
V-TYPE BRAKE
BLACK

Z-629
72MM
SHIMANO XTR / XT
V-TYPE BRAKE
ARMY CAMO COLOR

Z-661
72MM
SHIMANO XTR / XT
V-TYPE BRAKE
TWO TONE

Z-683
60MM
V-TYPE BRAKE
BLACK

Z-700L-RD
72MM
SHIMANO XTR / DEORE XT
V-TYPE BRAKE
FULL CNC MACHINED / ANODIZED

Z-719
72MM
SHIMANO XTR / DEORE XT
V-TYPE BRAKE
BLACK FINISH

Z-800L-RED
72MM
SHIMANO XTR / DEORE XT
V-TYPE BRAKE
CNC MACHINED CARTRIDGE
ALUMINUM HOLDER

FOR ALL RANGE OF PRODUCTS, PLEASE CONTACT WITH US.
OEM, ODM AND ANY COMPOUNDS ARE AVAILABLE.

BREMSSCHUHE BRAKE SHOES PATIN DE FREIN PASTIL FRENO

XON

POWER YOUR RIDE

Taipei Hall 2 / 4F S0819 / S0821 | Shanghai | Eurobike | Kielce Expo | Taichung

No. 46-8 Zhuwei St, Dayuan Dist., Taoyuan City 33747 Taiwan Tel: 886-3-3830530 Fax: 886-3-3838973 E-mail: xon.tw@msa.hinet.net

XBT-26

XBR-07

XBG-40

XCS-31A

XQR Series

XSS-62

XVC-09

XBT-21

XBT-23

XMG-01

ACHS INDUSTRY CO., LTD.
信昌導管工業有限公司

2F, 28, Aly.38, Ln. 479, Sec.2, Zhangxing Rd., Changhua City, 500, Taiwan.
TEL : 886-4-7370992 FAX : 886-4-7370993 E-mail : achs@hibox.biz
http:// www.achs.com.tw

Hydraulic Brake Hose

Model:HK-BL

Super Hydraulic Hose
8 Colors
(4 Layers) :

Model:HM-SL

Advance Series
Colorful braided yarn, 6 Colors
(5 Layers) :

Model:HS- S2

Stainless Steel Braided Series
2 Colors(5 Layers):

Features Hydraulic Brake Hoses:

1. Reinforces horizontal strength resistant to burst and effectively eliminates expansion under every application.
2. Increases user safety.
3. Double reinforce layers.
   Reinforced 1) coiled tenacity polyester yarn
   Reinforced 2) Kevlar braided yarn

Spec: A.φ2.1 xφ5.0 mm
B.φ2.3 xφ5.0 mm
C.φ2.5 xφ5.4 mm

Fittings:

B01 B02 B03 B04

B05 B06 B07 B08

B09 B10 B11 B12

B13 B14 B15 B16

B17 B18 B19 B20

B21 B22 B23 B24

B25

Assembly Reference:

A01 A02 A03 A04 A05 A06

MECHANICAL SYSTEM

ALLIGATOR®
www.alligatorcables.com

THE BEST CABLE IN THE WORLD
31-STRAND SUPERIOR SHINE INNER CABLE

INNER CABLE

100 Pcs/Volume Box



20 Cards/Display Box

COLOR OUTER HOUSING

30 Mts volume box

HOT

Silver Star - Eco-friendly Cable Housing

HOT

Super Light - Fiber Glass
Light-Weight Shift housing

HOT

THE LIGHTEST CABLE HOUSING IN THE WORLD
ALLIGATORILINK™

- Silver, Gold, Black, Red, Blue, Green, Lake Green
- 4mm for shift, 5mm for brake, 6mm for motorcycle.
- INTERLINK™ technology for 100% water-proof and dust-proof.
- Maximum angle protection.
- Special high-tech aluminum materials, 50% lighter than regular housing.
- Compressionless for smoother and more accurate control.
- Optimized for high performance racing.

SYNCHRON COLOR ROAD BIKE CALIPER

- Unique design to make the outer casing motionless while the lever is pulling,such special design can help the brake system to move simulta neously, thus,can increase the brake power.
- silver, red, gold, orange are available.

NEW

LY-CBFR01-BS

LY-CBFR01-BO

LY-CBFR01-BG

DIY PACKAGE

UNIVERSAL BRAKE SHOES

replacement for Shimano road brake

RD-300UI RD-300UIC RD-300UICA

PORTABLE MELTING CUTTER

- Cutting inner cable in 2 sec.
- Naturally form a solid cable end.
- Portable, easy to use it everywhere.
- Don't need cable end cap anymore.
- You won't get hurt and scratch.

SILICONE HOUSING SHIELD

SPIRAL TYPE

DHPR-13-YW DHPR-13-RD
DHPR-13-GR DHPR-13-WH

SAWTHOOTH TYPE

DHPR-12-OR DHPR-12-PK
DHPR-12-BL DHPR-12-BK

MINI TYPE

NEW

suitable for 4mm & 5mm housing

DHPR-20-BK DHPR-20-RD
DHPR-20-WH DHPR-20-TR

REUSABLE END CAP

No need tool, reusable, luxury and high quality end caps.

LY-IPA06 FOR BRAKE

LY-IPA07 FOR SHIFT

HYDRAULIC SYSTEM

ALLIGATOR®
www.alligatorcables.com

5mm ULTIMATE™ HOSE KIT

HOT

Polymer underlay re-inforced with braided polyester fiber
Compatible for, Magura, Shimano, Avid, Formula

HYDRAULIC HOSE FITTINGS

Replacement fittings for workshop in original forms for Magura, Shimano, Avid, Hayes and Formula

HK-COM011

NEW TURBO COOLING DISC BRAKE PADS

HOT

> Made in Taiwan, engineered in Germany, designed in Italy.
> 40% Lighter weight, 25~30% Lower temperature than regular pads.

ANCHOR HYDRAULIC HOSE CUTTER

New design for ergonomics. Easier and quicker to have flat surface after cutting.

HOT

HK-CUT005-DIY

END PRESS

Tools to combine hose and fittings easily.

DIAMOND 2P Floating Rotor

NEW

> Patented floating technology with clever connecting design which reserve appropriate space for heat dissipation, and also greatly disperse internal stress for safer, durable performance.
> SUS410 Stainless Steel.
160mm 116g (6 colors)

DIAMOND Light-Weight Rotor



HK-R49
140mm 56g

HK-R50
160mm 70g

HK-R48
180mm 82g

E-BIKE 220 mm DISC ROTOR, & DISC ADAPTOR

NEW

> Durable design for E-bike.
> High-grade SUS 410 stainless steel.

HK-R85-DIY
220mm 202g

HK-XQ08-DIY
28g

HEAT DISSAPATION DISC BRAKE ROTOR

> Thin alloy plate attached to help dissipate the heat, no need to worry about the overheat.
> High-grade SUS 410 stainless steel.

NEW

HK-R80BK-DIY
160mm 136g

HK-R80BL-DIY
160mm 136g



HK-R80RD-DIY
160mm 136g

EXTRAME CARBON DISC BRAKE PADS

HOT

> Contains HIGH % Carbon fiber.
> Prevent heat exhaustion and will have stable braking Performance.

DISC BRAKE PADS

RELIABLE
Organic

PERFORMANCE
Semi-Metallic

PROFESSIONAL
Ceramic
Sintered

COLOR DISC BRAKE ROTOR

STARLITE CROWN WIND CUTTER i WAVE ARIES DIAMOND 2P

CHANG YING METAL INDUSTRIES CO., LTD.

No. 45, I Te South Rd., Niu Pu Li,
Changhua, Taiwan.
Tel: 886-4-7381826, 7388283
Fax: 886-4-7387184
Executive: Wu Jui Ying
http://www.biketaiwan.com/btwc023
E-mail: c7381826@ms74.hinet.net

Model CY-350, CY-353
CY-350A Universal Brake Cable
CY-350B Universal Brake Inner Cable
CY-353A Universal Derailleur Cable
CY-353B Universal Derailleur Inner Cable

Model CY-354, CY-355, CY-356, CY-357
A CY-354 26" Brake Cable
B CY-355 BMX Brake Cable
C CY-356 Racing Brake Cable
D CY-357 MTB Brake Cable



Model CY-357-1B.C
MTB Yoke Wire For Cantilever Brakes.

Model CY-362
A. 7 x 6 Head 1.5mm Cable for BMX
B. 7 x 7 Head 1.6mm Cable for ATB
C. 7 x 8 Head 1.6mm Cable for MTB
D. 6 x 10 Head 1.5mm Cable for Racing
E. 6 x 11.5 Head 1.6mm Cable for Racing
F. 4.5 x 4.5 Head 1.2mm Cable

Model CY-363
A. Ø 4mm SP For Index Series
B. Ø 5mm SP For Index Series
C. Ø 5mm SIS-2P Outer Casing
D. Ø 5mm 2P Outer Casing
E. Ø 5mm 1P Outer Casing



Model CY-363 Color Options

Model CY-366
Outer Casing:Braid Series
Ø 4mm SP & Ø 5mm 2P



Model CY-364
Outer Casing: Laser Color Series
Ø 4mm SP & Ø 5mm 2P

Model CY-364-1
Outer Casing: Laser Color Series
Ø 4mm SP & Ø 5mm 2P



Model CY-367 Ø 4mm & Ø 5mm SP Reinforced Series (Double-coiled Kevlar Fiber)

Model CY-370 Ø 4mm & Ø 5mm SP(Alloy) Reinforced Series (Double-coiled Kevlar Fiber)+Braid Series

CY-367, CY-370 Color Options



Model
A: Inner Wire Box B: Outer Casing Box

Model Cable Parts Plastic Bottle

Model Cable Parts Plastic Bottle

Model V-Brake parts (SS) STAINLESS
(ST) STEEL
A: CY-249 92°
B: CY-250 110°
C: CY-250-1 110°
D: CY-250-2 110°

Model V-Brake parts (SS) STAINLESS
(ST) STEEL
A: CY-251 90°
B: CY-251-1 90°
C: CY-251-2 90°
D: CY-253 E: CY-253-1



Model V-Brake parts (SS) STAINLESS
(ST) STEEL
A: CY-252 135°
B: CY-252-1 135°
C: CY-252-2 135°

Model Cable Parts

(AL) ALLOY

吉泰

CHI TAI

CHI TAI CABLE CO.,LTD

Tel: 886-4-7111955

Fax: 886-4-7112499

E-mail: chitai.cable@msa.hinet.net

Laser Color Series SP Φ4.2mm & 2P 5mm

NEW

Outer Casing: Laser color series / Color and length to order

Night Ride Wire→

Fluorescent Wire

SP Φ4.2mm & 2P 5mm outer casing

Outer casing and inner wire / Color and length to order



CT-110B

Housing shields to fit 3~5 mm cable housing.



Feature : The use of protectors help to prevent damage to cable housing due to abrasion.

CHUEN HAN®
鈦絲
絕佳抗腐蝕，質輕，高強度，絕佳的彈性，
絕佳的低溫韌性，低熱傳導。
Titanium Cables
Excellent corrosion resistance, light weight, high strength, excellent flexibility, excellent low temperature resilience, low thermal conductivity
Stainless steel polishing & grinding cables
CHUEN HAN CO.,LTD
NO.12, LN. 40, SANCUN RD., CHANGHUA CITY, CHANGHUA COUNTY 500, TAIWAN
TEL:886-4-7322297 . FAX:886-4-7370614 . E-Mail：brakewire@brake-wire.com
Web-Site：www.brake-wire.com

MARS ONE
阡發導管工業有限公司

ADJUST SCREW-DUCK TYPE ANODIZZED

AL-082843GGD AL-082843GG AL-082843GR AL-082843GB

FRAME PROTECTER

FP-0910BK FP-0910RD

SAND BLAST PAINTED

AL-082843SGD AL-082843SG AL-082843SR AL-082843SB

Professional Cable Manufacturer

CABLE SET: *CLASSIC / DEZZLE / SPEEDY 3 LEVELS*
Derailleur set / Brake set
HYDRAULIC SET: *1WHELL / 2WHEELS*

BOX :
CABLE HOUSING
INNER CABLE

ZIPPER BAG CABLE SET:
Derailleur set / Brake set

LUBE:
CABLE HOUSING

NIPS:
INNER CABLE

PET BLISTER :
CABLE HOUSING
INNER CABLE

BRAKE SHOES

DISC PAD

COMBO ACCESSORIES SET

BMX SET

CABLE LOCK

CIAN FA PIPE INDUSTRY CO., LTD.
No.4, Ln. 104, Lixin St., Dali Dist.,
Taichung City 41250, Taiwan
Tel: +886-4-22785526 Fax: +886-4-22786961
E-mail: sales@marsone-cable.com

TAIFA CO., LTD.
Lot No.77B,B Rd., Linh Trung Export
Processing Zone II Binh Chieu Ward.
Thu Duc District. Ho Chi Minh City Vietnam
Tel:+84-8-37292838 / 39 Fax:+84-8-37292840

www.marsone-cable.com

Professional Manufacturer of Hydraulic Tubes

for motorcycle & bicycle hydraulic braking system.

Hose Cutter





PAT.

MANUF' NAME AND/OR BRAND
DOT
FMVSS No.218 CERTIFIED

JAS-ANZ

MS CERT M4151008IK
QUALITY ASSURANCE
ISO 9001

NSF

KROE-BL/NT/WT Series Approved

31-BK
31-W
31-R
31-Y
31-GRAY
31-G
42-GOLD
42-BK
42-R
42-Ti



KENSWELL®

KENSWELL TUBE FORMING INC.

No. 108, Alley 88, Lane 221, Chunghua Rd., Sec. 1, Lungching Hsiang, Taichung Hsien, Taiwan
Tel: 886-4-26352315 Fax: 886-4-26356959 E-mail:kenswell@ms33.hinet.net
http://www.kenswell.com.tw

利達工業有限公司

Leeder Industrial Co., LTD

地址：彰化市一德南路39號
電話：(04)7320-218
傳真：(04)7320-189
信箱：leedercable@gmail.com
網址：www.leedercable.com

5ø 2P Brake

111B
112A
113A
114A
115A
117A
118A

4ø SP Shift outer casting

211B
212A
213A
214A
215A
217A
218A

5ø 2P Fluorescence

111E
111F
112B
113D
114D
114E

4ø SP Fluorescence

211E
211F
212B
213D
214D
214E

5ø 2P Toughness yarn weave

131A
133A
135A
137A
138B

4ø SP Toughness yarn weave

231A
233A
235A
237A
238B

5ø SP AL-SP

341A
347A
347B
348A
348B

4ø SP AL-SP

241A
247A
247B
248A
248B

5ø 2P Laser

121B
123A
125B
127A
127C
127D

exclusive 4ø SP Laser

221B
223A
225B
227A
227C
227D

5ø SP Kevlar twice Twining

361A
361B
362A
365A
367A
368A

4ø SP Kevlar weave

261A
261B
262A
265A
267A
268A

HOT

60% Weight off

NEW 5ø 2P 30M, *0.68kg*

normal 5ø 2P 30M, 1.74kg

AC205-001

AC205-002

AC205-007

AC205-008

FG204B-001

FG204B-007

FG204B-008

EC201-001

EC201-002

EC201-003

PR203A-001

PR203A-003

PR203A-007A

PR203A-007B

PR203A-008

PR203B-001A

PR203B-001B

PR203B-003

PR203B-007

PR203B-008

PR203C-001

PR203C-002

PR203C-003

ADB-202A SERIES

011 017 018 021 027A 027B 028

031 032 033 034 035 036 038

ADB-202B SERIES

001 002 003 004 005 006

英式吊鉤銅珠

德式吊鉤銅珠

AVID			
MAGURA			
SHIMANO			

Hydraulic Brake

2.5 X 5.5

2.3 X 5

quaxar
SIMPLY BETTER

AIRFINN ™

AIRFINN Disc Pads feature a Carbon Metallic Friction Compound with an Aluminum Backing Plate and Heat Sink Cooling Fins.
These Re-usable Heat Sink Cooling Fins Absorb and Dissipate Heat Away from the Backing Plate to prevent Thermal Transfer to the Brake Caliper.

Advantages:
*Re-usable Heat Sink Cooling Fins
*Carbon Metallic Friction Compound for Extreme Heat Resistance.
*Exxellent Braking Performance for All Weather Application.


AF1015BK

AF1026BK

AF1043BK


AF1062BK

DISC ROTOR

ASPEN
Lightweight, aerodynamic rotor that cuts through wind and prevents drag.

IRIS
Ultra - Lightweight stainless steel rotor.

AXIM
Floating, Lightweight 7075-T6 Aerospace grade CNC machined alloy and stainless steel outer disc.

FXR710
160mm

FXR006 140mm
FXR007 160mm
FXR008 180mm


FXR010 160mm
FXR011 180mm

UNIVERSAL FLUID BLEEDING KIT

Compatible with all disc brake models,
Syringes with different colour plungers and clearly marked for Mineral Oil and DOT to prevent mix up.

BDK7000

BRADLEY HYDRAULIC HOSE KITS

Kevlar fiber overbraid PVDF polymer underlay reinforced with spiral fiber wrap and a scratch resistant polymer jacket for outer protection.

Fast-Fix Fittings

XCALIBUR ™

A lightweight, compressionless housing structure reinforced with fiber overbrai dand double jacketed for all weather proofing.
Pre-lubed liner for smooth operation .Features ultra low friction P.T.F.E. stainless steel slick cable with flat surface for maximum precision.

CENTRA-LOCK

Center-Lock for QR15 and QR20 15/20 mm thru axle hubs.
Compatible also for QR 5mm.

CTR15BK CTR15BL CTR15RD CTR15GD

CERAPLASMA

CeraPlasma TM disc pads is a patented process of spraying of molten or heat soften ceramic material onto a metal backplate to create a thermal barrier or insulator to disperse heat from transferring to the caliper components.

- Carbon friction material for extreme heat resistance
- Delivers excellent stopping power for both dry and wet
- Superior durability for longer pads wear

AXU1015
SHIMANO
M8000
M9000

AXU1043
AVID
Elixir

BRAKE SHOES

ELITE MTB

GTX1200BK

GTX1200SI

GTX1400

GTX1410BK

ELITE ROAD

TRD4021

TRD4022

TRD4030SI

TRD4030BL

For more info check our website

quaxar SIMPLY BETTER 芫恩利有限公司
Quaxar Engineering Co.,Ltd.
886-47510082
886-47510028
info@quaxarengineering.com
www.quaxarengineering.com

quaxar
SIMPLY BETTER

INTERNAL ROUTING SYSTEM

Helps in the installation of internal routing of brakes & gear housing,inner cables, hydraulic hose and electronic wiring in aluminum,titanium and carbon frames.



IRXS01

PADS & POTOR FEELER GAUGE

Self-aligning tool that set the spacing between pads evenly and aligning the caliper and the rotor.

FGA01

TUBELESS SYSTEM

No Mess, Easy Conversion of Non-Tubeless Rims & Tires to Tubeless.

TUBELESS KIT

Enough to Convert 2 Wheels

UTK20R (Road / Cyclocross)

UTK20M (MTB)

TUBELESS SEALING RIM TAPE

Used to Convert Tube Rims to Tubeless by making them Airtight or used as a Lightweight Rim Tape.

ST2010
20mm*10m
Road/Cyclocross

ST2510
25mm*10m
MTB

ST2810
28mm*10m
MTB

TUBE & TUBELESS TIRE SEALANT

Specially Formulated to Prevent and Repairs Flats and Leaks.
Self Sealing that Seals puntures instantly up to 6mm.
Long Lasting that Stays Liquid and Will not Harden.
Environmentally friendly, Non-Toxic,
Non-Harzardous, Non-Corrosive.

TST010
100ml

TST040
400ml

100ml 400ml

UNIVERSAL TUBELESS VALVES

Made of Lightweight Aluminum Alloy.
Removable Valve Core for Easy Sealant Transfer.
Aluminum Alloy Valve Caps Anodized to Color.

TUV45BK
BLACK

TUV45RD
RED

TUV45BL
BLUE

TUV45GD
GOLD

JACKLIFT

No sweat, easily installed tires with ease.
Useful tool when adding sealant to tires.
Compatible for all MTB and Road tires.

QJKLT



TIRE SEALANT INJECTOR

No Mess, Easy transfer of Sealant to tires.
2 in 1 Fittings Adapter for both presta & Schraeder valves.
60ml Syringe Injector.

TSJ001

For more info check our website

quaxar SIMPLY BETTER 芫恩利有限公司
Quaxar Engineering Co.,Ltd.
886-47510082
886-47510028
info@quaxarengineering.com
www.quaxarengineering.com

智勝國際企業有限公司
SAPIENCE INTERNATIONAL LTD.
彰化縣福興鄉三汴村三汴街8號
No.8, Shan Pien St., Shan Pien Tsun,Fu Hsing Hsiang,Changhua Hsien, Taiwan
TEL:886-4-7690056 E-mail:sapience.tw@gmail.com

SAPIENCE
MAKE IT RIGHT

http://www.sapience.com.tw/

Since 1970
STARTEK CABLES
彰承工業股份有限公司
Address：彰化縣秀水鄉安樂街15號
e-mail：startek.cables@msa.hinet.net
Tel：886-4-7697-728 Fax：886-4-7696-697
CONTACT：JASON HUANG · CINDY TSENG
MOBILE：0958-709758 0952-299077

Quality cables,inner wire & parts.

ORDINARY CABLE HOUSINGS



Length and color to order



Length and color to order



Length and color to order

INNER WIRE

G01 (galvanized steel)
S02 (stainless steel)
standard 1x19 only

S03
slick galvanized

S04 (7x7)
slick stainless,
Superflex

J01 coated

J02 (7x7)
coated,
Superflex

PARTS

ST-001
5mm open ferrule
brass

ST-005
End caps Alloy

ST-006
5mm adapter
ferrule end brass

ST-9002
V-brake pipe boot

ST-9003
O-rings-shift /
brake plastic

ST-9004
4mm open ferrule
plastic

50年優良品質
專業導線製造工廠
100% MADE IN TAIWAN



color cables

MOTORCYCLES CABLES

OEM CABLES

LENGTH AND COLOR TO ORDER

laser cables

auto car cables

weave silver cables

X.TERM

隆　安

X.TERM IND
No.41, Al.2, HI 389, Sec5, Chang Nan Rd.,
Changhua, Taiwan.
Tel: 886-4-737-7005　Fax: 886-4-737-7038
E-mail: lee1433tv@yahoo.com.tw

(SS)STAINLEES / (ST)STEEL

MODEL: 1″ XT-010 , 1 1/8″ XT-011

Model A: Inner Wire File Box
B: Outer casing File Box

1.Upper Cable

2.Lower Cable

Braided silver

Model:
A.-350A Universal Brake Cable
Liength and color to order

B.C.D.E
Outcasing and inner wire
Color and length to order

Parts

Explosion Bike Outer Casing

Sp Tranparent Casing W/kevlar Fiber

Ø5mm SP AL-SP Ø4mm AL-SP

Ø4mm SP Laser / Color

Ø5mm 2P Laser / Color

Ø5mm Laser / Braided Casing



Color Options of SP & 2P Series

Black #BL-1	White #WH-1	Silver #SI1	Red #RE-1	Orange #OR1	Purple #PU1	Green #GR2

YI ZHAN

YI ZHAN CABLE CO., LTD.

TEL: 886- 4 -7376146 FAX: 886- 4 -7386257
E-mail: yizhan.cable@msa.hinet.net
http://www.YZcable.com.tw

For More Information About Out Products, Please E-mail To YZ.
Please E-mail To YZ For Further Request.

Freestyle Rotor Cable



UPPER CABLE YZ-201

SINGLE LOWER CABLE YZ-202

UPPER CABLE YZ-203

DOUBLE LOWER CABLE YZ-204

YZ-801

YZ-802

YZ-803

Rotor Size: 1-1/8"or 1",BK or CP

CNC Alloy Rotor

Freestyle Color Special Rotor Cable

YZ-205

YZ-206

YZ-207

YZ-208

YZ-209

YZ-210

YZ-321

YZ-322

Rotor Cable Set A/M Packing

BRAKE Outer Housing: 2P 5mm



GEAR Outer Housing: SP 4mm

Inner Wire A/M set

Inner Wires

GAR(Galvanized steel)
STR(Stainless steel)



GAS(Slick-galvanized)
STS(Slick-Stainless)

PTF-GAS(Teflon Slick-galvanized)
PTF-STS(Teflon Slick-Stainless)



PTF-STS/RED
YZ-10563 1.5mm X 2100mm 7X7 & 6X9 2PCS / BOX

YZ-A40-Z6

YZ-E2-Z6

Outer Cable And Inner Wire A/M Set

2p 5mm Housing 500M Packing
Sp 4mm Housing 500M Packing

End Cap

LEVER Adjust Bolts 10x18

YZ-KSIR

KS5DBU

KS8GE

5mm YZ-15508 15509 155010 15511

YZ-14303 14304 14305 14306 14307

5mm YZ-15501 15502 15503 15504



YZ-14308 14309 143010 14311 14312 14313

NEW

O ring

French Type

American Type

YI ZHAN CABLE CO., LTD.
TEL: 886- 4 -7376146 FAX: 886- 4 -7386257
E-mail: yizhan.cable@msa.hinet.net

For More Information About Out Products, Please E-mail To YZ.
Please E-mail To YZ For Further Request.

EAG WIRE

WEN HAO

紋 豪

WIN HORN ENT. CO., LTD.
Add : No. 8-17, Antou Lane, Yanping Li,
Changhua City 500, Taiwan.
Tel : 886-4-7111367, 7128371 Fax:04-7110983
E-mail : winhao@ms35.hinet.net
URL : www.win-hom.com.tw
Executive : Yee Gou-Chen

Passed through with the RoHs directive.
Ultra-Glide cable systems
Model: WH-749TF 1.6x2000mm
WH-760TF 1.2x2000mm



OUTER ASING CABLE
Model: WH-25,WH-41,WH-61
E,F,G,H,I

Model:WH-740 STS(7x7)
Stainless brake cable
ATB.MTB 1.5x1700mm

Model:WH-742 STS(7x7)
Stainless brake cable
RACING 1.5x1700mm

Model:WH-762 STS(7x7)
Stainless dera cable
1.2x2000mm



Frame protectors
Basic color types include: **WH-A001, WH-A002, WH-A003, WH-A004, WH-A005**
White, black, light, red, blue, transparent and florescent colors.
Basic color types include: **WH-B001, WH-B002, WH-B003, WH-B004**
orange, green, yellow, pink, transparent and florescent colors.
Special colors include: **WH-C001, WH-C002, WH-C003, WH-C004, WH-C005**
Matte silver, golden bronze, lilac, deep violet, silver gray.

Model: WH-HK50
Styck on Cable
Model: WH-HK51
Styck on Cable

BRAKE CABLE & DEPAILLER CABLE
Model : WH-700, WH-706, WH-708,
WH-760, WH-760W,
WH-762W

BRAKE CABLE & DEPAILLER CABLE
Model : WH-709, WH-749, WH-801,
WH-801-1, WH-880,
WH-880-1

Model :
A:INNER WIRE FILE BOX PACKING
B:OUTER CASING FILE BOX PACKING
C:CABLE AND OUTER CASING PARTS BOTTLE PACKING

Model : WH-709ST2
universal brake cable
1.5mm stainless
+5mm 2pouter casing
Size:60"x65"

Model : WH-729ST2
universal brake cable
1.5mm stainless
+5mm 2pouter casing
Size:55"x64"

Model : WH-C304A, WH-C303AP, WH-C302A, WH-C301B
WH-V82A, WH-V82B, WH-V82C, WH-V82D, WH-V82E, WH-V82F
WH-1212A, WH-1243S, WH-BS11, WH-BS6, WH-BS7

正龍工業股份有限公司 CYCLE CONNECTIONS INDUSTRY CO., LTD.
e-mail: cc@hibox.hinet.net TEL 04-7380969 FAX 04-7380868
彰化市彰興路二段479巷38弄28號

Cable Housing Experts: We offer wide variety of cable housing to satisfy customer's different need.

◆ FEATURE: All kinds of cable housing are available. ISO 9001 certificate.

ADVANTAGES : Highly Research, Development and Manufacture Ability



- Metal: Coil Tech.
- Metal: Linear Tech.
- Metal: Coil/Linear Complex Tech.

→ Manufacturing Tech. of Metal Layer

- Woven : Fiber
- Woven : KEVLAR
- Woven : Special Pattern

→ Different Protecting and Reinforcement Layer

- Shielding : Bright Gold
- Shielding : Bright Silver
- Shielding : Carbon fiber appearance
- Shielding : Light Reflection

→ Specialized Film Shielding Layer

- Customization : Neon Color
- Customization : Deep Purple
- Customization : Carbon Fiber Black

→ Diversity Skill to Meet the Customer's Need.

➢ We have a powerful technological team which have over 30 year of experiences and our own patent of the industry has helped us develop solutions that answer the needs of today's clients.

◆ FEATURE: High strength and low weight

Type	Features
I: Fiber Woven Reinforcement	Linear high carbon steel reinforced by the woven high strength fiber.
II: Fiber Coiled Reinforcement	Unique fiber coiled reinforce method significantly increase the anti-compression strength.
III: Stainless Steel Reinforcement	This type shows the superior mechanical properties by using the high quality stainless steel. Not only the braided layer but also the linear steel layer can apply the stainless steel.
IV: 3D Reinforced with Woven and Coiled Method	The combination of fiber woven and coiled reinforcement technique provide the 3D and full dimensional protection. Not only high strength fiber but also bulletproof KEVLAR fiber are applied in this type.
V: Double Kevlar Coiled Reinforcement	Not only the use of bulletproof KEVLAR fiber but also the double coiled technique, this type shows the highest strength in SP braking housing. By the aid of this technique, the highest strength /weight ratio product can be available.



Cross section of high strength and low weight braking housing



Bullet proof reinforce fiber

Technique to achieve high strength and low weight

➢ Not only traditional cable housings, we produce high performance and low cost specialized cable housings, such as low friction, high strength and super low weights.

A&G

Taiwan Bicycle Source

The Seven-in-One TBS

The Number 1 Global Sourcing Tool !



輪彥國際有限公司
WHEEL GIANT INC.

軟實力傳媒有限公司
Soft Power Media Co., Ltd.

By combining the dedicated and experienced service of Wheel Giant, along with the confidence of Taiwan's manufacturers, TBS continues to support and aid the future of Taiwan's bike industry.

- ☑ **The most comprehensive product assortment**
- ☑ **The highest rate of use by the industry**
- ☑ **The highest buyer request rate**
- ☑ **The highest actual circulation**
- ☑ **First-class quality and reputation**

No. 193, Tzu-Chiang Rd., Changhua 50095, Changhua, Taiwan
Tel: 886-4-7350500, 7360794~5 / Fax: 886-4-7357860 / tbs@mail.wheelgiant.com.tw / www.bikenews.online
Shanghai 86-512-57515789 / Ningbo 86-574-88210669 / Tianjin 86-22-28137963 / Shenzhen 86-755-81789589